

LED ceiling light AIGOSTAR E6 122x122 white square 230V 9W 470lm CRI80 160° IP20 3000K warm white

Product code 14144

Price 5,51+VAT

Brand AIGOSTAR
Supply voltage 230V
Output 9W
Electric current 70mA
Luminous flux 470lumens
Luminaire's efficiency 52W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 160
Cri 80
Protection class IP20
Lifespan 20000h
Height 34.5mm
Width 122.0mm
Length 122.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Polishing matt
Shape square
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20~+40°C
Certificates CE, RoHS
Warranty 2 years



LED ceiling light AIGOSTAR E6 122x122 white square 230V 9W 480lm CRI80 160° IP20 4000K pure white

Product code 14488

Price 5,61+VAT

Brand AIGOSTAR
Supply voltage 230V
Output 9W
Electric current 70mA
Luminous flux 480lumens
Luminaire's efficiency 53W
Correlated colour temperature (cct)
pure white 4000K
Lens angle 160
Cri 80
Protection class IP20
Lifespan 20000h
Height 34.5mm
Width 122.0mm
Length 122.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Polishing matt
Shape square
Work environment indoor use
Operation temperature -20°C~40°C
Certificates CE, RoHS
Warranty 2 years



LED ceiling light AIGOSTAR E6 172x172 white square 230V 12W 770lm CRI80 160° 3000K warm white

Product code 13527

Price 8,12+VAT

Brand AIGOSTAR
Supply voltage 230V
Output 12W
Electric current 100mA
Luminous flux 770lumens
Luminaire's efficiency 64W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 160
Cri 80
Lifespan 20000h
Height 34.5mm
Width 172.0mm
Length 172.0mm
Weight 550g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Polishing semimatt
Shape square
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20°C~40°C
Certificates CE, RoHS
Warranty 2 years



LED ceiling light AIGOSTAR E6 172x172 white square 230V 16W 1130lm CRI80 160° IP20 3000K warm white

Product code 14145

Price 9,30+VAT

Brand AIGOSTAR
Supply voltage 230V
Output 16W
Electric current 125mA
Luminous flux 1130lumens
Luminaire's efficiency 71W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 160
Cri 80
Protection class IP20
Lifespan 20000h
Height 34.5mm
Width 172.0mm
Length 172.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Polishing matt
Shape square
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20~+40°C
Certificates CE, RoHS
Warranty 2 years



LED ceiling light AIGOSTAR E6 D176 white round 230V 12W 770lm CRI80 160° 3000K warm white

Product code 13524

Price 9,30+VAT

Brand AIGOSTAR
Supply voltage 230V
Output 12W
Electric current 100mA
Luminous flux 770lumens
Luminaire's efficiency 64W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 160
Cri 80
Lifespan 20000h
Height 34.5mm
Diameter 176.5mm
Weight 476g
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Shape round
No. of switches 12500pcs
Operation temperature -20°C~40°C
Warranty 2 years



LED ceiling light AIGOSTAR E6 D226 white round 230V 18W 1300lm CRI80 160° IP20 4000K pure white

Product code 14227

Price 12,26+VAT

Brand AIGOSTAR
Supply voltage 230V
Output 18W
Electric current 140mA
Luminous flux 1300lumens
Luminaire's efficiency 72W
Correlated colour temperature (cct)
pure white 4000K
Lens angle 160
Cri 80
Protection class IP20
Lifespan 20000h
Height 34.5mm
Diameter 226.0mm
In package 1pc
In box 20pcs
Casing colour white
Casing material aluminum + plastic
Polishing matt
Shape round
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20°C~40°C
Certificates CE,RoHS
Warranty 2 years



LED downlight LAHTI MINI 2X9W TRIAC black 230V 18W 1050lm CRI90 35° IP20 3000K warm white

Product code 16426 TRIAC dimmable

Price 97,24+VAT

Supply voltage 230V

Dimmable TRIAC

Output 18W

Luminous flux 1050lumens

Luminaire's efficiency 58W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 35

Source of light [PHILIPS LED](#)

Cri 90

Protection class IP20

Lifespan 30000h

Height 82.0mm

Width 78.0mm

Length 161.0mm

Weight 820g

In box 12pcs

Casing colour black


Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years

ART
LIGHT




LED downlight LAHTI MINI 2X9W TRIAC white 230V 18W 1050lm CRI90 35° IP20 3000K warm white

Product code 16427 TRIAC dimmable

Price 98,56+VAT

Supply voltage 230V
Dimmable TRIAC
Output 18W
Luminous flux 1050lumens
Luminaire's efficiency 58W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 82.0mm
Width 78.0mm
Length 161.0mm
Weight 820g
In box 12pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years

ART
LIGHT

LED downlight LAHTI MINI black 230V 8W 547lm CRI90 60° IP20 3000K warm white

Product code 14983

Price 41,78+VAT

Supply voltage 230V
Output 8W
Luminous flux 547lumens
Luminaire's efficiency 68W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 60
Cri 90
Protection class IP20
Lifespan 30000h
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years

ART
LIGHT

LED downlight LAHTI MINI TRIAC black 230V 13,5W 850lm CRI90 35° IP20 3000K warm white

Product code 16605 TRIAC dimmable

Price 53,45+VAT

Supply voltage 230V
Dimmable TRIAC
Output 13,5W
Luminous flux 850lumens
Correlated colour temperature (cct)
warm white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 99.0mm
Diameter 100.0mm
Weight 580g
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years

ART
LIGHT

LED downlight LAHTI MINI TRIAC black 230V 9W 550lm CRI90 35° IP20 3000K warm white

Product code 16599 TRIAC dimmable

Price 53,45+VAT

Supply voltage 230V
Dimmable TRIAC
Output 9W
Luminous flux 550lumens
Luminaire's efficiency 61W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 35
Cri 90
Protection class IP20
Lifespan 30000h
Height 80.0mm
Diameter 78.0mm
Weight 410g
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years

ART
LIGHT

LED downlight LAHTI MINI TRIAC white 230V 13,5W 850lm CRI90 35° IP20 3000K warm white

Product code 16606 TRIAC dimmable

Price 53,45+VAT

Supply voltage 230V
Dimmable TRIAC
Output 13,5W
Luminous flux 850lumens
Correlated colour temperature (cct)
warm white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 99.0mm
Diameter 100.0mm
Weight 580g
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



LED downlight LAHTI MINI TRIAC white 230V 9W 550lm CRI90 35° IP20 3000K warm white

Product code 16411 TRIAC dimmable

Price 53,45+VAT

Supply voltage 230V
Dimmable TRIAC
Output 9W
Luminous flux 550lumens
Luminaire's efficiency 61W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 35
Source of light [PHILIPS LED](#)
Cri 90
Protection class IP20
Lifespan 30000h
Height 80.0mm
Diameter 78.0mm
Weight 410g
In box 24pcs
Casing colour white
Casing material aluminum
Work environment indoor use
Certificates CE, RoHS
Warranty 2 years



LED ceiling light M5W 120x120 TRIAC white square 230V 5W 350lm CRI80 3000K warm white

Product code 13526 TRIAC dimmable

Price 12,00+VAT

Promotional price 6,00+VAT


Supply voltage 230V
Dimmable TRIAC
Output 5W
Luminous flux 350lumens
Luminaire's efficiency 70W
Correlated colour temperature (cct)
warm white 3000K
Cri 80
Lifespan 35000h
Height 120.0mm
Width 40.0mm
Length 120.0mm
Weight 361g
Casing colour white
Casing material aluminum + plastic
Polishing semimatt
Shape square
Work environment indoor use
Certificates CE



Dome light PROLUMEN AL37 white 230V 25W 2800lm CRI80 100° 3000K warm white

Product code 14710

Brand [PROLUMEN](#)
Supply voltage 230V
Output 25W
Luminous flux 2800lumens
Luminaire's efficiency 112W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 100
Cri 80
Lifespan 50000h
Height 33.0mm
Diameter 400.0mm
Weight 1440g
Casing colour white
Certificates CE, RoHS
Warranty 3 years



LED downlight PROLUMEN DL115A black 18W 1890lm CRI80 90° IP54 4000K pure white

Product code 15519

Price 32,60+VAT

Brand [PROLUMEN](#)

Output 18W

Luminous flux 1890lumens

Luminaire's efficiency 105W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 90

Cri 80

Protection class IP54

Lifespan 50000h

Height 124.0mm

Diameter 170.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK05

Work environment indoor use

Certificates CE

Warranty 3 years



LED luminaire PROLUMEN DL115A white round 230V 25W 2330lm CRI80 60° IP54 3000K warm white

Product code 15892

Brand [PROLUMEN](#)

Supply voltage 230V

Output 25W

Luminous flux 2330lumens

Luminaire's efficiency 93W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800g

Package weight 12500g

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL115B white round 230V 25W 2330lm CRI80 90° IP54 3000K warm white

Product code 15873 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2330lumens

Luminaire's efficiency 93W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 90

Cri 80

Protection class IP54

Lifespan 50000h

Height 129.0mm

Diameter 213.0mm

Weight 800g

Package weight 12500g

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL115B white round 230V 25W 2930lm CRI80 90° IP54 4000K pure white

Product code 15872

Brand [PROLUMEN](#)
Supply voltage 230V
Output 25W
Luminous flux 2930lumens
Luminaire's efficiency 117W
Correlated colour temperature (cct)
pure white 4000K
Lens angle 90
Cri 80
Protection class IP54
Lifespan 50000h
Height 129.0mm
Diameter 213.0mm
Weight 800g
Package weight 12500g
In box 12pcs
Casing colour white
Casing material aluminum
Shape round
Work environment indoor use
Certificates CE, RoHS
Warranty 3 years



LED ceiling light PROLUMEN DL129 TRIAC black 230V 10W 1030lm CRI90 24° IP20 3000K warm white

Product code 15890 TRIAC dimmable
Price 25,34+VAT

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable TRIAC
Output 10W
Luminous flux 1030lumens
Luminaire's efficiency 103W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 24
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, Rohs
Warranty 3 years



LED ceiling light PROLUMEN DL129 TRIAC black 230V 10W 1030lm CRI90 36° IP20 4000K pure white

Product code 15888 TRIAC dimmable

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable TRIAC
Output 10W
Luminous flux 1030lumens
Luminaire's efficiency 103W
Correlated colour temperature (cct)
pure white 4000K
Lens angle 36
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, Rohs
Warranty 3 years



LED ceiling light PROLUMEN DL129 TRIAC black 230V 10W 1030lm CRI90 60° IP20 3000K warm white

Product code 15102 TRIAC dimmable
Price 39,25+VAT

Brand [PROLUMEN](#)
Supply voltage 230V
Dimmable TRIAC
Output 10W
Luminous flux 1030lumens
Luminaire's efficiency 103W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 60
Source of light CITIZEN LED
Cri 90
Protection class IP20
Lifespan 50000h
Height 110.0mm
Width 90.0mm
Length 90.0mm
In box 24pcs
Casing colour black
Casing material aluminum
Work environment indoor use
Certificates CE, Rohs
Warranty 3 years



LED ceiling light PROLUMEN DL129 TRIAC white 230V 20W 2000lm CRI80 36° IP20 4000K pure white

Product code 15891 TRIAC dimmable

Price 33,53+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Source of light CITIZEN LED

Cri 80

Protection class IP20

Height 122.0mm

Width 115.0mm

Length 115.0mm

In box 18pcs

Casing colour white

Certificates CE, Rohs

Warranty 3 years



LED downlight PROLUMEN DL176 DALI white 25W 2300lm CRI80 36° IP54 3000K warm white

Product code 16233 DALI dimmable

Brand [PROLUMEN](#)

Dimmable DALI

Output 25W

Luminous flux 2300lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Protection class IP54

Lifespan 50000h

Height 144.0mm

Diameter 120.0mm

Weight 960g

Package weight 1110g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Polishing matt

Work environment indoor use

Certificates CE

Warranty 3 years



LED ceiling light PROLUMEN DL207 black 230V 15W 1300lm CRI80 36° IP20 3000K warm white

Product code 16017

Price 42,89+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 5

Protection class IP20

Lifespan 50000h

Llmf L80B10 @25°C 50.000h

Height 186.0mm

Diameter 85.0mm

Casing colour black

Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL259 black 230V 16W 1550lm CRI90 36° IP20 3000K warm white

Product code 15784 TRIAC dimmable

Price 55,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 16W

Luminous flux 1550lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 224.0mm

Weight 910g

Package weight 1010g

In package 1pc

In box 12pcs

Casing colour black

Casing material metal + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 3 years



LED ceiling light PROLUMEN DL259 black 230V 8W 700lm CRI90 36° IP20 3000K warm white

Product code 15783 TRIAC dimmable

Price 33,53+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Luminous flux 700lumens

Luminaire's efficiency 88W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal + plastic


Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 3 years



LED ceiling light PROLUMEN DL259 black 230V 8W 700lm CRI90 36° IP20 4000K pure white

Product code 16181 TRIAC dimmable

Price 32,36+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 8W

Luminous flux 700lumens

Luminaire's efficiency 88W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 60.0mm

Width 135.0mm

Length 135.0mm

Weight 580g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material metal + plastic


Polishing matt

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE, RoHS, SAA

Warranty 3 years



LED luminaire PROLUMEN DL269B 3 black round 230V 15W 1300lm CRI80 70° IP65 3000K warm white

Product code 16432

Brand [PROLUMEN](#)

Supply voltage 230V

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 70

Cri 80

Ugr 22

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 107.0mm

Diameter 90.0mm

Weight 600g

Package weight 646g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL269B 3 UGR19 white round 230V 10W 850lm CRI80 75° IP65 3000K warm white

Product code 16157

Brand [PROLUMEN](#)

Supply voltage 230V

Output 10W

Luminous flux 850lumens

Luminaire's efficiency 85W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 75

Cri 80

Ugr 19

Protection class IP65

Lifespan 50000h

Height 107.0mm

Diameter 90.0mm

Weight 600g

Package weight 646g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor

use

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL269B 5 UGR19 DALI white round 230V 18W 1600lm CRI80 75° IP65 3000K warm white

Product code 16155 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 18W

Luminous flux 1600lumens

Luminaire's efficiency 89W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 75

Cri 80

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920g

Package weight 1010g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor

use

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL269B 5 UGR19 white round 230V 18W 1600lm CRI80 75° IP65 3000K warm white

Product code 16156

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 1600lumens

Luminaire's efficiency 89W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 75

Cri 80

Ugr 19

Protection class IP65

Lifespan 50000h

Height 115.0mm

Diameter 130.0mm

Weight 920g

Package weight 1010g

In package 1pc

In box 12pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor

use

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL269B 8 UGR19 DALI white round 230V 25W 2400lm CRI80 75° IP65 3000K warm white

Product code 15925 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 25W

Luminous flux 2400lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 75

Cri 80

Ugr 19

Protection class IP65

Lifespan 50000h

Height 119.0mm

Diameter 214.0mm

Weight 2200g

Package weight 2480g

In package 1pc

In box 6pcs

Casing colour white

Casing material aluminum

Shape round

Impact resistance IK08

Work environment indoor / outdoor

use

Certificates CE, RoHS

Warranty 3 years



LED downlight PROLUMEN DL322A black round 230V 14W 1300lm CRI80 36° IP20 3000K warm white

Product code 16313

Price 40,00+VAT

Brand [PROLUMEN](#)
Supply voltage 230V
Output 14W
Luminous flux 1300lumens
Luminaire's efficiency 93W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 36
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 50000h
Height 96.0mm
Diameter 120.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminum
Polishing matt
Shape round
Work environment indoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 3 years



LED luminaire PROLUMEN DL38 DALI white 230V 25W 2300lm CRI80 45° IP54 4000K pure white

Product code 15328 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 25W

Luminous flux 2300lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 DALI white 230V 35W 3400lm CRI80 36° IP54 3000K warm white

Product code 15567 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 DALI white 230V 35W 3400lm CRI80 36° IP54 4000K pure white

Product code 14929 DALI dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL38 TRIAC black round 230V 15W 1300lm CRI80 60° IP54 3000K warm white

Product code 15109 TRIAC dimmable

Price 41,34+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL38 TRIAC black round 230V 15W 1300lm CRI80 60° IP54 4000K pure white

Product code 15309 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 520g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 TRIAC black round 230V 25W 2700lm CRI80 45° IP54 3000K warm white

Product code 15543 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2700lumens

Luminaire's efficiency 108W

Correlated colour temperature (cct)
warm white 3000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 TRIAC black round 230V 35W 3400lm CRI80 36° IP54 4000K pure white

Product code 14586 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)
pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 TRIAC black round 230V 35W 3400lm CRI80 60° IP54 3000K warm white

Product code 15442 TRIAC dimmable

Price 87,05+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL38 TRIAC white 230V 10W 800lm CRI80 60° IP54 3000K warm white

Product code 15281 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 10W

Luminous flux 800lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474g

Package weight 537g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL38 TRIAC white 230V 15W 1300lm CRI80 60° IP54 3000K warm white

Product code 15267 TRIAC dimmable

Price 32,60+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 520g

Package weight 630g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL38 TRIAC white 230V 15W 1300lm CRI80 60° IP54 4000K pure white

Product code 14874 TRIAC dimmable

Price 32,60+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Diameter 90.0mm

Weight 474g

Package weight 537g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 TRIAC white 230V 25W 2300lm CRI80 45° IP54 4000K pure white

Product code 15327 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2300lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 TRIAC white 230V 25W 2700lm CRI80 45° IP54 3000K warm white

Product code 14935 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2700lumens

Luminaire's efficiency 108W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 45

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 110.0mm

Diameter 120.0mm

Weight 750g

Package weight 860g

In box 18pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 TRIAC white 230V 35W 3400lm CRI80 36° IP54 4000K pure white

Product code 14508 TRIAC dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL38 white 230V 15W 1300lm CRI80 60° IP54 3000K warm white

Product code 14910

Brand [PROLUMEN](#)

Supply voltage 230V

Output 15W

Luminous flux 1300lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 100.0mm

Width 90.0mm

Length 90.0mm

Diameter 90.0mm

Weight 474g

Package weight 537g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 white 230V 35W 3400lm CRI80 36° IP54 3000K warm white

Product code 15564

Brand [PROLUMEN](#)

Supply voltage 230V

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED luminaire PROLUMEN DL38 white 230V 35W 3400lm CRI80 36° IP54 4000K pure white

Product code 15563

Brand [PROLUMEN](#)

Supply voltage 230V

Output 35W

Luminous flux 3400lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 120.0mm

Diameter 160.0mm

Weight 1300g

Package weight 1458g

In box 12pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN DL52 white 230V 18W 1584lm CRI80 100° IP54 3000K warm white

Product code 15610

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 1584lumens

Luminaire's efficiency 88W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 100

Cri 80

Protection class IP54

Lifespan 50000h

Height 100.0mm

Width 90.0mm

Length 90.0mm

Diameter 90.0mm

Weight 474g

Package weight 537g

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



LED ceiling light PROLUMEN Lunel black 230V GU10 IP20

Product code 16403

Price 19,11+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Maximum output 5W/1m

Socket GU10

Protection class IP20

Height 95.0mm

Diameter 54.0mm

In package 1pc

In box 30pcs

Casing colour black

Casing material aluminum

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE



LED downlight PROLUMEN Newcastle (with silver ring) surface mounted DALI black round 230V 20W 2000lm CRI90 40° IP20 4000K pure white

Product code 16288 DALI dimmable

Price 80,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 115.0mm

In box 18pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Work environment indoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

LED ceiling light PROLUMEN TL13 white 230V 20W 1600lm CRI80 IP20

Product code 14618 TRIAC dimmable

Price 66,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 20W

Luminous flux 1600lumens

Luminaire's efficiency 80W

Cri 80

Protection class IP20

Lifespan 40000h

Height 148.0mm

Width 449.0mm

Length 117.5mm

Diameter 65.0mm

In box 6pcs

Casing colour white

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Certificates CE, RoHS, SAA

Warranty 3 years



LED downlight REVAL BULB FD 360°C TRIAC black 230V 12W 1100lm CRI80 30° IP20 3000K warm white

Product code 14359 TRIAC dimmable

Price 31,04+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Dimmable TRIAC

Output 12W

Luminous flux 1100lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 30

Cri 80

Sdcm - macadam ellipses 7

Protection class IP20

Lifespan 30000h

Height 104.0mm

Diameter 101.0mm

In box 30pcs

Casing colour black

Casing material aluminum

Polishing semigloss

Operation temperature -10°C- 40°C

Certificates CE, RoHS

Warranty 2 years



LED downlight REVAL BULB FD 360°C TRIAC white 230V 12W 1100lm CRI80 30° IP20 3000K warm white

Product code 14360 TRIAC dimmable

Price 31,04+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Dimmable TRIAC

Output 12W

Luminous flux 1100lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 30

Cri 80

Protection class IP20

Lifespan 30000h

Height 104.0mm

Diameter 101.0mm

In box 30pcs

Casing colour white

Casing material aluminum

Polishing shiny

Operation temperature -10°C-40°C

Certificates CE, RoHS

Warranty 2 years



LED downlight SIGARO SQUARE white square 230V 18W 1440lm CRI80 120° IP40 4000K pure white

Product code 15913

Price 10,00+VAT

Supply voltage 230V
Output 18W
Luminous flux 1440lumens
Luminaire's efficiency 80W
Correlated colour temperature (cct)
pure white 4000K
Lens angle 120
Cri 80
Protection class IP40
Lifespan 25000h
Height 30.0mm
Width 225.0mm
Length 225.0mm
Weight 300g
In box 20pcs
Casing colour white
Casing material plastic
Polishing matt
Shape square
No. of switches 15000pcs
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 3 years



LED downlight SIGARO SQUARE white square 230V 24W 1920lm CRI80 120° IP40 4000K pure white

Product code 15914

Price 12,00+VAT

Supply voltage 230V
Output 24W
Luminous flux 1920lumens
Luminaire's efficiency 80W
Correlated colour temperature (cct)
pure white 4000K
Lens angle 120
Cri 80
Protection class IP40
Lifespan 25000h
Height 30.0mm
Width 225.0mm
Length 225.0mm
Weight 320g
In box 20pcs
Casing colour white
Casing material plastic
Polishing matt
Shape square
No. of switches 15000pcs
Work environment indoor use
Operation temperature -20 ~ 40°C
Certificates CE
Warranty 3 years

