

Facade luminaire KYOTO/W single socket black 230V E27 IP44

Product code 15733

Price 16,70+VAT

Supply voltage 230V
Maximum output 40W/1m
Socket E27
Protection class IP44
Height 186.0mm
Length 115.0mm
Diameter 84.0mm
Casing colour black
Casing material metal
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years



Facade luminaire KYOTO/W two sockets black 230V E27 IP44

Product code 15732

Price 27,96+VAT

Supply voltage 230V
Maximum output 80W/1m
Socket E27
Protection class IP44
Height 350.0mm
Length 115.0mm
Diameter 84.0mm
Casing colour black
Casing material metal
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years



Facade luminaire MURANO WD007/AB 230V E27 IP44

Product code 15854

Price 20,10+VAT

Supply voltage 230V
Maximum output 60W/1m
Socket E27
Protection class IP44
Height 355.0mm
Width 145.0mm
Length 200.0mm
Casing material aluminum
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years



Facade luminaire PORTO/R single socket black 230V GU10 IP44

Product code 15729

Price 13,30+VAT

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP44
Height 80.0mm
Width 68.0mm
Length 92.0mm
Casing colour black
Casing material aluminum
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years



Facade luminaire PORTO/R two sockets black 230V GU10 IP44

Product code 15728

Price 18,64+VAT

Supply voltage 230V
Maximum output 70W/1m
Socket GU10
Protection class IP44
Height 150.0mm
Width 68.0mm
Length 92.0mm
Casing colour black
Casing material aluminum
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years



Facade luminaire PORTO/SQ single socket black 230V GU10 IP44

Product code 16555

Price 13,30+VAT

Supply voltage 230V
Maximum output 35W/1m
Socket GU10
Protection class IP44
Height 80.0mm
Width 68.0mm
Length 92.0mm
Casing colour black
Casing material aluminum
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years

IP44



Facade luminaire PORTO/SQ two sockets black 230V GU10 IP44

Product code 16556

Price 18,64+VAT

Supply voltage 230V
Maximum output 70W/1m
Socket GU10
Protection class IP44
Height 150.0mm
Width 68.0mm
Length 92.0mm
Casing colour black
Casing material aluminum
Work environment indoor / outdoor
use
Certificates CE, RoHS
Warranty 1 years




LED wall light PROLUMEN WL02 white 230V 3W 175lm CRI80 60° IP54 3000K warm white

Product code 15134

Price 30,16+VAT

Brand [PROLUMEN](#)
Supply voltage 230V
Output 3W
Luminous flux 175lumens
Luminaire's efficiency 58W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 60
Cri 80
Sdcm - macadam ellipses 6
Protection class IP54
Lifespan 50000h
Height 32.0mm
Width 70.0mm
Length 200.0mm
In package 1pc
In box 24pcs
Casing colour white
Work environment outdoor use
Operation temperature -20 ~ 45°C
Certificates CE, RoHS
Warranty 3 years



cutout 60x190mm

LED wall light PROLUMEN WL06A black 230V 12W 900lm CRI80 120° IP54 3000K warm white

Product code 14709

Price 25,37+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 12W

Luminous flux 900lumens

Luminaire's efficiency 75W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 65.5mm

Diameter 159.0mm


In box 36pcs

Casing colour black

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED wall light PROLUMEN WL06B black 230V 12W 1100lm CRI80 60° IP54 3000K warm white

Product code 14708

Price 22,31+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 12W

Luminous flux 1100lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 66.5mm

Width 70.0mm

Length 158.0mm

In package 1pc

In box 36pcs

Casing colour black

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED wall light PROLUMEN WL07 black 230V 8W 600lm CRI80 120° IP65 3000K warm white

Product code 14552

Price 32,70+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 8W

Luminous flux 600lumens

Luminaire's efficiency 75W

Correlated colour temperature (cct)
warm white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 59.0mm

Width 140.0mm

Length 170.0mm

In package 1pc

In box 24pcs

Casing colour black

Work environment outdoor use

Certificates CE, RoHS

Warranty 3 years



LED wall light PROLUMEN WL16 black 230V 18W 720lm CRI80 90° IP54 3000K warm white

Product code 15350

Price 39,82+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 720lumens

Luminaire's efficiency 40W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 92.0mm

Width 100.0mm

Length 300.0mm

In box 12pcs

Casing colour black

Casing material aluminum

Impact resistance IK08

Work environment indoor / outdoor
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL16 Up-Down switchable black 230V 18W 900lm CRI80 90° IP54 3000K warm white

Product code 16671 TRIAC dimmable

Price 48,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 18W

Luminous flux 900lumens

Luminaire's efficiency 50W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 6

Protection class IP54

Lifespan 50000h

Height 92.0mm

Width 100.0mm

Length 300.0mm

Package weight 1400g

In box 12pcs

Casing colour black

Casing material aluminum


Impact resistance IK08

Work environment indoor / outdoor
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL20 black 230V 10W 800lm CRI80 110° IP65 3000K warm white

Product code 15501

Price 30,62+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 10W

Luminous flux 800lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)
warm white 3000K

Lens angle 110

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 100.0mm

Width 96.8mm

Length 120.0mm

In box 18pcs

Casing colour black

Casing material aluminum


Polishing matt

Impact resistance IK05

Work environment outdoor use

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL28 black 230V 20W 2200lm CRI80 36° IP65 4000K pure white

Product code 16200

Price 45,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency 110W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 200.0mm

Diameter 76.0mm

Weight 900g

Package weight 1020g

In box 18pcs

Casing colour black

Casing material aluminum

Polishing matt

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL28 black 230V 27W 3200lm CRI80 36° IP65 4000K pure white

Product code 15505

Price 58,43+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 27W

Luminous flux 3200lumens

Luminaire's efficiency 119W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 230.0mm

Diameter 100.0mm

Weight 1200g

Package weight 1350g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK05

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL57 black 230V 18W 2000lm CRI80 90° IP65 3000K warm white

Product code 16118

Price 40,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 18W

Luminous flux 2000lumens

Luminaire's efficiency 111W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 80.0mm

Width 108.0mm

Length 203.0mm

Weight 850g

Package weight 1020g

In box 6pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK06

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL60 black round 230V 5W 130lm CRI80 60° IP65 3000K warm white

Product code 16135

Price 25,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 5W

Luminous flux 130lumens

Luminaire's efficiency 26W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Llmf L70B50 @25°C 50.000h

Height 78.0mm

Diameter 135.0mm

Weight 375g

Package weight 490g

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum + glass

Shape round

Impact resistance IK08

Work environment indoor / outdoor

use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



LED wall light PROLUMEN WL60B-8W black 230V 8W 400lm CRI80 70° IP65 3000K warm white

Product code 15958

Brand [PROLUMEN](#)

Supply voltage 230V

Output 8W

Luminous flux 400lumens

Luminaire's efficiency 50W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 70

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 78.0mm

Width 201.0mm

Length 201.0mm

Weight 850g

Package weight 1080g

In box 6pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK08

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



LED wall light PROLUMEN WL73 2x25W black square 230V GU10 IP65

Product code 16670

Price 32,00+VAT

Brand [PROLUMEN](#)
Supply voltage 230V
Maximum output 50W/1m
Socket GU10
Protection class IP65
Lifespan 50000h
Height 67.0mm
Width 95.0mm
Length 165.0mm
Weight 700g
Package weight 750g
In package 1pc
In box 12pcs
Casing colour black
Casing material aluminum
Polishing matt
Shape square
Impact resistance IK06
Certificates CE
Warranty 3 years



**LED wall light PROLUMEN WL73 black square 230V 16W 1350lm
CRI80 100° IP65 3000K warm white**

Product code 16393

Price 35,12+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 16W

Luminous flux 1350lumens

Luminaire's efficiency 84W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 100

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 67.0mm

Width 95.0mm

Length 165.0mm

Weight 760g

Package weight 810g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape square

Impact resistance IK06

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 3 years

**LED wall light PROLUMEN WL73 black square 230V GU10 IP65****Product code 16136**

Price 28,69+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Maximum output 25W/1m

Socket GU10

Protection class IP65

Lifespan 50000h

Height 67.0mm

Width 95.0mm

Length 165.0mm

Weight 700g

Package weight 750g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape square

Impact resistance IK06

Certificates CE

Warranty 3 years




LED wall light QUAZAR 3 graphite 230V GU10 IP44

Product code 15409

Price 27,20+VAT

Supply voltage 230V
Socket GU10
Protection class IP44
Height 260.0mm
Width 65.0mm
In package 1pc
In box 10pcs
Casing colour graphite
Casing material aluminum
Polishing semigloss
Work environment indoor / outdoor
use
Certificates CE



LED wall light REVAL BULB A165 black 230V 3W 200lm CRI80 90° IP65 3000K warm white

Product code 15183

Price 28,00+VAT

Brand [REVAL BULB](#)
Supply voltage 230V
Output 3W
Luminous flux 200lumens
Luminaire's efficiency 67W
Correlated colour temperature (cct)
warm white 3000K
Lens angle 90
Cri 80
Protection class IP65
Lifespan 25000h
Height 85.0mm
Diameter 165.0mm
Casing colour black
Casing material aluminum
Work environment outdoor use
Certificates CE, RoHS
Warranty 2 years



LED wall light REVAL BULB AS200 white 230V 7W 560lm CRI80 IP44 3000K warm white

Product code 15182

Price 26,84+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Output 7W

Luminous flux 560lumens

Luminaire's efficiency 80W

Correlated colour temperature (cct)

warm white 3000K

Cri 80

Protection class IP44

Lifespan 25000h

Height 80.0mm

Width 100.0mm

Length 200.0mm

Casing colour white

Casing material aluminum

Work environment outdoor use

Certificates CE, RoHS

Warranty 2 years



LED wall light REVAL BULB SL06 silvery square 230V 3W 250lm CRI80 IP44 3000K warm white

Product code 14635

Price 18,00+VAT

Promotional price 9,00+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Output 3W

Luminous flux 250lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)

warm white 3000K

Cri 80

Protection class IP44

Lifespan 35000h

Casing colour silvery

Casing material aluminum

Shape square

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years



LED wall light REVAL BULB SL07 silvery round 12-24V 3W IP44 3000K warm white

Product code 14634

Price 18,00+VAT

Promotional price 15,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12-24V

Output 3W

Correlated colour temperature (cct)

warm white 3000K

Protection class IP44

Lifespan 35000h

Height 30.0mm

Diameter 55.0mm

Installation opening diameter 45mm

Casing colour silvery

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years



the product needs additional power
supply

LED flushed wall light REVAL BULB SL42 silvery round 230V 3W 250lm CRI80 IP44 3000K warm white

Product code 14640

Price 47,00+VAT

Promotional price 39,00+VAT

Brand [REVAL BULB](#)

Supply voltage 230V

Output 3W

Luminous flux 250lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)

warm white 3000K

Cri 80

Protection class IP44

Lifespan 35000h

Casing colour silvery

Casing material aluminum

Shape round

Work environment indoor use

Certificates CE, RoHS

Warranty 2 years



the product needs additional power
supply

