


## Facade luminaire A100 black 230V 12W 840lm IP65 830

### Product code 15037

Supply voltage 230V  
 Output 12W  
 Luminous flux 840lumens  
 Luminaire's efficiency lm79 70W  
 Correlated colour temperature warm white 3000K  
 Cri 80  
 Protection class IP65  
 Lifespan 25000h  
 Height 100.0mm  
 Width 100.0mm  
 Weight 500g  
 Casing colour black  
 Casing material aluminum  
 Polishing matt  
 Work environment outdoor use  
 Certificates CE, RoHS



An impressive facade light, with beams of light illuminating both sides. A square-shaped wall light is well-suited for illuminating the walls of private houses with mood lighting in the garden.

## Facade luminaire AS200 white 230V 7W 560lm IP44 830

### Product code 15182

Supply voltage 230V  
 Output 7W  
 Luminous flux 560lumens  
 Luminaire's efficiency lm79 80W  
 Correlated colour temperature warm white 3000K  
 Cri 80  
 Protection class IP44  
 Lifespan 25000h  
 Height 80.0mm  
 Width 100.0mm  
 Length 200.0mm  
 In package 1pc  
 Casing colour white  
 Casing material aluminum  
 Work environment outdoor use  
 Certificates CE, RoHS



Wall light for the house facade and for illuminating the house number. The light distribution is evenly bidirectional.

## Facade luminaire KYOTO/W single socket black 230V E27 IP44

### Product code 15733

---

Supply voltage 230V  
Maximum output 40W/1m  
Socket E27  
Protection class IP44  
Height 186.0mm  
Length 115.0mm  
Diameter 84.0mm  
Casing colour black  
Casing material metal  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Cylindrical facade light, which can be installed on the house facade to maintain the building's impressive and dignified appearance even during dark times. You can choose your preferred light source from the LED House assortment for the light fixture. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire KYOTO/W two sockets black 230V E27 IP44

### Product code 15732

Supply voltage 230V  
Maximum output 80W/1m  
Socket E27  
Protection class IP44  
Height 350.0mm  
Length 115.0mm  
Diameter 84.0mm  
In package 1pc  
Casing colour black  
Casing material metal  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Bidirectional facade light, which can be installed on the house facade to create a visually striking appearance during dark hours. The light fixture has two sockets where you can choose your preferred light source from the LED House assortment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PORTO/R single socket black 230V GU10 IP44

### Product code 15729

---

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP44  
Height 80.0mm  
Width 68.0mm  
Length 92.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Facade light, which can be installed on the house facade to maintain the building's impressive and dignified appearance even during dark times. You can choose your preferred light source from the LED House assortment for the light fixture. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PORTO/R two sockets black 230V GU10 IP44

### Product code 15728

Supply voltage 230V  
Maximum output 70W/1m  
Socket GU10  
Protection class IP44  
Height 150.0mm  
Width 68.0mm  
Length 92.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Bidirectional facade light, which can be installed on the house facade to create a visually striking appearance during dark hours. The light fixture has two sockets where you can choose your preferred light source from the LED House assortment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PORTO/R two sockets white 230V GU10 IP44

### Product code 16849

---

Supply voltage 230V  
Maximum output 70W/1m  
Socket GU10  
Protection class IP44  
Height 150.0mm  
Width 68.0mm  
Length 92.0mm  
In package 1pc  
Casing colour white  
Casing material aluminum  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Bidirectional facade light, which can be installed on the house facade to create a visually striking appearance during dark hours. The light fixture has two sockets where you can choose your preferred light source from the LED House assortment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PORTO/SQ single socket black 230V GU10 IP44

### Product code 16555

Supply voltage 230V  
Maximum output 35W/1m  
Socket GU10  
Protection class IP44  
Height 80.0mm  
Width 68.0mm  
Length 92.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Modern facade luminaire, which can be installed on the facade of the house to maintain the building's impressive and dignified appearance even during dark hours. You can choose a preferred light source from the LED House assortment for the luminaire. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PORTO/SQ two sockets black 230V GU10 IP44

### Product code 16556

Supply voltage 230V  
Maximum output 70W/1m  
Socket GU10  
Protection class IP44  
Height 150.0mm  
Width 68.0mm  
Length 92.0mm  
In package 1pc  
Casing colour black  
Casing material aluminum  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Modern facade luminaire, which can be installed on the facade of the house to maintain the building's impressive and dignified appearance even during dark hours. You can choose a preferred light source from the LED House assortment for the luminaire. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## Facade luminaire PORTO/SQ two sockets white 230V GU10 IP44

### Product code 16795

---

Supply voltage 230V  
Maximum output 70W/1m  
Socket GU10  
Protection class IP44  
Height 150.0mm  
Width 68.0mm  
Length 92.0mm  
Casing colour white  
Casing material aluminum  
Work environment indoor / outdoor  
use  
Certificates CE, RoHS  
Warranty 1 years



Modern facade luminaire, which can be installed on the facade of the house to maintain the building's impressive and dignified appearance even during dark hours. You can choose a preferred light source from the LED House assortment for the luminaire. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PROLUMEN WL07 black 230V 8W 600lm 120° IP65 830

**Product code 14552**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Luminous flux 600lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 59.0mm

Width 140.0mm

Length 170.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum + plastic

Work environment outdoor use

Certificates CE, RoHS

Warranty 5 years





Two-way directional LED luminaire for both outdoor and indoor use. Stylish and functional LED lamp suitable for environments such as parks, hotels, corridors, and living rooms. Easily installable on a wall or any desired surface. The light beam falls through a hollow aperture on both sides, adding warm white light to the space.

Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PROLUMEN WL105 black 230V 8W 500lm 90° IP65 830

**Product code 16794 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 8W  
Luminous flux 500lumens  
Luminaire's efficiency lm79 63W  
Correlated colour temperature warm white 3000K  
Lens angle 90  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 50.0mm  
Diameter 160.0mm  
Package weight 611g  
In package 1pc  
In box 18pcs  
Casing colour black  
Casing material aluminum + plastic  
Impact resistance IK06  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years





An impressive facade light, with beams of light illuminating both sides. A square-shaped wall light is well-suited for illuminating the walls of private houses with mood lighting in the garden. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PROLUMEN WL105 black 230V 8W 550lm 90° IP65 940

**Product code 16866 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 8W  
Luminous flux 550lumens  
Luminaire's efficiency lm79 69W  
Correlated colour temperature pure white 4000K  
Lens angle 90  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 50.0mm  
Diameter 160.0mm  
Package weight 611g  
In package 1pc  
In box 18pcs  
Casing colour black  
Casing material aluminum + plastic  
Impact resistance IK06  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years




An impressive facade light, with beams of light illuminating both sides. A square-shaped wall light is well-suited for illuminating the walls of private houses with mood lighting in the garden. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PROLUMEN WL20 black 230V 10W 800lm 110° IP65 930

**Product code 15501**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 10W  
Luminous flux 800lumens  
Luminaire's efficiency lm79 80W  
Correlated colour temperature warm white 3000K  
Lens angle 110°  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 100.0mm  
Width 96.8mm  
Length 120.0mm  
In package 1pc  
In box 18pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Impact resistance IK05  
Work environment outdoor use  
Certificates CE  
Warranty 5 years

A facade luminaire with adjustable light angles and dual-sided light beams. Sleek and functional LED luminaire suitable for parks, hotels, corridors, and residential building facades. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## Facade luminaire PROLUMEN WL20 white 230V 10W 800lm 110° IP65 930

**Product code 17905**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature warm  
white 3000K

Lens angle 110°

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 100.0mm

Width 96.8mm

Length 120.0mm

In package 1pc

In box 18pcs

Casing colour white

Casing material aluminum

Polishing matt

Impact resistance IK05

Work environment outdoor use

Certificates CE

Warranty 5 years



A facade luminaire with adjustable light angles and dual-sided light beams. Sleek and functional LED luminaire suitable for parks, hotels, corridors, and residential building facades. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PROLUMEN WL28 black 230V 20W 2200lm 36° IP65 940

### Product code 16200

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 20W  
Luminous flux 2200lumens  
Luminaire's efficiency lm79 110W  
Correlated colour temperature pure white 4000K  
Lens angle 36  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 200.0mm  
Diameter 76.0mm  
Weight 900g  
Package weight 1020g  
In box 18pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE  
Warranty 5 years



Bidirectional facade light, which can be installed on the house facade to create a visually striking appearance during dark hours. The light fixture has two sockets where you can choose your preferred light source from the LED House assortment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

## Facade luminaire PROLUMEN WL28 black 230V 27W 3200lm 36° IP65 940

**Product code 15505**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 27W

Luminous flux 3200lumens

Luminaire's efficiency lm79 119W

Correlated colour temperature pure white 4000K

Lens angle 36

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 230.0mm

Diameter 100.0mm

Weight 1200g

Package weight 1350g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK05

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years





Bidirectional facade light, which can be installed on the house facade to create a visually striking appearance during dark hours. The light fixture has two sockets where you can choose your preferred light source from the LED House assortment. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)



## Facade luminaire PROLUMEN WL46 black 230V 10W 530lm 50° IP65 930

**Product code 17381**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 10W  
 Luminous flux 530lumens  
 Luminaire's efficiency lm79 53W  
 Correlated colour temperature warm white 3000K  
 Lens angle 50  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP65  
 Lifespan 50000h  
 Height 78.0mm  
 Width 81.0mm  
 Length 204.0mm  
 Weight 5020g  
 In package 1pc  
 In box 24pcs  
 Casing colour black  
 Casing material aluminum + plastic  
 Work environment outdoor use  
 Operation temperature -20 ~ 45°C  
 Certificates CE  
 Warranty 5 years



LED wall light with optical structure, allowing your creativity to soar! The luminaire can be installed as an individual wall light to create a charming ambiance or in groups to form various shapes. The light fixture adds warm white (3000K) illumination to the room, and the high CRI ensures the naturalness of colors in illuminated areas. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL57 black 230V 10W 1000lm 90° IP65 830

**Product code 16903**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Luminous flux 1000lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 80.0mm

Width 108.0mm

Length 203.0mm

Weight 850g

Package weight 1020g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK06

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Modern LED facade luminaire. The luminaire's light direction is adjustable, making WL57 particularly suitable for illuminating house numbers and street signs. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL57 black 230V 18W 2000lm 90° IP65 930

**Product code 16118**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 18W

Luminous flux 2000lumens

Luminaire's efficiency lm79 111W

Correlated colour temperature warm white 3000K

Lens angle 90

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 80.0mm

Width 108.0mm

Length 203.0mm

Weight 850g

Package weight 1020g

In package 1pc

In box 6pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK06

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Modern LED facade luminaire. The luminaire's light direction is adjustable, making WL57 particularly suitable for illuminating house numbers and street signs. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL60 black round 230V 5W 130lm 60° IP65 930

**Product code 16135**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 5W  
Luminous flux 130lumens  
Luminaire's efficiency lm79 26W  
Correlated colour temperature warm  
white 3000K  
Lens angle 60  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 78.0mm  
Diameter 135.0mm  
Weight 375g  
Package weight 490g  
In package 1pc  
In box 18pcs  
Casing colour black  
Casing material aluminum + glass  
Shape round  
Impact resistance IK08  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years



Modern [facade light](#) with directed light. A compact recessed outdoor light that is ideal for illuminating various yard structures due to its beam angle. With its mood-enhancing warm light, this light is perfect for placement above stair steps, making the house wall more striking and the steps more visible in the evening. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL60B-8W black 230V 8W 400lm 70° IP65 930

**Product code 15958**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Output 8W  
Luminous flux 400lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 70  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 78.0mm  
Width 201.0mm  
Length 201.0mm  
Weight 850g  
Package weight 1080g  
In box 6pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Impact resistance IK08  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE  
Warranty 5 years



Modern facade light with directed light. A compact recessed outdoor light that is ideal for illuminating various yard structures due to its beam angle. With its mood-enhancing warm light, this light is perfect for placement above stair steps, making the house wall more striking and the steps more visible in the evening. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL73 2x25W black square 230V GU10 IP65

**Product code 16670**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Maximum output 50W/1m  
Socket GU10  
Protection class IP65  
Lifespan 50000h  
Height 67.0mm  
Width 95.0mm  
Length 165.0mm  
Weight 700g  
Package weight 750g  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape square  
Impact resistance IK06  
Work environment outdoor use  
Certificates CE  
Warranty 5 years



GU10 socket wall light fixture body for the facade. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL73 black square 230V 16W 1350lm 100° IP65 930

## Product code 16393

---

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 16W

Luminous flux 1350lumens

Luminaire's efficiency lm79 84W

Correlated colour temperature warm white 3000K

Lens angle 100

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 67.0mm

Width 95.0mm

Length 165.0mm

Weight 760g

Package weight 810g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Shape square

Impact resistance IK06

Work environment outdoor use

Operation temperature -20 ~ 40°C

Certificates CE

Warranty 5 years



Modern LED wall light for the facade. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL73 black square 230V GU10 IP65

**Product code 16136**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Maximum output 25W/1m  
Socket GU10  
Protection class IP65  
Lifespan 50000h  
Height 67.0mm  
Width 95.0mm  
Length 165.0mm  
Weight 700g  
Package weight 750g  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape square  
Impact resistance IK06  
Work environment outdoor use  
Certificates CE  
Warranty 5 years



GU10 socket wall light fixture body for the facade. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL75 Up-Down black 230V 10W 756lm CRI90 120° IP65 3000K, 4000K, 5700K WW/DW/CW



## Product code 17379

---

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Luminous flux 756lumens

Luminaire's efficiency lm79 76W

Correlated colour temperature

WW/DW/CW 3000K, 4000K, 5700K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 104.0mm

Width 30.5mm

Length 175.0mm

Weight 570g

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum

Impact resistance IK08

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Minimalistic LED wall light with light spreading on both sides. Ideal decoration for both indoor corridors and outdoor walls. IP65 protection class ensures that the light is protected against fine dust and splashes. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL75 Up-Down black 230V 10W 954lm CRI90 29x77° IP65 3000K, 4000K, 5700K WW/DW/CW

**Product code 17378**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 10W

Luminous flux 954lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature

WW/DW/CW 3000K, 4000K, 5700K

Lens angle 29x77

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 90.0mm

Width 30.5mm

Length 175.0mm

Weight 570g

In package 1pc

In box 18pcs

Casing colour black

Casing material aluminum


Impact resistance IK08

Work environment outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years



Minimalistic LED wall light with light spreading on both sides. Ideal decoration for both indoor corridors and outdoor walls. IP65 protection class ensures that the light is protected against fine dust and splashes. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL85 up-down light (TRIAC) black 230V 2x7.5W 1700lm CRI90 45° IP65 3000K, 4000K, 5700K WW/DW/CW

**Product code 17367 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 2x7.5W  
Luminous flux 1700lumens  
Correlated colour temperature  
WW/DW/CW 3000K, 4000K, 5700K  
Lens angle 45  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 179.0mm  
Width 95.0mm  
Diameter 70.0mm  
Weight 520g  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminum  
Impact resistance IK06  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE, RoHS  
Warranty 5 years




Stylish LED wall light. The light beam falls in two directions, and the light temperature (3000K/4000K/5700K) can be selected by the user according to preference using the button on the luminaire. Additionally, the luminaire is equipped with TRIAC technology, allowing the light to be dimmed according to preference. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL88 up-down light (TRIAC) black 230V 15W 1050lm CRI90 60x115x40° IP65 3000K, 4000K, 5700K WW/DW/CW

**Product code 17376 TRIAC dimmable**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Dimmable TRIAC  
 Output 15W  
 Luminous flux 1050lumens  
 Luminaire's efficiency lm79 70W  
 Correlated colour temperature  
 WW/DW/CW 3000K, 4000K, 5700K  
 Lens angle 60x115x40  
 Cri 90  
 Sdcm - macadam ellipses 6  
 Protection class IP65  
 Lifespan 50000h  
 Height 60.0mm  
 Width 100.0mm  
 Length 300.0mm  
 Weight 710g  
 In package 1pc  
 In box 12pcs  
 Casing colour black  
 Casing material aluminum  
 Work environment outdoor use  
 Operation temperature -20 ~ 45°C  
 Certificates CE, RoHS  
 Warranty 5 years



Modern wall light with light beam on both sides. The protection class of the luminaire is determined as IP65, which means it is protected against fine dust and splashes. In addition, the materials of the housing are chosen and prepared to ensure a long lifespan, even in outdoor conditions. The light temperature of the luminaire can be adjusted according to personal preferences. Options include 3000K (warm white), 4000K (daylight), and 5700K (cool white). WL88 is equipped with TRIAC technology, allowing the light to be dimmed and brightened. Additionally, this wall light has a colour rendering index (CRI) of 90, ensuring that the colours under the light remain natural and true. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL90 (TRIAC) black 230V 8W 600lm 360° IP65 930

**Product code 17373 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Power factor 0.90  
Dimmable TRIAC  
Output 8W  
Luminous flux 600lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 360  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 230.0mm  
Width 142.0mm  
Length 100.0mm  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminum + plastic  
Polishing matt  
Impact resistance IK08  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Warranty 5 years



Stylish wall light for indoor and outdoor use. IP65 protection class means that the luminaire is protected against dust ingress and water jets and can be used outdoors. All WL90 models feature high-quality LED chips (CRI90), ensuring that the luminaire's light beam maintains color accuracy in the room. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Facade luminaire PROLUMEN WL91 (TRIAC) black 230V 8W 750lm 45° IP65 930

**Product code 17380 TRIAC dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 8W

Luminous flux 750lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm white 3000K

Lens angle 45

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 202.0mm

Width 95.0mm

Length 121.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Impact resistance IK06

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates SAA, RoHS, CE

Warranty 5 years

Modern wall light for indoor and outdoor use. The IP65 protection class means that the luminaire is protected against fine dust and water splashes and can be used in outdoor conditions. The light adds warm white illumination to the space, and thanks to the TRIAC technology, it is possible to adjust the brightness of the light beam. The WL91 model's LED chips have high-quality color rendering (CRI90), ensuring that the light does not distort the true colors in the room. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Facade luminaire QUERK 3 GU10 with two sockets black 230V IP54

### Product code 17524

Supply voltage 230V  
Maximum output 70W/1m  
Protection class IP54  
Height 260.0mm  
Diameter 65.0mm  
Weight 480g  
In package 1pc  
In box 10pcs  
Casing colour black  
Casing material aluminum + glass  
Impact resistance IK06  
Work environment indoor / outdoor use  
Operation temperature -40 - +60°C  
Certificates CE



A modern [facade luminaire](#) with two GU10 sockets. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED flushed wall light SL42 silvery round 230V 3W 250lm IP44 830

### Product code 14640

---

Supply voltage 230V  
Output 3W  
Luminous flux 250lumens  
Luminaire's efficiency lm79 83W  
Correlated colour temperature warm white 3000K  
Cri 80  
Protection class IP44  
Lifespan 35000h  
In package 1pc  
Casing colour silvery  
Casing material aluminum  
Shape round  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 2 years



Modern ambient light for the facade. With its minimalist design, it is suitable as a light fixture for many different buildings. An ideal way to keep your house looking impressive even in the dark. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)