


Motion sensor Casambi SEMLBT black 230V IP20 Casambi

**Product code 18086 Casambi
dimmable**


Brand Casambi
Supply voltage 230V
Dimmable Casambi
Protection class IP20
Height 14.0mm
Width 81.0mm
Length 81.0mm
Casing colour black
Work environment indoor use
Operation temperature -20° - + 50°C
Certificates CE
Warranty 2 years



Motion sensor Casambi SEMLBT white 230V IP20 Casambi

**Product code 18085 Casambi
dimmable**

Brand Casambi
Supply voltage 230V
Dimmable Casambi
Protection class IP20
Height 14.0mm
Width 81.0mm
Length 81.0mm
Casing colour white
Work environment indoor use
Operation temperature -20° - + 50°C
Certificates CE
Warranty 2 years



Motion sensor EMOS G1110 230V IP20

Product code 17090

Brand [EMOS](#)

Supply voltage 230V

Maximum output 400W/1m

Protection class IP20

Height 22.0mm

Width 37.0mm

Length 55.0mm

Weight 65g

In box 100pcs

Work environment indoor use

Certificates CE, RoHS



Detection distance 6 m Detection angle 360° Switching time 5 s, 30 s, 1 min, 3 min, 5 min, 8 min Sensor type PIR

Motion sensor EMOS G1125 black 230V IP44

Product code 17091

Brand [EMOS](#)

Supply voltage 230V

Maximum output 300W/1m

Protection class IP44

Height 85.0mm

Width 75.0mm

Length 85.0mm

Weight 179g

Casing colour black

Work environment indoor use

Certificates CE, RoHS



Detection distance 12m Detection angle 180° Switching time min. 10 seconds - max. 7 minutes Sensor type PIR

Motion sensor EMOS G1160 white 230V IP20

Product code 17092

Brand [EMOS](#)

Supply voltage 230V

Maximum output 200W/1m

Protection class IP20

Height 75.0mm

Width 70.0mm

Length 70.0mm

Diameter 70.0mm

Installation opening diameter 45mm

Weight 126g

Casing colour white

Work environment indoor use

Certificates CE, RoHS



Detection distance 6 m Detection angle 360° Switching time min. 10 sekunds – max. 15 minutes Sensor type PIR

Motion sensor EMOS G1240 white 230V IP65

Product code 17093

Brand [EMOS](#)

Supply voltage 230V

Maximum output 600W/1m

Protection class IP65

Height 65.0mm

Width 65.0mm

Length 75.0mm

Casing colour white

Work environment indoor use

Certificates CE, RoHS



Detection distance 12 m Detection angle 180° Switching time min. 10 sekunds – max. 15 minutes Sensor type PIR

Motion sensor HD01S-9 230V IP20

Product code 15585

Supply voltage 230V
Protection class IP20
Lifespan 50000h
Height 26.0mm
Width 37.0mm
Length 80.0mm
Casing material plastic
Work environment indoor use
Operation temperature -35 - + 70°C
Certificates CE
Warranty 5 years



Motion sensor HYTRONIK HC402S/T 230V 400W IP20 TRIAC

Product code 15063 TRIAC dimmable

Brand [HYTRONIK](#)
Supply voltage 230V
Dimmable TRIAC
Output 400W
Protection class IP20
Height 70.0mm
Diameter 80.0mm
Installation opening diameter 72mm
Casing material plastic
Work environment indoor use
Certificates CE
Warranty 5 years



Motion sensor LX06 white 230V IP20

Product code 16036

Supply voltage 230V
Maximum output 300W/1m
Protection class IP20
Height 60.0mm
Diameter 118.0mm
Weight 17g
In box 100pcs
Casing colour white
Work environment indoor use
Operation temperature -20~40°C
Certificates CE, RoHS
Warranty 2 years



Surface motion sensor Working time
10s-8min Installation height 2-4m
Working radius 2-12m Identification
angle 360 ° Maximum power LED
300W.r

Motion sensor LX41 white 230V IP20

Product code 15852

Supply voltage 230V
Maximum output 300W/1m
Protection class IP20
Height 75.0mm
Diameter 76.0mm
Installation opening diameter 62mm
Weight 100g
In box 50pcs
Casing colour white
Work environment indoor use
Operation temperature -20~40°C
Certificates CE, RoHS



Motion sensor LX42 230V IP20

Product code 15851


Supply voltage 230V
 Maximum output 100W/1m
 Protection class IP20
 Width 35.0mm
 Length 57.0mm
 Weight 40g
 In box 100pcs
 Work environment indoor use
 Operation temperature -20~40°C
 Certificates CE, RoHS



Motion sensor SKYDANCE 4A door sensor 12-24V

Product code 17791

Brand [SKYDANCE](#)
 Supply voltage 12-24V
 Height 7.5mm
 Width 11.0mm
 Length 50.0mm
 In package 1pc
 Casing material plastic
 Work environment indoor use
 Operation temperature -30° - +55°C
 Certificates CE, EMC, LVD, RoHS
 Warranty 5 years



Door sensor switch for LED strip.

Motion sensor SKYDANCE Door sensor E1-L+ED 12-24V IP20

Product code 16738

Brand [SKYDANCE](#)
 Supply voltage 12-24V
 Output voltage 12-24V
 Maximum output 192W/1m
 Rated current 8000mA
 Protection class IP20
 Height 18.0mm
 Width 33.0mm
 Length 97.0mm
 Casing material plastic
 Work environment indoor use
 Operation temperature -30~55°C
 Certificates CE
 Warranty 5 years



Motion sensor SKYDANCE Door sensor E1-L+EDC 12-24V IP20

Product code 17940

Brand [SKYDANCE](#)

Supply voltage 12-24V

Output voltage 12-24V

Maximum output 192W/1m

Rated current 8000mA

Protection class IP20

Height 18.0mm

Width 33.0mm

Length 97.0mm

Casing material plastic

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Motion sensor SKYDANCE Door sensor ED-VC 24V IP20

Product code 17942

Brand [SKYDANCE](#)

Supply voltage 24V

Maximum output 24W/1m

Rated current 1000mA

Protection class IP20

Height 31.5mm

Diameter 10.5mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature -30° - +50°C

Certificates CE, EMC, LVD

Warranty 5 years



Motion sensor SKYDANCE ER-AV 24V IP20

Product code 17792

Brand [SKYDANCE](#)

Supply voltage 24V

Maximum output 36W/1m

Rated current 1500mA

Protection class IP20

Height 30.0mm

Width 45.0mm

Length 80.0mm

In package 1pc

Casing material plastic

Work environment indoor use

Operation temperature -30° - +50°C

Certificates CE, EMC, LVD

Warranty 5 years



Скрытый ИК-датчик движения,
выход с постоянным напряжением,
подключается к низковольтной
светодиодной ленте.

Motion sensor SKYDANCE Hand sweep sensor E1-L+EB 12-24V IP20

Product code 16739

Brand [SKYDANCE](#)

Supply voltage 12-24V

Output voltage 12-24V

Maximum output 192W/1m

Rated current 8000mA

Protection class IP20

Height 18.0mm

Width 33.0mm

Length 97.0mm


Casing material plastic

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Stair controller SKYDANCE Smooth connection to the stairs ES32 5-24V IP20

Product code 16087

Brand [SKYDANCE](#)

Supply voltage 5-24V

Output voltage 5-24V

Maximum output 768W/1m

Rated current 1000mA

Protection class IP20

Height 25.5mm

Width 68.0mm



Length 186.0mm

Casing material plastic

Work environment indoor use

Certificates CE

Warranty 5 years



Motion sensor SKYDANCE Viibutussensor switch E1-B 12-24V 12-24V 96W IP20

Product code 17819

Brand [SKYDANCE](#)

Supply voltage 12-24V

Output voltage 12-24V

Output 96W

Maximum output 96W/1m

Rated current 4000mA

Protection class IP20

Height 9.0mm

Width 4.9mm

Length 50.0mm

Weight 10g

Casing material aluminum

Work environment indoor use

Operation temperature -30° - +55°C

Certificates CE, RoHS, LVD, emc

Warranty 5 years



Wave sensor switch. Automatic shut-off, with light adjustment capability. The switch requires at least a 5x8mm recess on the surface.

Motion sensor THEBEN LUXA S180BK black 230V IP55

Product code 14339

Brand [THEBEN](#)

Supply voltage 230V

Protection class IP55

Casing colour black

Casing material plastic


Polishing matt

Operation temperature -25 °C - +45°C

Certificates CE, RoHS

Warranty 2 years

Detection angle 180° Installation
height 2 - 4 m Light switch-off delay 1
s-20 min Theben AG Hohenbergstr. 32
72401 Haigerloch GERMANY



Motion sensor THEBEN LUXA S180WH white 230V IP55

Product code 14361

Brand [THEBEN](#)

Supply voltage 230V

Protection class IP55

Casing colour white

Casing material plastic

Operation temperature -25 °C - +45°C

Certificates CE, RoHS

Detection angle 180° Installation
height 2 - 4 m Light switch-off delay 1
s-20 min Theben AG Hohenbergstr. 32
72401 Haigerloch GERMANY

