Motion sensor EMOS G1110 230V IP20

Product code 17090

Brand EMOS
Supply voltage 230V
Maximum output 400W/1m
Protection class IP20
Height 22.0mm
Width 37.0mm
Length 55.0mm
Weight 65 g
In box 100pcs
Work environment indoor use
Certificates CE, RoHS



Detection distance 6 m Detection angle 360° Switching time 5 s, 30 s, 1 min, 3 min, 5 min, 8 min Sensor type PIR

Motion sensor EMOS G1125 black 230V IP44

Product code 17091

Brand EMOS
Supply voltage 230V
Maximum output 300W/1m
Protection class IP44
Height 85.0mm
Width 75.0mm
Length 85.0mm
Weight 179 g
Casing colour black
Work environment indoor use
Certificates CE, RoHS



Detection distance 12m Detection angle 180° Switching time min. 10 seconds – max. 7 minutes Sensor type PIR

Motion sensor EMOS G1160 white 230V IP20

Product code 17092

Brand EMOS
Supply voltage 230V
Maximum output 200W/1m
Protection class IP20
Height 75.0mm
Width 70.0mm
Length 70.0mm
Diameter 70.0mm
Installation opening diameter 45mm
Weight 126 g
Casing colour white
Work environment indoor use
Certificates CE, RoHS



Detection distance 6 m Detection angle 360° Switching time min. 10 sekunds – max. 15 minutes Sensor type PIR

Motion sensor EMOS G1240 white 230V IP65

Product code 17093

Brand EMOS
Supply voltage 230V
Maximum output 600W/1m
Protection class IP65
Height 65.0mm
Width 65.0mm
Length 75.0mm
Casing colour white
Work environment indoor use
Certificates CE, RoHS



Detection distance 12 m Detection angle 180° Switching time min. 10 sekunds – max. 15 minutes Sensor type PIR

Motion sensor ER-C gray 5-24V IP20

Product code 18134

Supply voltage 5-24V
Protection class IP20
Length 18.0mm
Diameter 26.0mm
Installation opening diameter 20mm
Casing colour gray
Work environment indoor use
Certificates CE
Warranty 5 years



This motion sensor features a compact, concealed aluminum housing, making it suitable for various lighting solutions. The device operates on low-voltage power and provides a stable signal output. It detects movement within a specific range and angle, automatically turning on the light when motion is detected and switching it off when the area is vacant. Compatible with different lighting controllers, including stair lighting and dimming systems, it offers an intelligent and energy-efficient solution.

Motion sensor HC005S/BT 230V IP20

Product code 19617

Supply voltage 230V
Maximum output 400W/1m
Rated current 1700mA
Protection class IP20
Lifespan 50000h
Height 25.5mm
Width 39.9mm
Length 79.4mm
Weight 30 g
Casing material plastic
Work environment indoor use
Operation temperature -35 - + 70°C
Certificates CE
Warranty 5 years



A smart motion sensor that makes lighting control simple and energy-efficient. The device detects movement using microwave and Bluetooth technology and automatically turns lights on and off, operating only when needed. The HC005S/BT is easy to install and configure – you can adjust sensitivity, time delay, and light level according to your needs. With its long-lasting design, the device is a reliable solution for automating lighting in homes, offices, corridors, or other spaces.

Motion sensor HD01S-9 230V IP20

Product code 15585

Supply voltage 230V
Protection class IP20
Lifespan 50000h
Height 26.0mm
Width 37.0mm
Length 80.0mm
Casing material plastic
Work environment indoor use
Operation temperature -35 - + 70°C
Certificates CE
Warranty 5 years



Motion sensor HS-360-16JW white 230V IP20

Product code 22974

Supply voltage 230V
Maximum output 2000W/1m
Protection class IP20
Height 24.3mm
Diameter 115.0mm
Weight 106 g
Casing colour white
Casing material plastic
Work environment indoor use
Operation temperature -20 +40 ķC°C
Certificates CE
Warranty 3 years



Reliable motion sensor for indoor use. Ideal for corridors, stairwells, and other common areas, automatically switching the lighting on when motion is detected. Thanks to high-frequency technology, the sensor responds accurately and operates efficiently in various conditions.

Motion sensor HYTRONIK HC402S/T 230V 400W IP20 TRIAC

Product code 15063 TRIAC dimmable

Brand HYTRONIK
Supply voltage 230V
Dimmable TRIAC
Output 400W
Maximum output 400W/1m
Protection class IP20
Height 70.0mm
Diameter 80.0mm
Installation opening diameter 72mm
Casing material plastic
Work environment indoor use
Certificates CE
Warranty 5 years



Motion sensor LX06 white 230V IP20

Product code 16036

Supply voltage 230V
Maximum output 300W/1m
Protection class IP20
Height 60.0mm
Diameter 118.0mm
Weight 17 g
In box 100pcs
Casing colour white
Work environment indoor use
Operation temperature -20~40°C
Certificates CE, RoHS
Warranty 2 years



Surface motion sensor Working time 10s-8min Installation height 2-4m Working radius 2-12m Identification angle 360 ° Maximum power LED 300W.r

Motion sensor LX41 white 230V IP20

Product code 15852

Supply voltage 230V
Maximum output 300W/1m
Protection class IP20
Height 75.0mm
Diameter 76.0mm
Installation opening diameter 62mm
Weight 100 g
In box 50pcs
Casing colour white
Work environment indoor use
Operation temperature -20~40°C
Certificates CE, RoHS



Motion sensor LX42 230V IP20

Product code 15851



Supply voltage 230V
Maximum output 100W/1m
Protection class IP20
Width 35.0mm
Length 57.0mm
Weight 40 g
In box 100pcs
Work environment indoor use
Operation temperature -20~40°C
Certificates CE, RoHS

Motion sensor SKYDANCE 4A door sensor 12-24V

Product code 17791



Brand SKYDANCE
Supply voltage 12-24V
Height 7.5mm
Width 11.0mm
Length 50.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +55°C
Certificates CE, EMC, LVD, RoHS
Warranty 5 years

Door sensor switch for LED strip.

Motion sensor SKYDANCE Door sensor E1-L+ED 12-24V IP20

Product code 16738



Brand SKYDANCE
Supply voltage 12-24V
Output voltage 12-24V
Maximum output 192W/1m
Rated current 8000mA
Protection class IP20
Height 18.0mm
Width 33.0mm
Length 97.0mm
Casing material plastic
Work environment indoor use
Operation temperature -30~55°C
Certificates CE
Warranty 5 years

Motion sensor SKYDANCE Door sensor E1-L+EDC 12-24V IP20

Product code 17940

Brand SKYDANCE
Supply voltage 12-24V
Output voltage 12-24V
Maximum output 192W/1m
Rated current 8000mA
Protection class IP20
Height 18.0mm
Width 33.0mm
Length 97.0mm
Casing material plastic
Work environment indoor use
Operation temperature -30~55°C
Certificates CE
Warranty 5 years



Motion sensor SKYDANCE Door sensor ED-VC 24V IP20

Product code 17942


Brand SKYDANCE
Supply voltage 24V
Maximum output 24W/1m
Rated current 1000mA
Protection class IP20
Height 31.5mm
Diameter 10.5mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +50°C
Certificates CE, EMC, LVD
Warranty 5 years



Motion sensor SKYDANCE E1-L 12-24V IP20

Product code 19677

Brand SKYDANCE
Supply voltage 12-24V
Output voltage 12-24V
Maximum output 192W/1m
Rated current 8000mA
Protection class IP20
Height 18.0mm
Width 33.0mm
Length 97.0mm
Casing material plastic
Work environment indoor use
Operation temperature -30~55°C
Certificates CE
Warranty 5 years



Motion sensor SKYDANCE EH-R(WT) white 230V IP20 0-10V / RF

Product code 18232 0-10V / RF dimmable

Brand SKYDANCE
Supply voltage 230V
Dimmable 0-10V / RF
Protection class IP20
Height 51.0mm
Diameter 95.0mm
Installation opening diameter 86mm
Casing colour white
Work environment indoor use
Certificates CE
Warranty 5 years

A Ceiling-Mounted PIR Motion Sensor Switch is designed for efficient lighting control in indoor spaces such as offices, meeting rooms, and classrooms. This advanced sensor features a built-in daylight sensor for real-time detection of human motion and ambient light levels. It outputs a 0/1-10V signal, compatible with dimmable drivers, and operates with high voltage AC input, ensuring reliable performance. Lighting can be controlled effortlessly via the Tuya Smart APP, allowing adjustments to sensor sensitivity, hold time, stand-by time, and light sensing thresholds. Manual adjustments can also be made using three convenient knobs. The device functions as an RF remote, emitting a 2.4G signal for compatibility with RF LED controllers or dimmable drivers. This smart, versatile solution enhances indoor lighting experiences.



Motion sensor SKYDANCE ER-AV 24V IP20

Product code 17792

Brand SKYDANCE
Supply voltage 24V
Maximum output 36W/1m
Rated current 1500mA
Protection class IP20
Height 30.0mm
Width 45.0mm
Length 80.0mm
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +50°C
Certificates CE, EMC, LVD
Warranty 5 years



Скрытый ИК-датчик движения, выход с постоянным напряжением, подключается к низковольтной светодиодной ленте.

Motion sensor SKYDANCE EW IP20

Product code 19678

Brand SKYDANCE
Maximum output 36W/1m
Protection class IP20
In package 1pc
Casing material plastic
Work environment indoor use
Operation temperature -30° - +50°C
Certificates CE, EMC, LVD
Warranty 5 years




Motion sensor SKYDANCE Hand swipe switch E2-B CCT 12-24V 72W IP20

Product code 19194

Brand SKYDANCE
Supply voltage 12-24V
Output voltage 12-24V
Output 72W
Maximum output 72W/1m
Rated current 3000mA
Protection class IP20
Height 5.3mm
Width 10.0mm
Length 52.0mm
Weight 10 g
Casing material aluminium
Work environment indoor use
Operation temperature -30° - +55°C
Certificates CE, RoHS, LVD, emc
Warranty 5 years

Wave sensor switch. The switch requires at least a 5x8mm recess on the surface.




Stair controller SKYDANCE Smooth connection to the stairs ES32 5-24V IP20


Product code 16087

Brand SKYDANCE
Supply voltage 5-24V
Output voltage 5-24V
Maximum output 768W/1m
Rated current 1000mA
Protection class IP20
Height 25.5mm
Width 68.0mm
Length 186.0mm
Casing material plastic
Work environment indoor use
Certificates CE
Warranty 5 years










Stair controller SKYDANCE Smooth connection to the stairs ES32-V 5-24V IP20


Product code 23337

Brand SKYDANCE
Supply voltage 5-24V
Output voltage 5-24V
Maximum output 768W/1m
Rated current 1000mA
Protection class IP20
Height 25.5mm
Width 68.0mm
Length 186.0mm
Casing material plastic
Work environment indoor use
Certificates CE
Warranty 5 years









Motion sensor SKYDANCE Viibutussensor switch E1-B 12-24V 12-24V 96W IP20

Product code 17819

Brand SKYDANCE
Supply voltage 12-24V
Output voltage 12-24V
Output 96W
Maximum output 96W/1m
Rated current 4000mA
Protection class IP20
Height 9.0mm
Width 4.9mm
Length 50.0mm
Weight 10 g
Casing material aluminium
Work environment indoor use
Operation temperature -30° - +55°C
Certificates CE, RoHS, LVD, emc
Warranty 5 years

Wave sensor switch. Automatic shut-off, with light adjustment capability. The switch requires at least a 5x8mm recess on the surface.



Motion sensor STEINEL COM1 white 230V 360° IP54

Product code 23368

Brand STEINEL
Supply voltage 230V
Maximum output 2000W/1m
Lens angle 360
Protection class IP54
Height 95.0mm
Width 65.0mm
Minimum length 95.0mm
Casing colour white
Work environment indoor / outdoor use




Motion sensor STEINEL HF 360-2 white 230V IP20 DALI

Product code 22407 DALI dimmable

Brand STEINEL
Supply voltage 230V
Dimmable DALI
Maximum output 2000W/1m
Protection class IP20
Casing colour white





Motion sensor STEINEL Infrapuna white 230V 180° IP54

Product code 23305

Brand STEINEL
Supply voltage 230V
Maximum output 2000W/1m
Lens angle 180
Protection class IP54
Height 120.0mm
Width 78.0mm
Length 55.0mm
Casing colour white
Work environment indoor / outdoor use





© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Presence detector STEINEL IR Quattro MICRO white 230V 1000W IP65

Product code 19970

Brand STEINEL
Supply voltage 230V
Output 1000W
Maximum output 1000W/1m
Protection class IP65
Casing colour white



Motion sensor STEINEL IS 2360 ECO 7m white 230V 360° IP54

Product code 23367

Brand STEINEL
Supply voltage 230V
Maximum output 2000W/1m
Lens angle 360
Protection class IP54
Height 51.0mm
Diameter 115.0mm
Casing colour white
Work environment indoor / outdoor use



Motion sensor STEINEL IS 240 DUO black 230V 1000W IP54

Product code 22068

Brand STEINEL
Supply voltage 230V
Output 1000W
Maximum output 1000W/1m
Protection class IP54
Height 90.0mm
Width 60.0mm
Length 100.0mm
Casing colour black



Motion sensor STEINEL IS 240 DUO white 230V 1000W IP54

Product code 22069

Brand STEINEL
Supply voltage 230V
Output 1000W
Maximum output 1000W/1m
Protection class IP54
Height 90.0mm
Width 60.0mm
Length 100.0mm
Casing colour white




Motion sensor STEINEL IS 345 white 230V IP54 DALI

Product code 22432 DALI dimmable

Brand STEINEL
Supply voltage 230V
Dimmable DALI
Maximum output 2000W/1m
Protection class IP54
Height 95.0mm
Width 95.0mm
Length 65.0mm
Casing colour white





Motion sensor STEINEL IS345 MX Highbay 230V IP54 DALI

Product code 19971 DALI dimmable

Brand STEINEL
Supply voltage 230V
Dimmable DALI
Protection class IP54



Motion sensor STEINEL Liikumis- ja kohalolekuandur PD-24 ECO DALI2 white 230V 360° IP54

Product code 23479


Brand STEINEL
Supply voltage 230V
Maximum output 2000W/1m
Lens angle 360
Protection class IP54
Height 129.0mm
Length 70.0mm
Diameter 129.0mm
Casing colour white
Work environment indoor / outdoor use



Motion sensor STEINEL STL-057275 white 230V IP54 DALI

Product code 24012 DALI dimmable

Brand STEINEL
Supply voltage 230V
Dimmable DALI
Protection class IP54
Height 95.0mm
Width 95.0mm
Length 65.0mm
Casing colour white



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Motion sensor STEINEL TRUE PRESENCE KNX UP white 230V IP20

Product code 19935

Brand STEINEL
Supply voltage 230V
Maximum output 2000W/1m
Protection class IP20
Casing colour white

A high-end presence detector that detects human presence precisely and reliably – even when there is almost no movement. The device operates in the KNX system, enabling automatic control of lighting, ventilation, and other building functions. The concealed installation and white design allow the sensor to blend seamlessly into any interior.




Motion sensor THEBEN LUXA S180BK black 230V IP55


Product code 14339

Brand THEBEN
Supply voltage 230V
Protection class IP55
Casing colour black
Casing material plastic
Polishing matt
Operation temperature -25 °C - +45°C
Certificates CE, RoHS
Warranty 2 years

Detection angle 180° Installation height 2 – 4 m Light switch-off delay 1 s-20 min Theben AG Hohenbergstr. 32 72401 Haigerloch GERMANY



Motion sensor THEBEN LUXA S180WH white 230V IP55



Product code 14361

Brand THEBEN
Supply voltage 230V
Protection class IP55
Casing colour white
Casing material plastic
Operation temperature -25 °C - +45°C
Certificates CE, RoHS

Detection angle 180° Installation height 2 – 4 m Light switch-off delay 1 s-20 min Theben AG Hohenbergstr. 32 72401 Haigerloch GERMANY

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee