
Ground light Blake 2 black 230V GU10 IP65

Product code 18314



Supply voltage 230V
Socket GU10
Protection class IP65
Height 165.0mm
Diameter 97.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium + plastic
Work environment outdoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 2 years



A durable and adjustable outdoor light, ideal for gardens, pathways, and facades. Its weather-resistant housing withstands moisture and dust, making it suitable for all kinds of weather conditions. The luminaire uses a replaceable light source and is easy to install thanks to the ground spike mount. An elegant and reliable solution for outdoor lighting


Ground light Deko-Light Colt COB black 29W 2320lm 40° IP65 TRIAC 3000K warm white

Product code 23013 TRIAC dimmable

Brand Deko-Light
Dimmable TRIAC
Output 29W
Luminous flux 2320lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 40
Protection class IP65
Lifespan 50000h
Width 120.0mm
Diameter 131.0mm
Casing colour black
Casing material metal + glass
No. of switches 15000pcs
Work environment outdoor use
Operation temperature -30 ~ 40°C

The COLT series is a genuine all-rounder outdoors: Powerful, freely rotatable and tiltable and equipped with the latest LED technology, the surface-mounted lamps deliver atmospheric illumination concepts in any outdoor application and cut a fine figure even when switched off thanks to their striking design.







Ground light Deko-Light Colt COB Dim black 15W 1090lm 40° IP65 TRIAC 3000K warm white

Product code 20683 TRIAC dimmable

Brand Deko-Light
Dimmable TRIAC
Output 15W
Luminous flux 1090lumens
Luminaire’s efficiency 73W
Correlated colour temperature warm white 3000K
Lens angle 40
Protection class IP65
Lifespan 50000h
Height 220.0mm
Length 88.0mm
Diameter 110.0mm
Casing colour black
Casing material metal + glass
No. of switches 15000pcs
Work environment outdoor use
Operation temperature -30 ~ 40°C





Ground light Deko-Light Colt COB Dim black 7W 470lm 40° IP65 TRIAC 830

Product code 20221 TRIAC dimmable

Brand Deko-Light
Dimmable TRIAC
Output 7W
Luminous flux 470lumens
Luminaire’s efficiency 67W
Correlated colour temperature warm white 3000K
Lens angle 40
Cri 80
Protection class IP65
Lifespan 50000h
Height 185.0mm
Length 66.0mm
Weight 671 g
Package weight 912 g
Casing colour black
Casing material metal + glass
No. of switches 15000pcs
Operation temperature -30 ~ 40°C





Ground light Deko-Light Doradus 250 mm white E27 IP65

Product code 20353

Brand Deko-Light
Socket E27
Protection class IP65
Height 230.0mm
Diameter 250.0mm
Weight 795 g
Package weight 1.11 kg
Casing colour white
Casing material polyethylene
Impact resistance IK07
Work environment outdoor use
Operation temperature -20 ~ 40°C
Warranty 5 years



Ground light Deko-Light Doradus 380 mm white E27 IP65

Product code 20355

Brand Deko-Light
Socket E27
Protection class IP65
Height 350.0mm
Diameter 380.0mm
Weight 2.45 kg
Package weight 3.18 kg
Casing colour white
Casing material polyethylene
Impact resistance IK07
Work environment outdoor use
Operation temperature -20 ~ 40°C
Warranty 5 years



Ground light Deko-Light Doradus 450 mm white E27 IP65

Product code 20354

Brand Deko-Light
Socket E27
Protection class IP65
Height 420.0mm
Diameter 450.0mm
Weight 2.95 kg
Package weight 3.9 kg
Casing colour white
Casing material polyethylene
Impact resistance IK07
Work environment outdoor use
Operation temperature -20 ~ 40°C
Warranty 5 years



Ground light Deko-Light Doradus 560 mm white E27 IP65

Product code 20356

Brand Deko-Light
Socket E27
Sdcm - macadam ellipses 7
Protection class IP65
Height 530.0mm
Diameter 560.0mm
Weight 4.3 kg
Package weight 5.98 kg
Casing colour white
Casing material polyethylene
Impact resistance IK07
Work environment indoor / outdoor use
Operation temperature -20 ~ 40°C
Warranty 5 years



Ground light Deko-Light Keid II gray 10.3W 800lm IP65 830

Product code 20320

Brand Deko-Light
Output 10.3W
Luminous flux 800lumens
Luminaire’s efficiency 78W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Lifespan 30000h
Height 457.0mm
Length 120.0mm
Weight 833 g
Package weight 1.07 kg
Casing colour gray
Casing material metal + glass
No. of switches 25000pcs
Operation temperature -20 ~ 40°C



Ground light Deko-Light Keid II gray 21.5W 1350lm IP65 830

Product code 20321

Brand Deko-Light
Output 21.5W
Luminous flux 1350lumens
Luminaire’s efficiency 63W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Lifespan 30000h
Height 457.0mm
Length 120.0mm
Weight 1.01 kg
Package weight 1.25 kg
Casing colour gray
Casing material metal + glass
No. of switches 25000pcs
Operation temperature -20 ~ 40°C



Ground light Deko-Light Spiky black GU10 IP65

Product code 20352



Brand Deko-Light
Socket GU10
Sdcm - macadam ellipses 5
Protection class IP65
Height 345.0mm
Diameter 100.0mm
Weight 732 g
Package weight 792 g
Casing colour black
Operation temperature -10 ~ 45°C

Ground light Deko-Light Spiky gray GU10 IP65

Product code 20351



Brand Deko-Light
Socket GU10
Sdcm - macadam ellipses 5
Protection class IP65
Height 420.0mm
Diameter 60.0mm
Weight 651 g
Package weight 719 g
Casing colour gray
Operation temperature -10 ~ 45°C

Ground light Kobi Garden ball gray E27 IP65



Product code 22509

Brand Kobi
Maximum output 40W/1m
Socket E27
Protection class IP65
Height 350.0mm
Diameter 380.0mm
Package weight 1.76 kg
Casing colour gray
Casing material polyethylene
Impact resistance IK02
Operation temperature -20 ~ 40°C
Warranty 2 years

Ground light Maytoni Bern graphite 15W 1200lm 55° IP65 830

Product code 19742



Brand Maytoni
Output 15W
Luminous flux 1200lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 55
Cri 80
Protection class IP65
Length 168.0mm
Casing colour graphite
Casing material aluminium
Work environment outdoor use

Ground light Maytoni Bern graphite 30W 2800lm 50° IP65 830

Product code 19744

Brand Maytoni
Output 30W
Luminous flux 2800lumens
Luminaire’s efficiency 93W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 80
Protection class IP65
Length 230.0mm
Casing colour graphite
Casing material aluminium
Work environment outdoor use



Ground light Maytoni Bern graphite 5W 280lm 65° IP65 830

Product code 19746

Brand Maytoni
Output 5W
Luminous flux 280lumens
Luminaire’s efficiency 56W
Correlated colour temperature warm white 3000K
Lens angle 65
Cri 80
Protection class IP65
Length 117.0mm
Casing colour graphite
Casing material aluminium
Work environment outdoor use



Ground light Maytoni Bern white 15W 1200lm 55° IP65 830

Product code 19743

Brand Maytoni
Output 15W
Luminous flux 1200lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 55
Cri 80
Protection class IP65
Length 168.0mm
Diameter 108.0mm
Weight 910 g
Package weight 1.09 kg
Casing colour white
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



Ground light Maytoni Bern white 30W 2800lm 50° IP65 830

Product code 19745

Brand Maytoni
Output 30W
Luminous flux 2800lumens
Luminaire’s efficiency 93W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 80
Protection class IP65
Length 230.0mm
Casing colour white
Casing material aluminium
Work environment outdoor use



Ground light Maytoni Bern white 5W 300lm 65° IP65 830

Product code 19747

Brand Maytoni
Output 5W
Luminous flux 300lumens
Luminaire’s efficiency 60W
Correlated colour temperature warm white 3000K
Lens angle 65
Cri 80
Protection class IP65
Length 117.0mm
Casing colour white
Casing material aluminium
Work environment outdoor use



Ground light Maytoni Core black 25W 1850lm 36° IP65 830

Product code 22155

Brand Maytoni
Output 25W
Luminous flux 1850lumens
Luminaire’s efficiency 74W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP65
Height 356.0mm
Width 104.0mm
Casing colour black
Casing material aluminium
Work environment outdoor use
Warranty 3 years



Ground light Maytoni Erda D 50 cm white 30W E27 IP54

Product code 19781

Brand Maytoni
Output 30W
Socket E27
Protection class IP54
Height 490.0mm
Width 500.0mm
Length 500.0mm
Weight 2.31 kg
Package weight 3.7 kg
Casing colour white
Casing material plastic
Work environment outdoor use
Operation temperature -40...+50°C°C





Ground light Maytoni Erda D30 cm white 30W E27 IP54

Product code 19780

Brand Maytoni
Output 30W
Socket E27
Protection class IP54
Height 290.0mm
Width 300.0mm
Length 300.0mm
Weight 940 g
Package weight 1.5 kg
Casing colour white
Casing material plastic
Work environment outdoor use



Ground light Maytoni Scope black GU10 IP65

Product code 19911

Brand Maytoni
Socket GU10
Protection class IP65
Height 295.0mm
Width 95.0mm
Weight 340 g
Package weight 380 g
Casing colour black
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years



Ground light Prolumen ML07 black 12V 10W 800lm 36° IP65 830

Product code 15277

Brand Prolumen
Supply voltage 12V
Output 10W
Maximum output 10W/1m
Luminous flux 800lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP65
Lifespan 40000h
Height 262.0mm
Width 56.0mm
Diameter 76.0mm
Weight 300 g
Package weight 50 g
In package 1pc
In box 50pcs
Casing colour black
Casing material aluminium
Work environment outdoor use
Certificates CE
Warranty 5 years



LED garden light, stake-mounted.

Ground light Prolumen oculus black 12V 10W 800lm CRI90 60° IP65

Product code 20690

Brand Prolumen
Supply voltage 12V
Output 10W
Maximum output 10W/1m
Luminous flux 800lumens
Luminaire’s efficiency 80W
Lens angle 60
Cri 90
Protection class IP65
Length 100.0mm
Diameter 76.0mm
In package 1pc
In box 50pcs
Casing colour black
Casing material aluminium + plastic
Work environment outdoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 2 years



Ground light Trio Lighting Bolo E27 IP44

Product code 19496

Brand Trio Lighting
Socket E27
Protection class IP44
Diameter 400.0mm
Casing material plastic
Work environment outdoor use

Inviting and effective - outdoor lights set atmospheric lighting accents around the house. The decorative BOLO garden ground light has a five metre supply cable and is supplied with a ground spike so that you can easily fix it in your garden. The globe light has a diameter of 40 cm and is extremely weather-resistant thanks to its IP44 rating. The light conjures up a harmonious atmosphere in your outdoor area or brings it safely to the house or garage as a path light. The BOLO garden light comes with a white plastic globe and a black ground spike. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.





© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Ground light Trio Lighting Bolo E27 IP44

Product code 19527

Brand Trio Lighting
Socket E27
Protection class IP44
Diameter 200.0mm
Weight 800 g
Package weight 1 kg
Casing material plastic
Work environment outdoor use

Inviting and effective - outdoor lights set atmospheric lighting accents around the house. The decorative BOLO garden ground light has a five metre supply cable and is supplied with a ground spike so that you can easily fix it in your garden. The globe light has a diameter of 40 cm and is extremely weather-resistant thanks to its IP44 rating. The light conjures up a harmonious atmosphere in your outdoor area or brings it safely to the house or garage as a path light. The BOLO garden light comes with a white plastic globe and a black ground spike. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.






Ground light Trio Lighting Caceres anthracite round E27 IP44

Product code 20705

Brand Trio Lighting
Socket E27
Protection class IP44
Height 51.0mm
Diameter 12.5mm
Casing colour anthracite
Casing material aluminium
Shape round





Garden light Trio Lighting Jamaica white 2,5W 25lm IP44 RGB + 3000K RGBW warm

Product code 22967

Brand Trio Lighting
Output 2,5W
Maximum output 2.5W/1m
Luminous flux 25lumens
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP44
Lifespan 50000h
Height 380.0mm
Diameter 245.0mm
Weight 2.1 kg
Package weight 2.5 kg
Casing colour white
Casing material plastic
No. of switches 50000pcs
Work environment indoor / outdoor use
Warranty 5 years




Innovative mood maker. The JAMAICA is a table lamp, Bluetooth speaker and drinks cooler in one. Create relaxed ambient lighting with the integrated RGBW colour changer for long summer evenings on the balcony or terrace. Thanks to its stylish design, the JAMAICA not only impresses with its high functionality but also as a decorative and design object. The JAMAICA is battery-operated and can therefore be used indoors and outdoors. When fully charged, the battery lasts up to 10 hours. The loudspeaker is controlled via the Bluetooth connection with mobile devices, and light settings can be conveniently controlled using the remote control supplied. The white plastic design optimally reflects the light and is rounded off with a decorative brown band as a handle. In addition, the luminaire features modern LED technology, which is characterised by high light quality and energy efficiency. Compared to conventional halogen lamps, up to 80% of energy costs can be saved. In addition, LED light sources have a long service life, produce less heat and protect the environment.

Ground light Trio Lighting Melo 20cm white 0.5W 30lm IP67 RGB + 3000K RGBW warm

Product code 19465

Brand Trio Lighting
Output 0.5W
Luminous flux 30lumens
Luminaire’s efficiency 60W
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP67
Height 174.0mm
Diameter 200.0mm
Casing colour white
Casing material plastic
Work environment outdoor use




Solar lights use only the power of the sun to generate light. They are a practical solution for outdoor areas, as they do not require sockets or a connection to the mains. Combined with modern LED technology, solar lights provide ideal lighting for your home and garden. Simply place the light where light is needed. The round MELO solar light creates an atmospheric ambience and inviting lighting accents around the house thanks to its integrated RGBW colour changer. It is controlled via a switch on the light and the included remote control. With an IP65 protection rating, the light is dustproof and protected against water jets. The solar light has a burn time of 6 hours and a charging time of approx. 8 hours. The neutral design in white, allows an easy integration into your garden and sets additional modern accents.

Ground light Trio Lighting Melo 30 cm päikesepatareiga white 0,5W 30lm IP67 RGB + 3000K RGBW warm

Product code 19541

Brand Trio Lighting
Output 0,5W
Maximum output 0.5W/1m
Luminous flux 30lumens
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP67
Lifespan 20000h
Diameter 280.0mm
Casing colour white
Casing material plastic
No. of switches 10000pcs
Work environment indoor use
Warranty 5 years



Solar lights use only the power of the sun to generate light. They are a practical solution for outdoor areas, as they do not require sockets or a connection to the mains. Combined with modern LED technology, solar lights provide ideal lighting for your home and garden. Simply place the light where light is needed. The round MELO solar light creates an atmospheric ambience and inviting lighting accents around the house thanks to its integrated RGBW colour changer. It is controlled via a switch on the light and the included remote control. With an IP65 protection rating, the light is dustproof and protected against water jets. The solar light has a burn time of 6 hours and a charging time of approx. 8 hours. The neutral design in white, allows an easy integration into your garden and sets additional modern accents.

Ground light Trio Lighting Purus black 230V GU10 IP65

Product code 23603

Brand Trio Lighting
Supply voltage 230V
Socket GU10
Protection class IP65
Height 275.0mm
Diameter 50.0mm
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium + plastic
Work environment outdoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 2 years

The PURUS outdoor light provides light exactly where it is needed - unobtrusive, targeted and stylish. With its ground spike, it can be flexibly positioned in the garden, along paths or between plants and blends harmoniously into any environment thanks to its discreet, timeless design. The special highlight: the movable light head enables individual alignment and provides accentuated lighting - perfect for skilfully highlighting trees, shrubs or architectural details. Thanks to IP65, PURUS is optimally protected against dust and water jets, making it a reliable companion in any weather. Made of die-cast aluminium and finished in anthracite, the luminaire impresses with a high-quality choice of materials and a modern, understated colour scheme. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





Ground light Trio Lighting Ubangi 3 X GU10 anthracite round GU10 IP65

Product code 19426

Brand Trio Lighting
Socket GU10
Protection class IP65
Height 110.0mm
Diameter 90.0mm
Casing colour anthracite
Casing material aluminium
Shape round



Inviting and effective - the UBANGI outdoor lights set atmospheric lighting accents around the house. The decorative set of three has a five metre long supply cable and three metre long cable connections between each spotlight. Each spotlight has a ground spike so that they can be positioned flexibly and easily in your garden. Each spotlight has a diameter of approx. 9 cm and is extremely weather-resistant thanks to its IP65 protection rating. Thanks to the discreet anthracite colour scheme, the outdoor lights can be stylishly integrated into a variety of garden concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee