

Ground light BLAKE 2 1xGU10 black 230V GU10 IP65

Product code 18314

Supply voltage 230V
Socket GU10
Protection class IP65
In package 1pc
In box 24pcs
Casing colour black
Casing material aluminium + plastic
Work environment outdoor use
Operation temperature -20 - +40°C
Certificates CE
Warranty 2 years




A durable and adjustable outdoor light, ideal for gardens, pathways, and facades. Its weather-resistant housing withstands moisture and dust, making it suitable for all kinds of weather conditions. The luminaire uses a replaceable light source and is easy to install thanks to the ground spike mount. An elegant and reliable solution for outdoor lighting

Ground light Deko-Light Colt COB Dim black 15W 1090lm 40° IP65 TRIAC 3000K warm white

Product code 20683 TRIAC dimmable

Brand [Deko-Light](#)
Dimmable TRIAC
Output 15W
Luminous flux 1090lumens
Luminaire's efficiency lm79 73W
Correlated colour temperature warm white 3000K
Lens angle 40
Protection class IP65
Lifespan 50000h
Height 220.0mm
Length 88.0mm
Diameter 110.0mm
Casing colour black
Casing material metal + glass
No. of switches 15000pcs
Work environment outdoor use
Operation temperature -30 ~ 40°C



Ground light Deko-Light Colt COB Dim black 7W 470lm 40° IP65 TRIAC 830

Product code 20221 TRIAC dimmable


Brand [Deko-Light](#)
Dimmable TRIAC
Output 7W
Luminous flux 470lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm white 3000K
Lens angle 40°
CRI 80
Protection class IP65
Lifespan 50000h
Height 185.0mm
Length 66.0mm
Weight 671g
Package weight 912g
Casing colour black
Casing material metal + glass
No. of switches 15000pcs
Operation temperature -30 ~ 40°C



Ground light Deko-Light Doradus 250 mm white E27 IP65

Product code 20353

Brand [Deko-Light](#)
Socket E27
Sdcm - macadam ellipses 7
Protection class IP65
Height 230.0mm
Diameter 250.0mm
Weight 795g
Package weight 1112g
Casing colour white
Casing material Polyethylene
Operation temperature -20 ~ 40°C



Ground light Deko-Light Doradus 380 mm white E27 IP65

Product code 20355

Brand [Deko-Light](#)

Socket E27

Sdcm - macadam ellipses 7

Protection class IP65

Height 350.0mm

Diameter 380.0mm

Weight 2450g

Package weight 3180g

Casing colour white

Casing material Polyethylene

Operation temperature -20 ~ 40°C



Ground light Deko-Light Doradus 450 mm white E27 IP65

Product code 20354

Brand [Deko-Light](#)

Socket E27

Sdcm - macadam ellipses 7

Protection class IP65

Height 420.0mm

Diameter 450.0mm


Weight 2950g

Package weight 3900g

Casing colour white

Casing material Polyethylene

Operation temperature -20 ~ 40°C



Ground light Deko-Light Doradus 560 mm white E27 IP65

Product code 20356

Brand [Deko-Light](#)

Socket E27

Sdcm - macadam ellipses 7

Protection class IP65

Height 530.0mm

Diameter 560.0mm

Weight 4300g

Package weight 5980g

Casing colour white

Casing material Polyethylene

Operation temperature -20 ~ 40°C



Ground light Deko-Light Keid II gray 10.3W 800lm IP65 830

Product code 20320

Brand [Deko-Light](#)

Output 10.3W

Luminous flux 800lumens

Luminaire's efficiency lm79 78W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP65

Lifespan 30000h

Height 457.0mm

Length 120.0mm

Weight 833g

Package weight 1072g

Casing colour gray

Casing material metal + glass

No. of switches 25000pcs

Operation temperature -20 ~ 40°C



Ground light Deko-Light Keid II gray 21.5W 1350lm IP65 830

Product code 20321

Brand [Deko-Light](#)

Output 21.5W

Luminous flux 1350lumens

Luminaire's efficiency lm79 63W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP65

Lifespan 30000h

Height 457.0mm

Length 120.0mm

Weight 1011g

Package weight 1250g

Casing colour gray

Casing material metal + glass

No. of switches 25000pcs

Operation temperature -20 ~ 40°C



Ground light Deko-Light Spiky black GU10 IP65

Product code 20352

Brand [Deko-Light](#)

Socket GU10

Sdcm - macadam ellipses 5

Protection class IP65

Height 345.0mm

Diameter 100.0mm

Weight 732g

Package weight 792g

Casing colour black

Operation temperature -10 ~ 45°C



Ground light Deko-Light Spiky gray GU10 IP65

Product code 20351

Brand [Deko-Light](#)
 Socket GU10
 Sdcm - macadam ellipses 5
 Protection class IP65
 Height 420.0mm
 Diameter 60.0mm
 Weight 651g
 Package weight 719g
 Casing colour gray
 Operation temperature -10 ~ 45°C



Ground light Maytoni Bern graphite 15W 1200lm 55° IP65 830

Product code 19742

Brand Maytoni
 Output 15W
 Luminous flux 1200lumens
 Luminaire's efficiency lm79 80W
 Correlated colour temperature warm white 3000K
 Lens angle 55
 Cri 80
 Protection class IP65
 Length 168.0mm
 Casing colour graphite
 Casing material aluminium



Ground light Maytoni Bern graphite 30W 2800lm 50° IP65 830

Product code 19744

Brand Maytoni
 Output 30W
 Luminous flux 2800lumens
 Luminaire's efficiency lm79 93W
 Correlated colour temperature warm white 3000K
 Lens angle 50
 Cri 80
 Protection class IP65
 Length 230.0mm
 Casing colour graphite
 Casing material aluminium



Ground light Maytoni Bern graphite 5W 280lm 65° IP65 830

Product code 19746

Brand Maytoni
Output 5W
Luminous flux 280lumens
Luminaire's efficiency lm79 56W
Correlated colour temperature warm white 3000K
Lens angle 65
Cri 80
Protection class IP65
Length 117.0mm
Casing colour graphite
Casing material aluminium



Ground light Maytoni Bern white 15W 1200lm 55° IP65 830

Product code 19743

Brand Maytoni
Output 15W
Luminous flux 1200lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm white 3000K
Lens angle 55
Cri 80
Protection class IP65
Length 168.0mm
Diameter 108.0mm
Weight 910g
Package weight 1090g
Casing colour white
Casing material aluminium
Operation temperature -40...+50°C
Warranty 3 years



Ground light Maytoni Bern white 30W 2800lm 50° IP65 830

Product code 19745

Brand Maytoni
Output 30W
Luminous flux 2800lumens
Luminaire's efficiency lm79 93W
Correlated colour temperature warm
white 3000K
Lens angle 50
Cri 80
Protection class IP65
Length 230.0mm
Casing colour white
Casing material aluminium



Ground light Maytoni Bern white 5W 300lm 65° IP65 830

Product code 19747


Brand Maytoni
Output 5W
Luminous flux 300lumens
Luminaire's efficiency lm79 60W
Correlated colour temperature warm
white 3000K
Lens angle 65
Cri 80
Protection class IP65
Length 117.0mm
Casing colour white
Casing material aluminium



Ground light Maytoni Edge black 15W 1000lm 110° IP65 830

Product code 19775


Brand Maytoni
Output 15W
Luminous flux 1000lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm white 3000K
Lens angle 110
Cri 80
Protection class IP65
Height 59.0mm
Width 65.0mm
Length 1000.0mm
Weight 800g
Package weight 940g
Casing colour black
Casing material aluminium
Operation temperature -40...+50°C



Ground light Maytoni Edge gray 15W 1000lm 110° IP65 830

Product code 19776

Brand Maytoni
Output 15W
Luminous flux 1000lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature warm white 3000K
Lens angle 110
Cri 80
Protection class IP65
Height 59.0mm
Width 65.0mm
Length 1000.0mm
Weight 800g
Package weight 940g
Casing colour gray
Casing material aluminium
Operation temperature -40...+50°C



Ground light Maytoni Erda D 50 cm white 30W E27 IP54

Product code 19781

Brand Maytoni
Output 30W
Socket E27
Protection class IP54
Height 490.0mm
Width 500.0mm
Length 500.0mm
Weight 2310g
Package weight 3700g
Casing colour white
Casing material plastic
Operation temperature -40...+50°C°C



Ground light Maytoni Erda D30 cm white 30W E27 IP54

Product code 19780

Brand Maytoni
Output 30W
Socket E27
Protection class IP54
Height 290.0mm
Width 300.0mm
Length 300.0mm
Weight 940g
Package weight 1500g
Casing colour white
Casing material plastic



Ground light Maytoni Scope black GU10 IP65

Product code 19911

Brand Maytoni
Socket GU10
Protection class IP65
Height 295.0mm
Width 95.0mm
Weight 340g
Package weight 380g
Casing colour black
Casing material aluminium
Operation temperature -40...+50°C
Warranty 2 years



Ground light PROLUMEN ML07 black 12V 10W 800lm 36° IP65 830

Product code 15277

Brand [Prolumen](#)
Supply voltage 12V
Output 10W
Maximum output 10W/1m
Luminous flux 800lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP65
Lifespan 40000h
Height 262.0mm
Width 56.0mm
Diameter 76.0mm
Weight 300g
Package weight 50g
In package 1pc
In box 50pcs
Casing colour black
Casing material aluminium
Work environment outdoor use
Certificates CE
Warranty 5 years



LED garden light, stake-mounted.

Ground light Prolumen oculus black 12V 10W 800lm CRI90 60° IP65

Product code 20690

Brand [Prolumen](#)

Supply voltage 12V

Output 10W

Maximum output 10W/1m

Luminous flux 800lumens

Luminaire's efficiency lm79 80W

Lens angle 60°

Cri 90

Protection class IP65

Length 100.0mm

Diameter 76.0mm

In package 1pc

In box 50pcs

Casing colour black

Casing material aluminium + plastic

Work environment outdoor use

Operation temperature -20 - +40°C

Certificates CE

Warranty 2 years



Ground light Trio Lighting Bolo E27 IP44


Product code 19496Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Diameter 400.0mm

Inviting and effective - outdoor lights set atmospheric lighting accents around the house. The decorative BOLO garden ground light has a five metre supply cable and is supplied with a ground spike so that you can easily fix it in your garden. The globe light has a diameter of 40 cm and is extremely weather-resistant thanks to its IP44 rating. The light conjures up a harmonious atmosphere in your outdoor area or brings it safely to the house or garage as a path light. The BOLO garden light comes with a white plastic globe and a black ground spike. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.



Ground light Trio Lighting Bolo E27 IP44

Product code 19527

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Diameter 200.0mm

Weight 800g

Package weight 1000g


Inviting and effective - outdoor lights set atmospheric lighting accents around the house. The decorative BOLO garden ground light has a five metre supply cable and is supplied with a ground spike so that you can easily fix it in your garden. The globe light has a diameter of 40 cm and is extremely weather-resistant thanks to its IP44 rating. The light conjures up a harmonious atmosphere in your outdoor area or brings it safely to the house or garage as a path light. The BOLO garden light comes with a white plastic globe and a black ground spike. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.



Ground light Trio Lighting Caceres anthracite round E27 IP44

Product code 20705

Brand [Trio Lighting](#)
Socket E27
Protection class IP44
Height 51.0mm
Diameter 12.5mm
Casing colour anthracite
Casing material aluminium
Shape round




Ground light Trio Lighting IP67

Product code 19541

Brand [Trio Lighting](#)
Protection class IP67
Diameter 280.0mm


Solar lights use only the power of the sun to generate light. They are a practical solution for outdoor areas, as they do not require sockets or a connection to the mains. Combined with modern LED technology, solar lights provide ideal lighting for your home and garden. Simply place the light where light is needed. The round MELO solar light creates an atmospheric ambience and inviting lighting accents around the house thanks to its integrated RGBW colour changer. It is controlled via a switch on the light and the included remote control. With an IP65 protection rating, the light is dustproof and protected against water jets. The solar light has a burn time of 6 hours and a charging time of approx. 8 hours. The neutral design in white, allows an easy integration into your garden and sets additional modern accents.



Ground light Trio Lighting Melo 20cm white 5W 30lm IP67 RGB + 3000K RGBW warm

Product code 19465

Brand [Trio Lighting](#)
Output 5W
Luminous flux 30lumens
Luminaire's efficiency lm79 6W
Correlated colour temperature RGBW
warm RGB + 3000K
Protection class IP67
Height 174.0mm
Diameter 200.0mm
Casing colour white



Ground light Trio Lighting Ubangi 3 X GU10 anthracite round GU10

Product code 19426

Brand [Trio Lighting](#)

Socket GU10

Height 110.0mm

Diameter 90.0mm

Casing colour anthracite

Casing material aluminium

Shape round

Inviting and effective - the UBANGI outdoor lights set atmospheric lighting accents around the house. The decorative set of three has a five metre long supply cable and three metre long cable connections between each spotlight. Each spotlight has a ground spike so that they can be positioned flexibly and easily in your garden. Each spotlight has a diameter of approx. 9 cm and is extremely weather-resistant thanks to its IP65 protection rating. Thanks to the discreet anthracite colour scheme, the outdoor lights can be stylishly integrated into a variety of garden concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

