

## Signal amplifier 4x6A 12-24V 576W IP20

**Product code 15587**

Supply voltage 12-24V  
 Output 576W  
 Maximum output 576W/1m  
 Rated current 24000mA  
 Protection class IP20  
 Height 24.0mm  
 Width 55.0mm  
 Length 65.0mm  
 Weight 100 g  
 Casing material aluminium  
 Work environment indoor use  
 Certificates CE  
 Warranty 2 years



## Signal amplifier LTECH LT-122 SPI 5-36V IP67

**Product code 15908**

Brand LTECH  
 Supply voltage 5-36V  
 Protection class IP67  
 Warranty 5 years



## Signal amplifier LTECH LT-3060 24A 5-24V 576W

**Product code 13790**

Brand LTECH  
 Supply voltage 5-24V  
 Output 576W  
 Maximum output 576W/1m  
 Rated current 24000mA  
 Height 23.0mm  
 Width 87.0mm  
 Length 148.0mm  
 Weight 380 g  
 Operation temperature -30°C~65°C  
 Certificates CE, RoHS  
 Warranty 3 years



## Signal amplifier SKYDANCE EV3 3x6A 12-36V 648W IP20

**Product code 16454**

---

Brand [SKYDANCE](#)

Supply voltage 12-36V

Output 648W

Maximum output 648W/1m

Rated current 18000mA

Protection class IP20

Height 27.0mm

Width 45.0mm

Length 175.0mm

Weight 109 g

Package weight 129 g

Casing material plastic

Work environment indoor use

Operation temperature -30~55°C

Certificates CE, EMC, LVD

Warranty 5 years



## Signal amplifier SKYDANCE EV4 4x5A 12-24V IP20

**Product code 16968**

---

Brand [SKYDANCE](#)

Supply voltage 12-24V

Maximum output 480W/1m

Rated current 20000mA

Protection class IP20

Height 27.0mm

Width 45.0mm

Length 175.0mm

Weight 120 g

Package weight 140 g

Casing material plastic

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



## Signal amplifier SKYDANCE EV4-X 4x8A 12-24V IP20

**Product code 16967**

Brand [SKYDANCE](#)

Supply voltage 12-24V

Maximum output 768W/1m

Rated current 32000mA

Protection class IP20

Height 24.5mm

Width 76.0mm

Length 107.0mm

Weight 267 g

Package weight 287 g

Casing material aluminium

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



## Signal amplifier SKYDANCE SPI SA 5-24V IP20 RF

**Product code 15831 RF dimmable**

Brand [SKYDANCE](#)

Supply voltage 5-24V

Dimmable RF

Protection class IP20

Height 26.0mm

Width 52.0mm

Length 52.0mm

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years

