

LED floodlight EMOS ASIMO black 230V 200W 22000lm 55x125° IP66 840

Product code 16608

Brand [EMOS](#)
Supply voltage 230V
Power factor 0.90
Output 200W
Luminous flux 22000lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature pure white 4000K
Lens angle 55x125
Cri 80
Protection class IP66
Lifespan 50000h
Height 70.0mm
Width 300.0mm
Length 305.0mm
Casing colour black
Casing material aluminum + glass
Impact resistance IK08
Work environment outdoor use
Operation temperature -30 ~ 50°C
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight EMOS ASIMO black 230V 300W 33000lm 55x125° IP66 840

Product code 16609

Brand [EMOS](#)

Supply voltage 230V

Power factor 0.90

Output 300W

Luminous flux 33000lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature pure
white 4000K

Lens angle 55x125

Cri 80

Protection class IP66

Lifespan 50000h

Height 80.0mm

Width 363.0mm

Length 370.0mm

In package 1pc

Casing colour black

Casing material aluminum + glass

Impact resistance IK08

Work environment outdoor use

Operation temperature -30 ~ 50°C

Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight EMOS INOVO black 230V 20W 2200lm 120° IP65 840

Product code 16516

Brand [EMOS](#)
Supply voltage 230V
Power factor 0.70
Output 20W
Luminous flux 2200lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature pure white 4000K
Lens angle 120
Cri 80
Protection class IP65
Lifespan 50000h
Height 28.0mm
Width 95.0mm
Length 135.0mm
In package 1pc
Casing colour black
Casing material aluminum + glass
Impact resistance IK07
Work environment outdoor use
Operation temperature -20 ~ 40°C
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP65, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN AKITA gray 230V 600W 76330lm 20x40° IP66 750

Product code 17776 0-10V dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.95

Dimmable 0-10V

Output 600W

Luminous flux 76330lumens

Luminaire's efficiency lm79 127W

Correlated colour temperature pure
white 5700K

Lens angle 20x40

Source of light OSRAM LED

Cri 70

Protection class IP66

Lifespan 50000h

Height 311.0mm

Width 308.0mm

Length 686.0mm

Weight 13000g

Casing colour gray

Casing material aluminum

Power supply [INVENTRONICS](#)

Impact resistance IK10

Work environment outdoor use

Operation temperature -40° - +50°C

Certificates ENEC, CE, CB

Warranty 7 years



LED floodlight PROLUMEN AKITA gray 230V 600W 89307lm 50° IP66 750

Product code 17775 0-10V dimmable

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.95

Dimmable 0-10V

Output 600W

Luminous flux 89307lumens

Luminaire's efficiency lm79 149W

Correlated colour temperature pure white 5700K

Lens angle 50

Source of light [LUMILEDS](#)

Cri 70

Protection class IP66

Lifespan 50000h

Height 311.0mm

Width 308.0mm

Length 686.0mm

Weight 13000g

Casing colour gray

Casing material aluminum

Power supply [INVENTRONICS](#)

Impact resistance IK10

Work environment outdoor use

Operation temperature -40° - +50°C

Certificates ENEC, CE, CB

Warranty 7 years



Floodlight PROLUMEN FLV black 230V 70W 8400lm 120° IP65 830

Product code 16208

Brand [PROLUMEN](#)

Supply voltage 230V

Output 70W

Luminous flux 8400lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light [CREE LED](#)

Cri 80

Protection class IP65

Lifespan 50000h

Casing colour black

Casing material aluminum + glass

Impact resistance IK08

Work environment outdoor use

Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP65, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Navigator black 230V 75W 8625lm 60x140° IP65 740

Product code 15158

Brand [PROLUMEN](#)
Supply voltage 230V
Output 75W
Luminous flux 8625lumens
Luminaire's efficiency lm79 115W
Correlated colour temperature pure white 4000K
Lens angle 60x140
Source of light [CREE LED](#)
Cri 70
Lor 80
Protection class IP65
Lifespan 50000h
Llmf tm21 L90B10 @25°C 50.000h
Height 62.0mm
Width 450.0mm
Length 518.0mm
Weight 9500g
Package weight 11000g
In package 1pc
Casing colour black
Casing material aluminum
Power supply [MEAN WELL](#)
Impact resistance IK10
Work environment outdoor use
Operation temperature -40~50°C
Certificates CE
Warranty 5 years



Powerful [LED floodlight](#) for illuminating large areas. Available light distribution: 35x90°; 20°; 30°; 60°; 90°; 45x140°; 60x140°; 70x100°; 135x135°. Request a quote with lighting calculations now and get the right solution that lasts. This is a premium product with long-lasting components and a wonderful design.

LED floodlight PROLUMEN Recon black 230V 150W 22500lm 90° IP66 740

Product code 16422

Brand [PROLUMEN](#)

Supply voltage 230V

Power factor 0.90

Output 150W

Luminous flux 22500lumens

Luminaire's efficiency lm79 150W

Correlated colour temperature pure white 4000K

Lens angle 90

Source of light [PHILIPS LED](#)

Cri 70

Sdcm - macadam ellipses 6

Protection class IP66

Lifespan 35000h

Llmf tm21 L80B10 @25°C 50.000h

Height 63.0mm

Width 359.0mm

Length 400.0mm

In package 1pc

In box 4pcs

Casing colour black

Casing material aluminum

Polishing matt

No. of switches 30000pcs

Power supply [SOSEN](#)

Impact resistance IK08

Work environment indoor / outdoor use

Operation temperature -25°C - +45°C

Certificates CE, RoHS

Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Recon black 230V 200W 30000lm 90° IP66 740

Product code 16423

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 200W
Luminous flux 30000lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature pure white 4000K
Lens angle 90
Source of light [PHILIPS LED](#)
Cri 70
Sdcm - macadam ellipses 6
Protection class IP66
Lifespan 35000h
Llmf tm21 L80B10 @25°C 50.000h
Height 63.0mm
Width 389.0mm
Length 430.0mm
In package 1pc
In box 3pcs
Casing colour black
Casing material aluminum
Polishing matt
No. of switches 30000pcs
Power supply [SOSEN](#)
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -25°C - +45°C
Certificates CE, RoHS
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Recon black 230V 200W 30000lm 90° IP66 750

Product code 17079

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 200W
Luminous flux 30000lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature pure white 5000K
Lens angle 90
Source of light [PHILIPS LED](#)
Cri 70
Sdcm - macadam ellipses 6
Protection class IP66
Lifespan 35000h
Llmf tm21 L80B10 @25°C 50.000h
Height 63.0mm
Width 389.0mm
Length 430.0mm
In package 1pc
In box 3pcs
Casing colour black
Casing material aluminum
Polishing matt
No. of switches 30000pcs
Power supply [SOSEN](#)
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -25°C - +45°C
Certificates CE, RoHS
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Recon black 230V 30W 4500lm 120° IP66 740

Product code 17225

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 30W
Luminous flux 4500lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light [PHILIPS LED](#)
Cri 70
Sdcm - macadam ellipses 6
Protection class IP66
Lifespan 35000h
Llmf tm21 L80B10 @25°C 50.000h
Height 53.0mm
Width 204.0mm
Length 232.0mm
In package 1pc
In box 5pcs
Casing colour black
Casing material aluminum
Polishing matt
No. of switches 30000pcs
Power supply [TUREFUL](#)
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -25°C - +45°C
Certificates CE, RoHS
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Recon black 230V 30W 4500lm 120° IP66 750

Product code 16328

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 30W
Luminous flux 4500lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature pure white 5000K
Lens angle 120
Source of light [PHILIPS LED](#)
Cri 70
Sdcm - macadam ellipses 6
Protection class IP66
Lifespan 35000h
Llmf tm21 L80B10 @25°C 50.000h
Height 53.0mm
Width 204.0mm
Length 232.0mm
In package 1pc
In box 5pcs
Casing colour black
Casing material aluminum
Polishing matt
No. of switches 30000pcs
Power supply [TUREFUL](#)
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -25°C - +45°C
Certificates CE, RoHS
Warranty 3 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Recon black 230V 50W 7500lm 120° IP66 740

Product code 17585

Brand [PROLUMEN](#)
 Supply voltage 230V
 Power factor 0.90
 Output 50W
 Luminous flux 7500lumens
 Luminaire's efficiency lm79 150W
 Correlated colour temperature pure white 4000K
 Lens angle 120
 Source of light [PHILIPS LED](#)
 Cri 70
 Sdcm - macadam ellipses 6
 Protection class IP66
 Lifespan 35000h
 Llmf tm21 L80B10 @25°C 50.000h
 Height 53.0mm
 Width 245.0mm
 Length 280.0mm
 In package 1pc
 In box 5pcs
 Casing colour black
 Casing material aluminum
 Polishing matt
 No. of switches 30000pcs
 Power supply [DONE](#)
 Impact resistance IK08
 Work environment indoor / outdoor use
 Operation temperature -25°C - +45°C
 Certificates CE, RoHS
 Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Recon black 230V 50W 7500lm 120° IP66 750

Product code 16329

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.90
Output 50W
Luminous flux 7500lumens
Luminaire's efficiency lm79 150W
Correlated colour temperature pure white 5000K
Lens angle 120
Source of light [PHILIPS LED](#)
Cri 70
Sdcm - macadam ellipses 6
Protection class IP66
Lifespan 35000h
Llmf tm21 L80B10 @25°C 50.000h
Height 53.0mm
Width 245.0mm
Length 280.0mm
In package 1pc
In box 5pcs
Casing colour black
Casing material aluminum
Polishing matt
No. of switches 30000pcs
Power supply [TUREFUL](#)
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -25°C - +45°C
Certificates CE, RoHS
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Recon lights in the LED House selection are available in different power levels - we will find the perfect outdoor light for any environment! Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

LED floodlight PROLUMEN Slim black 230V 100W 16000lm 120X150° IP66 740

Product code 17700

Brand [PROLUMEN](#)
Supply voltage 230V
Power factor 0.95
Output 100W
Luminous flux 16000lumens
Luminaire's efficiency lm79 160W
Correlated colour temperature pure white 4000K
Lens angle 120X150
Source of light [PHILIPS LED](#)
Cri 70
Sdcm - macadam ellipses 6
Protection class IP66
Lifespan 50000h
Llmf tm21 L90B10 @25°C 50.000h
Height 105.0mm
Width 275.0mm
Length 370.0mm
In package 1pc
In box 4pcs
Casing colour black
Casing material aluminum
Polishing matt
Power supply [SOSEN](#)
Impact resistance IK08
Work environment indoor / outdoor use
Operation temperature -40° - +50°C
Certificates CE
Warranty 5 years



A reliable [LED floodlight](#) for illuminating areas and parking lots. The floodlight's protection class is IP66 and IK08, which means the light fixture withstands outdoor conditions excellently. Trust your lighting project to the experienced team of LED House - [let's bring your vision to life!](#)

Motion sensor Quick plug-in Micro-wave sensor, 5.8Ghz, Micro-wave + daylight sensor 230V



Product code 14853

Supply voltage 230V

Warranty 2 years

