

Adjuster Casambi RW2EBTW anthracite IP20

Product code 17920 Casambi dimmable

Brand Casambi
Dimmable Casambi
Protection class IP20
Height 14.0mm
Width 81.0mm
Length 81.0mm
Casing colour anthracite
Work environment indoor use
Operation temperature -20° - + 65°C
Certificates CE
Warranty 2 years



Adjuster Casambi RW4EBTW anthracite IP20

Product code 17921 Casambi dimmable

Brand Casambi
Dimmable Casambi
Protection class IP20
Height 14.0mm
Width 81.0mm
Length 81.0mm
Casing colour anthracite
Work environment indoor use
Operation temperature -20° - + 65°C
Certificates CE
Warranty 2 years



Adjuster Casambi Xpress black IP20

Product code 16786 Casambi dimmable

Brand Casambi
Dimmable Casambi
Protection class IP20
Height 12.0mm
Width 90.0mm
Length 90.0mm
Casing colour black
Work environment indoor use
Certificates CE



Remote G201, RF 2.4Ghz

Product code 15425

Warranty 5 years



Control panel LTECH DALI Dimmer DA4

Product code 13793 DALI dimmable

Brand LTECH
Dimmable DALI
Height 37.0mm
Width 86.0mm
Length 86.0mm
Weight 200g
Operation temperature -20°C~60°C
Certificates CE, RoHS

4 channel



Control panel LTECH DX5 4 tsooni, 2.4GHz + DMX512 white 230V

Product code 13789

Brand LTECH
Supply voltage 230V
Height 36.0mm
Width 86.0mm
Length 86.0mm
Weight 225g
Casing colour white
Operation temperature -20°C~60°C
Certificates CE, RoHS



Control panel LTECH DX6 4 zone, 2.4GHz + DMX512 white 230V

Product code 13705

Brand LTECH
Supply voltage 230V
Height 36.0mm
Width 86.0mm
Length 86.0mm
Weight 225g
Casing colour white
Operation temperature -20°C~60°C
Certificates CE, RoHS



Control panel LTECH DX7 4 tsooni, valge korpus 2.4GHz + DMX512 230V

Product code 13704


Brand LTECH
Supply voltage 230V
Height 36.0mm
Width 86.0mm
Length 86.0mm
Weight 225g
Operation temperature -20°C~60°C
Certificates CE, RoHS



Control panel LTECH EX6 230V IP20

Product code 15115

Brand LTECH
Supply voltage 230V
Protection class IP20
Height 37.0mm
Width 86.0mm
Length 86.0mm
Weight 240g
Operation temperature -30 ~ 55°C
Certificates CE



Control panel LTECH EX61 230V IP20

Product code 15118

Brand LTECH
Supply voltage 230V
Protection class IP20
Height 50.0mm
Width 86.0mm
Length 86.0mm
Weight 235g
In package 1pc
Operation temperature 20°C~55°C
Certificates CE, RoHS



Control panel LTECH EX7S RGB Touch Panel (4 zones) 230V IP20

Product code 15116

Brand LTECH
Supply voltage 230V
Protection class IP20
Height 36.0mm
Width 86.0mm
Length 86.0mm
Weight 225g
Operation temperature -20 ~ 55°C
Certificates CE, RoHS



Remote LTECH F1 IP20

Product code 15508


Brand LTECH
Protection class IP20
Height 18.0mm
Width 46.0mm
Length 150.0mm
Weight 80g
Operation temperature -30°C~55°C
Battery DC3V CR2032
Certificates CE, RoHS



Receiver LTECH R4-5A 4x5A 2.4GHz 5-24V

Product code 13697

Brand LTECH
Supply voltage 5-24V
Rated current 20000mA
Height 30.0mm
Length 175.0mm
Weight 150g
Work environment indoor use
Operation temperature -30°C~55°C
Certificates CE, RoHS



Remote LTECH T4 RF 2.4GHz RGBW 5V

Product code 13698

Brand LTECH
Supply voltage 5V
Height 22.0mm
Width 55.0mm
Length 145.0mm
Weight 200g
Operation temperature -20 ° C to 55°C
Certificates CE, RoHS
Warranty 3 years

Input voltage: DC5V (Built-in Lithium battery) Working current: ≤30mA
Working frequency: 2.4GHZ
transmitting distance: 30m Remote option sync or zone or programming control Gray scale level: 4096×4096×4096 Battery capacity :1000mAh Working temperature: -20°C□55°C Dimension: 145×W55×H22mm Package Size: 168×W102×H28mm



Remote SKYDANCE R1 (1 zone) IP20

Product code 15717 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 11.0mm

Width 40.0mm

Length 135.0mm

Weight 41g

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Adjuster SKYDANCE R1-1 black IP20

Product code 16085 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 17.0mm

Diameter 43.0mm

Casing colour black

Work environment indoor use

Operation temperature -30 ~ 55°C

Battery CR2032

Certificates CE

Warranty 5 years



Adjuster SKYDANCE R1-1 white IP20

Product code 16086 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 17.0mm

Diameter 43.0mm

Casing colour white

Work environment indoor use

Operation temperature -30 ~ 55°C

Battery CR2032

Certificates CE

Warranty 5 years



Remote SKYDANCE R11 (1 zone) IP20

Product code 16142 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 11.0mm

Width 36.0mm

Length 139.0mm

Weight 40g

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Remote SKYDANCE R6-1 (1 zone) IP20

Product code 15718 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.0mm

Width 58.5mm

Length 107.0mm

Weight 37g

Package weight 62g

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Remote SKYDANCE R9 RGBW (1 zone) IP20

Product code 15795 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.0mm

Width 58.5mm

Length 107.0mm

Weight 34g

Package weight 58g

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Control panel SKYDANCE RK2 CCT black IP20

Product code 16895 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 57.0mm

Width 91.0mm

Length 72.0mm

Weight 61g

Package weight 118g

In package 1pc

Casing colour black

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Remote SKYDANCE RS2 (4 zone) CCT black IP20

Product code 16292 RF dimmable

Brand [SKYDANCE](#)
Dimmable RF
Protection class IP20
Height 17.5mm
Width 50.0mm
Length 141.0mm
Weight 164g
Casing colour black
Operation temperature -30~55°C
Battery AAA*2
Certificates CE
Warranty 5 years



Remote SKYDANCE RS4 (4 zone) black IP20 RGBW

Product code 16098 RF dimmable

Brand [SKYDANCE](#)
Dimmable RF
Correlated colour temperature RGBW
RGBW
Protection class IP20
Height 17.5mm
Width 50.0mm
Length 141.0mm
Weight 164g
Casing colour black
Operation temperature -30~55°C
Battery AAA*2
Certificates CE
Warranty 5 years



Remote SKYDANCE RS9 RGBW (1 zone) IP20

Product code 16449 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 17.5mm

Width 50.0mm

Length 141.0mm

Weight 78g

Package weight 111g

In package 1pc

Work environment indoor use

Operation temperature -30~55°C

Battery AAA x 2

Certificates CE

Warranty 5 years



Remote SKYDANCE RU4 (4 zone) IP20

Product code 15763 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 11.0mm

Width 40.0mm

Length 135.0mm

Weight 41g

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Control panel SKYDANCE S1-K TRIAC white 230V IP20

Product code 16353 TRIAC / RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable TRIAC / RF

Output voltage 230V

Maximum output 360W/1m

Rated current 1500mA

Protection class IP20

Height 48.0mm

Width 86.0mm

Length 86.0mm

Installation opening diameter 59mm

Weight 181g

Package weight 234g

In package 1pc

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T11 black 230V IP20

Product code 16099 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable RF

Protection class IP20

Height 33.0mm

Width 86.0mm

Length 86.0mm

Weight 169g

Casing colour black

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T11 white 230V IP20

Product code 17865 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable RF

Protection class IP20

Height 33.0mm

Width 86.0mm

Length 86.0mm

Weight 169g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T13 (4 zones) RGB black 230V IP20

Product code 15897 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable RF

Protection class IP20

Height 33.0mm

Width 86.0mm

Length 86.0mm

Weight 169g

Casing colour black

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T13 (4 zones) RGB white 230V IP20

Product code 15896 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable RF

Protection class IP20

Height 33.0mm

Width 86.0mm

Length 86.0mm

Weight 169g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T13-S RGB (1 zone) RF/DMX black IP20

Product code 17108 RF / DMX dimmable

Brand [SKYDANCE](#)

Dimmable RF / DMX

Protection class IP20

Height 11.5mm

Width 86.0mm

Length 86.0mm

Package weight 230g

Casing colour black

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Single-zone 2.4GHz wall panel that also controls DMX devices. Operates on 230V power.

Control panel SKYDANCE T14 (4 zones) RGBW black 230V IP20

Product code 15895 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable RF

Protection class IP20

Height 33.0mm

Width 86.0mm

Length 86.0mm

Weight 169g

Casing colour black

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T14 (4 zones) RGBW white 230V IP20

Product code 15894 RF dimmable

Brand [SKYDANCE](#)

Supply voltage 230V

Dimmable RF

Protection class IP20

Height 33.0mm

Width 86.0mm

Length 86.0mm

Weight 169g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Certificates CE

Warranty 5 years



Control panel SKYDANCE T21 (4 zone) battery power black IP20

Product code 16717 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 20.5mm

Width 86.0mm

Length 86.0mm

Weight 156g

Package weight 192g

Casing colour black

Work environment indoor use

Operation temperature -30~55°C

Battery AAA*2

Certificates CE

Warranty 5 years



Control panel SKYDANCE T21 (4 zone) battery power white IP20

Product code 16907 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 20.5mm

Width 86.0mm

Length 86.0mm

Weight 156g

Package weight 192g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Battery AAA*2

Certificates CE

Warranty 5 years



Four-zone 2.4GHz wall panel. Battery powered. Batteries are not included with the product.

Control panel SKYDANCE T24 RGBW (4 zone) battery power white IP20

Product code 16906 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 20.5mm

Width 86.0mm

Length 86.0mm

Weight 156g

Package weight 192g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Battery AAA*2

Certificates CE

Warranty 5 years



Four-zone 2.4GHz wall panel. Battery powered. Batteries are not included with the product.

Control panel SKYDANCE TW1 (1 zone) battery power black IP20

Product code 16638 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.5mm

Width 86.0mm

Length 86.0mm

Package weight 137g

Casing colour black


Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Single-zone 2.4GHz wall panel. Battery-powered operation. Batteries are not included with the product.

Control panel SKYDANCE TW1 (1 zone) battery power white IP20

Product code 16639 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.5mm

Width 86.0mm

Length 86.0mm

Package weight 137g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Single-zone 2.4GHz wall panel.
Battery-powered operation. Batteries
are not included with the product.

Control panel SKYDANCE TW2-4 (4 zone) battery power black IP20

Product code 17166 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.5mm

Width 86.0mm

Length 86.0mm

Package weight 137g

Casing colour black


Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Four-zone 2.4GHz wall panel.
Operates on battery power. Batteries
are not included with the product.

Control panel SKYDANCE TW2-4 (4 zone) battery power white IP20

Product code 17165 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.5mm

Width 86.0mm

Length 86.0mm

Package weight 137g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Four-zone 2.4GHz wall panel.
Operates on battery power. Batteries
are not included with the product.

Control panel SKYDANCE TW4 RGB/RGBW (1 zone) battery power black IP20

Product code 16636 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.5mm

Width 86.0mm

Length 86.0mm

Package weight 137g

Casing colour black


Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Single-zone 2.4GHz wall panel.
Battery-powered operation. Batteries
are not included with the product.

Control panel SKYDANCE TW4 RGB/RGBW (1 zone) battery power white IP20

Product code 16637 RF dimmable

Brand [SKYDANCE](#)

Dimmable RF

Protection class IP20

Height 9.5mm

Width 86.0mm

Length 86.0mm

Package weight 137g

Casing colour white

Work environment indoor use

Operation temperature -30~55°C

Battery CR2032

Certificates CE

Warranty 5 years



Single-zone 2.4GHz wall panel.
Battery-powered operation. Batteries
are not included with the product.

Control panel Sunricher SR-2820 4 zone RGBW 12-24V

Product code 13484

Brand [Sunricher](#)

Supply voltage 12-24V

