

## LED bulb 360 Line Filament FMB 230V 1.3W 55lm E27 360° 827

### Product code 15644

---

Brand 360 Line  
Supply voltage 230V  
Output 1.3W  
Maximum output 1.3W/1m  
Luminous flux 55lumens  
Luminaire's efficiency lm79 42W  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E27  
Cri 80  
Lifespan 15000h  
Height 78.0mm  
Diameter 45.0mm  
Weight 20 g  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 10000pcs  
Work environment indoor use  
Certificates CE



## LED bulb 360 Line Filament FMB 230V 4W 470lm E27 360° 830

### Product code 15671

---

Brand 360 Line  
Supply voltage 230V  
Output 4W  
Maximum output 4W/1m  
Luminous flux 470lumens  
Luminaire's efficiency lm79 118W  
Correlated colour temperature warm white 3000K  
Lens angle 360  
Socket E27  
Cri 80  
Lifespan 15000h  
Height 75.0mm  
Diameter 45.0mm  
Weight 20 g  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 10000pcs  
Work environment indoor use  
Certificates CE



## LED bulb 360 Line Filament FSW 230V 4W 440lm E14 360° IP20 830

**Product code 15388**

Brand 360 Line  
Supply voltage 230V  
Output 4W  
Maximum output 4W/1m  
Luminous flux 440lumens  
Luminaire's efficiency lm79 110W  
Correlated colour temperature warm white 3000K  
Lens angle 360  
Socket E14  
Cri 80  
Protection class IP20  
Lifespan 15000h  
Height 100.0mm  
Width 35.0mm  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 10000pcs  
Work environment indoor use  
Certificates CE,RoHS



## LED bulb Filament A60 230V 8W 950lm E27 360° 827

**Product code 16324**

Supply voltage 230V  
Power factor 0.50  
Output 8W  
Maximum output 8W/1m  
Rated current 62mA  
Luminous flux 950lumens  
Luminaire's efficiency lm79 119W  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 105.0mm  
Diameter 60.0mm  
Weight 30 g  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 10000pcs  
Work environment indoor use  
Certificates CE, RohS



## LED bulb Filament ST64 230V 8W 950lm E27 280° 827

### Product code 16326

---

Supply voltage 230V  
Output 8W  
Maximum output 8W/1m  
Luminous flux 950lumens  
Luminaire's efficiency lm79 119W  
Correlated colour temperature warm white 2700K  
Lens angle 280  
Socket E27  
Cri 80  
Lifespan 25000h  
Height 142.0mm  
Diameter 64.0mm  
Weight 50 g  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 10000pcs  
Work environment indoor use  
Certificates CE, RohS



## LED bulb Optonica Filament 1866 230V 2W 250lm E27 300° IP20 827

### Product code 19401

---

Brand [Optonica](#)  
Supply voltage 230V  
Output 2W  
Maximum output 2W/1m  
Luminous flux 250lumens  
Luminaire's efficiency lm79 125W  
Correlated colour temperature warm white 2700K  
Lens angle 300  
Socket E27  
Cri 80  
Protection class IP20  
Lifespan 25000h  
Height 75.0mm  
Diameter 45.0mm  
Weight 20 g  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 25000pcs  
Work environment indoor use  
Operation temperature -20°C / +40°C  
Certificates CE



## LED bulb Optonica LED Classic 230V 7W 800lm E27 180° 2700K warm white

**Product code 21879**

Brand [Optonica](#)  
 Supply voltage 230V  
 Output 7W  
 Maximum output 7W/1m  
 Luminous flux 800lumens  
 Luminaire's efficiency lm79 114W  
 Correlated colour temperature warm white 2700K  
 Lens angle 180  
 Socket E27  
 Height 105.0mm  
 Diameter 60.0mm  
 In package 1pc  
 Casing material glass  
 Work environment indoor use  
 Certificates CE



## LED bulb OSRAM P45 CL 230V 4,8W 470lm E27 320° IP20 TRIAC 827

**Product code 19210 TRIAC dimmable**

Brand OSRAM  
 Supply voltage 230V  
 Dimmable TRIAC  
 Output 4,8W  
 Maximum output 4.8W/1m  
 Luminous flux 470lumens  
 Correlated colour temperature warm white 2700K  
 Lens angle 320  
 Socket E27  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP20  
 Lifespan 15000h  
 Height 45.0mm  
 Width 45.0mm  
 Length 77.0mm  
 No. of switches 10000pcs  
 Certificates CE, EAC



## LED bulb PHILIPS küünal B35 5W 470lm E14 IP20 2700K warm white

**Product code 22525**

Brand [PHILIPS](#)

Output 5W

Luminous flux 470lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature warm white 2700K

Socket E14

Protection class IP20

Lifespan 15000h

Height 106.0mm

Diameter 35.0mm

Casing material plastic

No. of switches 50000pcs



## LED bulb PHILIPS küünal filament B35 dim 2200K-2700K 3,4W 470lm E14 2600K, 3500K

**Product code 21875**

Brand [PHILIPS](#)

Output 3,4W

Luminous flux 470lumens

Correlated colour temperature 2600K, 3500K 2600K, 3500K

Socket E14

Lifespan 15000h

No. of switches 20000pcs



## **LED bulb PHILIPS LED Classic 230V 10,5W 1521lm E27 360° 2700K warm white**

**Product code 19250**

Brand [PHILIPS](#)

Supply voltage 230V

Output 10,5W

Maximum output 10.5W/1m

Luminous flux 1521lumens

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## **LED bulb PHILIPS LED Classic 230V 11W 1521lm E27 360° 2700K warm white**

**Product code 19238**

Brand [PHILIPS](#)

Supply voltage 230V

Output 11W

Maximum output 10.5W/1m

Luminous flux 1521lumens

Luminaire's efficiency lm79 138W

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 124.0mm

Diameter 70.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS LED Classic 230V 2,5W 250lm E14 360° 2700K warm white

**Product code 19275**

Brand [PHILIPS](#)  
Supply voltage 230V  
Output 2,5W  
Maximum output 2.5W/1m  
Luminous flux 250lumens  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E14  
Lifespan 15000h  
Height 123.0mm  
Diameter 35.0mm  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 20000pcs  
Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 2W 250lm E27 360° 2700K warm white

**Product code 19243**

Brand [PHILIPS](#)  
Supply voltage 230V  
Output 2W  
Maximum output 2W/1m  
Luminous flux 250lumens  
Luminaire's efficiency lm79 125W  
Correlated colour temperature warm white 2700K  
Lens angle 360  
Socket E27  
Lifespan 15000h  
In package 1pc  
In box 100pcs  
Casing material glass  
No. of switches 20000pcs  
Work environment indoor use  
Certificates CE



## LED bulb PHILIPS LED Classic 230V 4,3W 470lm E14 360° 2700K warm white

**Product code 19273**

Brand [PHILIPS](#)

Supply voltage 230V

Output 4,3W

Maximum output 4.3W/1m

Luminous flux 470lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 97.0mm

Width 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 4,3W 470lm E27 360° 2700K warm white

**Product code 19242**

Brand [PHILIPS](#)

Supply voltage 230V

Output 4,3W

Maximum output 4.3W/1m

Luminous flux 470lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 80.0mm

Diameter 45.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS LED Classic 230V 4,3W 470lm E27 360° 2700K warm white

**Product code 19246**

Brand [PHILIPS](#)

Supply voltage 230V

Output 4,3W

Maximum output 4.3W/1m

Luminous flux 470lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS LED Classic 230V 5,9W 806lm E27 360° TRIAC 927

**Product code 19245 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 5,9W

Maximum output 5.9W/1m

Luminous flux 806lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Cri 90

Lifespan 15000h

In package 1pc

No. of switches 20000pcs

Certificates CE, RohS



## LED bulb PHILIPS LED Classic 230V 7W 806lm E27 360° 2700K warm white

**Product code 19240**

Brand [PHILIPS](#)

Supply voltage 230V

Output 7W

Maximum output 7W/1m

Luminous flux 806lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 140.0mm

Diameter 95.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS LED Classic Dim 230V 3,4W 470lm E27 360° TRIAC 2200K-2700K

**Product code 19249 TRIAC dimmable**

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3,4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Correlated colour temperature 2200K-2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS LED Corepro CL 230V 5,5W 470lm E27 360° 2700K warm white

**Product code 19241**

Brand [PHILIPS](#)

Supply voltage 230V

Output 5,5W

Maximum output 5.5W/1m

Luminous flux 470lumens

Correlated colour temperature warm  
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb PHILIPS MasterValue LEDbulb 230V 10,5W 1521lm CRI90 E27 360° 2000K-3000K DIM TO WARM

**Product code 19237**

Brand [PHILIPS](#)

Supply voltage 230V

Output 10,5W

Maximum output 10.5W/1m

Luminous flux 1521lumens

Correlated colour temperature DIM TO  
WARM 2000K-3000K

Lens angle 360

Socket E27

Cri 90

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



## LED bulb Star Trading A60 clear 230V 4W 470lm E27 360° IP44 TRIAC 827

**Product code 17270 TRIAC dimmable**

Brand [Star Trading](#)  
 Supply voltage 230V  
 Power factor 0.88  
 Dimmable TRIAC  
 Output 4W  
 Maximum output 4W/1m  
 Rated current 19mA  
 Luminous flux 470lumens  
 Luminaire's efficiency lm79 118W  
 Correlated colour temperature warm white 2700K  
 Lens angle 360  
 Socket E27  
 Cri 80  
 Protection class IP44  
 Lifespan 15000h  
 Height 10.7mm  
 Diameter 60.0mm  
 In package 1pc  
 No. of switches 12500pcs  
 Work environment indoor use  
 Operation temperature -20 ~40°C  
 Certificates CE



This Star Trading LED luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light. 2700K LED lights provide cozy and soft light, which is ideal for living rooms and bedrooms. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range](https://ledhouse.ee/en/products)!

## LED bulb Star Trading Clear G45 351-22-1 230V 2.3W 270lm E27 IP44 840

**Product code 16731**

Brand [Star Trading](#)  
 Supply voltage 230V  
 Power factor 0.46  
 Output 2.3W  
 Maximum output 2.3W/1m  
 Rated current 22mA  
 Luminous flux 270lumens  
 Luminaire's efficiency lm79 117W  
 Correlated colour temperature pure white 4000K  
 Socket E27  
 Cri 80  
 Protection class IP44  
 Lifespan 15000h  
 Height 78.0mm  
 Installation opening diameter 45mm  
 In package 1pc  
 In box 10pcs  
 No. of switches 12500pcs  
 Work environment indoor / outdoor use  
 Operation temperature -20° - +40°C  
 Certificates CE,RoHS



## LED bulb Star Trading Filament C35 Soft Glow, 353-05 230V 4W 350lm E14 360° IP44 TRIAC 821

**Product code 15166 TRIAC dimmable**

Brand [Star Trading](#)  
 Supply voltage 230V  
 Dimmable TRIAC  
 Output 4W  
 Maximum output 4W/1m  
 Rated current 19mA  
 Luminous flux 350lumens  
 Luminaire's efficiency lm79 88W  
 Correlated colour temperature warm white 2100K  
 Lens angle 360  
 Socket E14  
 Cri 80  
 Protection class IP44  
 Lifespan 15000h  
 Height 98.0mm  
 Diameter 35.0mm  
 Casing material glass  
 No. of switches 12500pcs  
 Operation temperature -20 ~ +40°C



## LED bulb Star Trading Filament ST26 SOFT GLOW 352-59-1 230V 1.4W 60lm 360° IP44 TRIAC 821

**Product code 16131 TRIAC dimmable**

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 1.4W

Maximum output 1.4W/1m

Luminous flux 60lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm  
white 2100K

Lens angle 360

Cri 80

Protection class IP44

Lifespan 15000h

Height 58.0mm

Width 26.0mm

Length 26.0mm

In package 1pc

In box 10pcs

Casing material glass

No. of switches 12500pcs

Operation temperature -20° - +40°C

Certificates CE,RoHS



## LED bulb Star Trading Filament ST64 Vintage Gold 230V 3.7W 240lm E27 TRIAC 918

**Product code 14772 TRIAC dimmable**

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.7W

Maximum output 3.7W/1m

Rated current 19mA

Luminous flux 240lumens

Luminaire's efficiency lm79 65W

Correlated colour temperature warm  
white 1800K

Socket E27

Cri 90

Lifespan 15000h

Height 142.0mm

Diameter 64.0mm

Casing material glass

No. of switches 12500pcs

Operation temperature -20 ~ +40°C



## LED bulb Star Trading G80 Decoled 352-50-3 230V 3.5W 160lm CRI80 E27 IP44

**Product code 16632**

Brand [Star Trading](#)  
Supply voltage 230V  
Output 3.5W  
Maximum output 3.5W/1m  
Rated current 27mA  
Luminous flux 160lumens  
Luminaire's efficiency lm79 46W  
Socket E27  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP44  
Lifespan 15000h  
Height 120.0mm  
Diameter 80.0mm  
In package 1pc  
In box 5pcs  
No. of switches 12500pcs  
Work environment indoor / outdoor  
use  
Operation temperature -10° - +45°C  
Certificates CE,RoHS



## LED bulb Star Trading G95 Clear 352-46-3 230V 4.2W 470lm E27 IP44 TRIAC 840

**Product code 17129 TRIAC dimmable**

Brand [Star Trading](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 4.2W  
Maximum output 4.2W/1m  
Rated current 20mA  
Luminous flux 470lumens  
Luminaire's efficiency lm79 112W  
Correlated colour temperature pure  
white 4000K  
Socket E27  
Cri 80  
Protection class IP44  
Lifespan 25000h  
Height 142.0mm  
Diameter 95.0mm  
In package 1pc  
No. of switches 12500pcs  
Work environment indoor use  
Operation temperature -20° - +40°C  
Certificates CE,RoHS



Natural light LED bulb

## LED bulb Trio Lighting 230V 4 WW 470lm E14 830

**Product code 19503**

---

Brand [Trio Lighting](#)

Supply voltage 230V

Output 4 WW

Luminous flux 470lumens

Correlated colour temperature warm  
white 3000K

Socket E14

Cri 80

Lifespan 25000h

Height 7.8mm

Diameter 4.5mm

Casing material glass

No. of switches 10000pcs

Certificates CE



This LED filament bulb in the shape of a DROP makes homes shine. It has a conventional E14 socket. Thanks to the transparent glass, the light source emits a natural light that is ideal for illuminating living spaces. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.