

LED bulb 360 Line Filament FMB 230V 1.3W 55lm E27 360° 827

Product code 15644

Brand 360 Line
Supply voltage 230V
Output 1.3W
Maximum output 1.3W/1m
Luminous flux 55lumens
Luminaire's efficiency lm79 42W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 78.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb 360 Line Filament FMB 230V 4W 470lm E27 360° 830

Product code 15671

Brand 360 Line
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 75.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb 360 Line Filament FSW 230V 4W 440lm E14 360° IP20 830

Product code 15388

Brand 360 Line
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 440lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E14
Cri 80
Protection class IP20
Lifespan 15000h
Height 100.0mm
Width 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE,RoHS



LED bulb 360 Line Filament LLS 230V 1.3W 55lm E27 360° 827

Product code 23293

Brand 360 Line
Supply voltage 230V
Output 1.3W
Maximum output 1.3W/1m
Luminous flux 55lumens
Luminaire's efficiency lm79 42W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 78.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb Filament ST64 230V 8W 950lm E27 280° 827

Product code 16326

Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 950lumens
Luminaire's efficiency lm79 119W
Correlated colour temperature warm white 2700K
Lens angle 280
Socket E27
Cri 80
Lifespan 25000h
Height 142.0mm
Diameter 64.0mm
Weight 50 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb Optonica Filament 1866 230V 2W 250lm E27 300° IP20 827

Product code 19401

Brand [Optonica](#)
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 250lumens
Luminaire's efficiency lm79 125W
Correlated colour temperature warm white 2700K
Lens angle 300
Socket E27
Cri 80
Protection class IP20
Lifespan 25000h
Height 75.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 25000pcs
Work environment indoor use
Operation temperature -20°C / +40°C
Certificates CE



LED bulb OSRAM P45 CL 230V 4,8W 470lm E27 320° IP20 TRIAC 827

Product code 19210 TRIAC dimmable

Brand OSRAM
 Supply voltage 230V
 Dimmable TRIAC
 Output 4,8W
 Maximum output 4.8W/1m
 Luminous flux 470lumens
 Correlated colour temperature warm white 2700K
 Lens angle 320
 Socket E27
 Cri 80
 Sdcm - macadam ellipses 6
 Protection class IP20
 Lifespan 15000h
 Height 45.0mm
 Width 45.0mm
 Length 77.0mm
 No. of switches 10000pcs
 Certificates CE, EAC



LED bulb PHILIPS B35 4,9 W 5W 470lm E14 IP20 827

Product code 23287

Brand [PHILIPS](#)
 Output 5W
 Luminous flux 470lumens
 Luminaire's efficiency lm79 94W
 Correlated colour temperature warm white 2700K
 Socket E14
 Cri 80
 Protection class IP20
 Lifespan 15000h
 Height 106.0mm
 Diameter 35.0mm
 Casing material plastic
 No. of switches 50000pcs



LED bulb PHILIPS küüna filament B35 dim 2200K-2700K 3,4W 470lm E14 2600K, 3500K

Product code 21875

Brand [PHILIPS](#)
Output 3,4W
Luminous flux 470lumens
Correlated colour temperature 2600K,
3500K 2600K, 3500K
Socket E14
Lifespan 15000h
No. of switches 20000pcs



LED bulb PHILIPS LED Classic 230V 10,5W 1521lm E27 360° 2700K warm white

Product code 19250

Brand [PHILIPS](#)
Supply voltage 230V
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm
white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS LED Classic 230V 2,5W 250lm E14 360° 2700K warm white

Product code 19275

Brand [PHILIPS](#)

Supply voltage 230V

Output 2,5W

Maximum output 2.5W/1m

Luminous flux 250lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 123.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 2W 250lm E27 360° 2700K warm white

Product code 19243

Brand [PHILIPS](#)

Supply voltage 230V

Output 2W

Maximum output 2W/1m

Luminous flux 250lumens

Luminaire's efficiency lm79 125W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



LED bulb PHILIPS LED Classic 230V 3.4W 470lm E14 360° TRIAC 2700K warm white

Product code 19272 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Luminaire's efficiency lm79 138W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 97.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 4,3W 470lm E14 360° 2700K warm white

Product code 19273

Brand [PHILIPS](#)

Supply voltage 230V

Output 4,3W

Maximum output 4.3W/1m

Luminous flux 470lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 97.0mm

Width 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 4,3W 470lm E27 360° 2700K warm white

Product code 19242

Brand [PHILIPS](#)
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 80.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS LED Classic 230V 4,3W 470lm E27 360° 2700K warm white

Product code 19246

Brand [PHILIPS](#)
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS LED Classic 230V 5,9W 806lm E27 360° TRIAC 927

Product code 19245 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 5,9W

Maximum output 5.9W/1m

Luminous flux 806lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Cri 90

Lifespan 15000h

In package 1pc

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 6,5W 806lm E14 360° 2700K warm white

Product code 19271

Brand [PHILIPS](#)

Supply voltage 230V

Output 6,5W

Maximum output 6.5W/1m

Luminous flux 806lumens

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E14

Lifespan 15000h

Height 106.0mm

Diameter 35.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Certificates CE, RohS



LED bulb PHILIPS LED Classic 230V 7W 806lm E27 360° 2700K warm white

Product code 19240

Brand [PHILIPS](#)

Supply voltage 230V

Output 7W

Maximum output 7W/1m

Luminous flux 806lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 140.0mm

Diameter 95.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



LED bulb PHILIPS LED Classic Dim 230V 3,4W 470lm E27 360° TRIAC 2200K-2700K

Product code 19249 TRIAC dimmable

Brand [PHILIPS](#)

Supply voltage 230V

Dimmable TRIAC

Output 3,4W

Maximum output 3.4W/1m

Luminous flux 470lumens

Correlated colour temperature 2200K-2700K

Lens angle 360

Socket E27

Lifespan 15000h

Height 104.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



LED bulb PHILIPS LED Corepro CL 230V 5,5W 470lm E27 360° 2700K warm white

Product code 19241

Brand [PHILIPS](#)

Supply voltage 230V

Output 5,5W

Maximum output 5.5W/1m

Luminous flux 470lumens

Correlated colour temperature warm
white 2700K

Lens angle 360

Socket E27

Lifespan 15000h

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



LED bulb PHILIPS MasterValue LEDbulb 230V 10,5W 1521lm CRI90 E27 360° 2000K-3000K DIM TO WARM

Product code 19237

Brand [PHILIPS](#)

Supply voltage 230V

Output 10,5W

Maximum output 10.5W/1m

Luminous flux 1521lumens

Correlated colour temperature DIM TO
WARM 2000K-3000K

Lens angle 360

Socket E27

Cri 90

Lifespan 15000h

Height 108.0mm

Diameter 60.0mm

In package 1pc

In box 100pcs

Casing material glass

No. of switches 20000pcs

Work environment indoor use

Certificates CE



LED bulb Star Trading A60 clear 230V 4W 470lm E27 360° IP44 TRIAC 827

Product code 17270 TRIAC dimmable

Brand [Star Trading](#)
 Supply voltage 230V
 Power factor 0.88
 Dimmable TRIAC
 Output 4W
 Maximum output 4W/1m
 Rated current 19mA
 Luminous flux 470lumens
 Luminaire's efficiency lm79 118W
 Correlated colour temperature warm white 2700K
 Lens angle 360
 Socket E27
 Cri 80
 Protection class IP44
 Lifespan 15000h
 Height 10.7mm
 Diameter 60.0mm
 In package 1pc
 No. of switches 12500pcs
 Work environment indoor use
 Operation temperature -20 ~40°C
 Certificates CE



This Star Trading LED luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light. 2700K LED lights provide cozy and soft light, which is ideal for living rooms and bedrooms. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range](https://ledhouse.ee/en/products)!

LED bulb Star Trading Clear G45 351-22-1 230V 2.3W 270lm E27 IP44 840

Product code 16731

Brand [Star Trading](#)
 Supply voltage 230V
 Power factor 0.46
 Output 2.3W
 Maximum output 2.3W/1m
 Rated current 22mA
 Luminous flux 270lumens
 Luminaire's efficiency lm79 117W
 Correlated colour temperature pure white 4000K
 Socket E27
 Cri 80
 Protection class IP44
 Lifespan 15000h
 Height 78.0mm
 Installation opening diameter 45mm
 In package 1pc
 In box 10pcs
 No. of switches 12500pcs
 Work environment indoor / outdoor use
 Operation temperature -20° - +40°C
 Certificates CE,RoHS



LED bulb Star Trading Filament C35 Soft Glow, 353-05 230V 4W 350lm E14 360° IP44 TRIAC 821

Product code 15166 TRIAC dimmable

Brand [Star Trading](#)
 Supply voltage 230V
 Dimmable TRIAC
 Output 4W
 Maximum output 4W/1m
 Rated current 19mA
 Luminous flux 350lumens
 Luminaire's efficiency lm79 88W
 Correlated colour temperature warm white 2100K
 Lens angle 360
 Socket E14
 Cri 80
 Protection class IP44
 Lifespan 15000h
 Height 98.0mm
 Diameter 35.0mm
 Casing material glass
 No. of switches 12500pcs
 Operation temperature -20 ~ +40°C



LED bulb Star Trading Filament ST26 SOFT GLOW 352-59-1 230V 1.4W 60lm 360° IP44 TRIAC 821

Product code 16131 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 1.4W

Maximum output 1.4W/1m

Luminous flux 60lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm
white 2100K

Lens angle 360

Cri 80

Protection class IP44

Lifespan 15000h

Height 58.0mm

Width 26.0mm

Length 26.0mm

In package 1pc

In box 10pcs

Casing material glass

No. of switches 12500pcs

Operation temperature -20° - +40°C

Certificates CE,RoHS



LED bulb Star Trading Filament ST64 Vintage Gold 230V 3.7W 240lm E27 TRIAC 918

Product code 14772 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 3.7W

Maximum output 3.7W/1m

Rated current 19mA

Luminous flux 240lumens

Luminaire's efficiency lm79 65W

Correlated colour temperature warm
white 1800K

Socket E27

Cri 90

Lifespan 15000h

Height 142.0mm

Diameter 64.0mm

Casing material glass

No. of switches 12500pcs

Operation temperature -20 ~ +40°C



LED bulb Star Trading G95 Clear 352-46-3 230V 4.2W 470lm E27 IP44 TRIAC 840

Product code 17129 TRIAC dimmable

Brand [Star Trading](#)

Supply voltage 230V

Dimmable TRIAC

Output 4.2W

Maximum output 4.2W/1m

Rated current 20mA

Luminous flux 470lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature pure
white 4000K

Socket E27

Cri 80

Protection class IP44

Lifespan 25000h

Height 142.0mm

Diameter 95.0mm

In package 1pc

No. of switches 12500pcs

Work environment indoor use

Operation temperature -20° - +40°C

Certificates CE,RoHS



Natural light LED bulb

LED bulb Trio Lighting 230V 4 WW 470lm E14 830

Product code 19503

Brand [Trio Lighting](#)

Supply voltage 230V

Output 4 WW

Luminous flux 470lumens

Correlated colour temperature warm
white 3000K

Socket E14

Cri 80

Lifespan 25000h

Height 7.8mm

Diameter 4.5mm

Casing material glass

No. of switches 10000pcs

Certificates CE



This LED filament bulb in the shape of a DROP makes homes shine. It has a conventional E14 socket. Thanks to the transparent glass, the light source emits a natural light that is ideal for illuminating living spaces. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.