LED bulb 360 Line Filament FMB 230V 1.3W 55lm E27 360° 827

Product code 15644

Brand 360 Line
Supply voltage 230V
Output 1.3W
Maximum output 1.3W/1m
Luminous flux 55lumens
Luminaire’s efficiency 42W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 78.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb 360 Line Filament FMB 230V 4W 470lm E27 360° 830

Product code 15671

Brand 360 Line
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 470lumens
Luminaire’s efficiency 118W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 75.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb 360 Line Filament FSW 230V 4W 470lm E14 360° IP20 830

Product code 15388

Brand 360 Line
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 470lumens
Luminaire’s efficiency 118W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E14
Cri 80
Protection class IP20
Lifespan 15000h
Height 100.0mm
Width 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE,RoHS



LED bulb 360 Line Filament LLS 230V 1.3W 55lm E27 360° 827

Product code 23293

Brand 360 Line
Supply voltage 230V
Output 1.3W
Maximum output 1.3W/1m
Luminous flux 55lumens
Luminaire’s efficiency 42W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 78.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE



LED bulb Filament ST64 230V 8W 950lm E27 280° 827

Product code 16326

Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 950lumens
Luminaire’s efficiency 119W
Correlated colour temperature warm white 2700K
Lens angle 280
Socket E27
Cri 80
Lifespan 25000h
Height 142.0mm
Diameter 64.0mm
Weight 50 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS



LED bulb Optonica Filament G45 230V 2W 250lm E27 300° IP20 827

Product code 19401

Brand Optonica
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 250lumens
Luminaire’s efficiency 125W
Correlated colour temperature warm white 2700K
Lens angle 300
Socket E27
Cri 80
Protection class IP20
Lifespan 25000h
Height 75.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 25000pcs
Work environment indoor use
Operation temperature -20°C / +40°C
Certificates CE



LED bulb OSRAM P45 CL 230V 3,4W 470lm E27 320° IP20 TRIAC 827

Product code 24052 TRIAC dimmable

Brand OSRAM
Supply voltage 230V
Dimmable TRIAC
Output 3,4W
Maximum output 3.4W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 320
Socket E27
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 15000h
Height 80.0mm
Width 45.0mm
No. of switches 10000pcs
Certificates CE, EAC



LED bulb PHILIPS filament B35 230V 6,5W 806lm E14 360° 2700K warm white

Product code 19271

Brand PHILIPS
Supply voltage 230V
Output 6,5W
Maximum output 6.5W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 97.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS filament B35 3,4W 470lm E14 DIMMABLE 2200K-2700K

Product code 21875 dimmerdatav dimmable

Brand PHILIPS
Dimmable dimmerdatav
Output 3,4W
Luminous flux 470lumens
Correlated colour temperature warm white 2200K - 2700K
Socket E14
Lifespan 25000h
Height 97.0mm
Width 35.0mm
No. of switches 50000pcs



LED bulb PHILIPS Filament A60 230V 10,5W 1521lm E27 360° 2700K warm white

Product code 19250

Brand PHILIPS
Supply voltage 230V
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS Filament A60 230V 3,4W 470lm E27 360° dimmerdatav 2200K - 2700K warm white

Product code 19249 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 3,4W
Maximum output 3.4W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E27
Lifespan 25000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 50000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS Filament A60 230V 4,3W 470lm E27 360° 2700K warm white

Product code 19246

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 106.0mm
Width 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS Filament A60 230V 5,9W 806lm CRI90 E27 360° dimmerdatav 2200K - 2700K warm white

Product code 19245 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 5,9W
Maximum output 5.9W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E27
Cri 90
Lifespan 25000h
Height 104.0mm
Width 60.0mm
In package 1pc
No. of switches 50000pcs
Certificates CE, RohS



LED bulb PHILIPS Filament B35 230V 4,3W 470lm E14 360° 2700K warm white

Product code 19273

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 97.0mm
Width 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Filament BA35 230V 2,5W 250lm E14 360° 2700K warm white

Product code 19275

Brand PHILIPS
Supply voltage 230V
Output 2,5W
Maximum output 2.5W/1m
Luminous flux 250lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 123.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS



LED bulb PHILIPS Filament P45 230V 2W 250lm E27 360° 2700K warm white

Product code 19243

Brand PHILIPS
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 250lumens
Luminaire’s efficiency 125W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 80.0mm
Width 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS Filament P45 230V 4,3W 470lm E27 360° 2700K warm white

Product code 19242

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 80.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS Filament P45 230V 4,3W 470lm E27 360° 2700K warm white

Product code 23994

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 80.0mm
Width 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS LED Corepro CL 230V 5,5W 470lm E27 360° 2700K warm white

Product code 19241

Brand PHILIPS
Supply voltage 230V
Output 5,5W
Maximum output 5.5W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 87.0mm
Width 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb PHILIPS Master Value 230V 10,5W 1521lm CRI90 E27 360° dimmerdatav 2200K - 2700K warm white

Product code 19237 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable dimmerdatav
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm white 2200K - 2700K
Lens angle 360
Socket E27
Cri 90
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE



LED bulb Star Trading A60 clear 230V 4W 470lm E27 360° IP44 TRIAC 827

Product code 17270 TRIAC dimmable



Brand Star Trading
Supply voltage 230V
Power factor 0.88
Dimmable TRIAC
Output 4W
Maximum output 4W/1m
Rated current 19mA
Luminous flux 470lumens
Luminaire’s efficiency 118W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 10.7mm
Diameter 60.0mm
In package 1pc
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20 ~40°C
Certificates CE

This Star Trading LED luminaire allows creating an impressive lighting solution in the room. The LED luminaire emits warm white light. 2700K LED lights provide cozy and soft light, which is ideal for living rooms and bedrooms. The luminaire can also be dimmed to maintain the appropriate lighting level according to the atmosphere. Improve the quality of light in your everyday life and choose a top-notch lighting solution from the LED house product range!

LED bulb Star Trading Clear G45 351-22-1 230V 2.3W 270lm E27 IP44 840

Product code 16731

Brand Star Trading
Supply voltage 230V
Power factor 0.46
Output 2.3W
Maximum output 2.3W/1m
Rated current 22mA
Luminous flux 270lumens
Luminaire’s efficiency 117W
Correlated colour temperature pure white 4000K
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 78.0mm
Installation opening diameter 45mm
In package 1pc
In box 10pcs
No. of switches 12500pcs
Work environment indoor / outdoor use
Operation temperature -20° - +40°°C
Certificates CE,RoHS



LED bulb Star Trading Filament ST26 SOFT GLOW 352-59-1 230V 1.4W 60lm 360° IP44 TRIAC 821

Product code 16131 TRIAC dimmable

Brand Star Trading
Supply voltage 230V
Dimmable TRIAC
Output 1.4W
Maximum output 1.4W/1m
Luminous flux 60lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 2100K
Lens angle 360
Cri 80
Protection class IP44
Lifespan 15000h
Height 58.0mm
Width 26.0mm
Length 26.0mm
In package 1pc
In box 10pcs
Casing material glass
No. of switches 12500pcs
Operation temperature -20° - +40°°C
Certificates CE,RoHS



LED bulb Star Trading Filament ST64 Vintage Gold 230V 3.7W 240lm E27 TRIAC 918

Product code 14772 TRIAC dimmable

Brand Star Trading
Supply voltage 230V
Dimmable TRIAC
Output 3.7W
Maximum output 3.7W/1m
Rated current 19mA
Luminous flux 240lumens
Luminaire’s efficiency 65W
Correlated colour temperature warm white 1800K
Socket E27
Cri 90
Lifespan 15000h
Height 142.0mm
Diameter 64.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -20 ~ +40°C



LED bulb Trio Lighting 230V 4 WW 470lm E14 830

Product code 19503

Brand Trio Lighting
Supply voltage 230V
Output 4 WW
Luminous flux 470lumens
Correlated colour temperature warm white 3000K
Socket E14
Cri 80
Lifespan 25000h
Height 7.8mm
Diameter 4.5mm
Casing material glass
No. of switches 10000pcs
Certificates CE



This LED filament bulb in the shape of a DROP makes homes shine. It has a conventional E14 socket. Thanks to the transparent glass, the light source emits a natural light that is ideal for illuminating living spaces. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.