LED bulb 360 Line Filament FMB 230V 1.3W 55lm E27 360° 827

Product code 15644

Brand 360 Line
Supply voltage 230V
Output 1.3W
Maximum output 1.3W/1m
Luminous flux 55lumens
Luminaire's efficiency lm79 42W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 78.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE

LED bulb 360 Line Filament FMB 230V 4W 470lm E27 360° 830

Product code 15671

Brand 360 Line
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm white 3000K
Lens angle 360
Socket E27
Cri 80
Lifespan 15000h
Height 75.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE

LED bulb 360 Line Filament FSW 230V 4W 440lm E14 360° IP20 830

Product code 15388

Brand 360 Line
Supply voltage 230V
Output 4W
Maximum output 4W/1m
Luminous flux 440lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature warm
white 3000K
Lens angle 360
Socket E14
Cri 80
Protection class IP20
Lifespan 15000h
Height 100.0mm
Width 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE,RoHS

LED bulb Filament ST64 230V 8W 950lm E27 280° 827

Product code 16326

Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 950lumens
Luminaire's efficiency lm79 119W
Correlated colour temperature warm
white 2700K
Lens angle 280
Socket E27
Cri 80
Lifespan 25000h
Height 142.0mm
Diameter 64.0mm
Weight 50 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 10000pcs
Work environment indoor use
Certificates CE, RohS

LED bulb Optonica Filament 1866 230V 2W 250lm E27 300° IP20 827

Product code 19401

Brand Optonica
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 250lumens
Luminaire's efficiency lm79 125W
Correlated colour temperature warm white 2700K
Lens angle 300
Socket E27
Cri 80
Protection class IP20
Lifespan 25000h
Height 75.0mm
Diameter 45.0mm
Weight 20 g
In package 1pc
In box 100pcs
Casing material glass
No. of switches 25000pcs
Work environment indoor use
Operation temperature -20°C / +40°C
Certificates CE

LED bulb OSRAM P45 CL 230V 4,8W 470lm E27 320° IP20 TRIAC 827

Product code 19210 **TRIAC dimmable**

Brand OSRAM
Supply voltage 230V
Dimmable TRIAC
Output 4,8W
Maximum output 4.8W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 320
Socket E27
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 15000h
Height 45.0mm
Width 45.0mm
Length 77.0mm
No. of switches 10000pcs
Certificates CE, EAC

LED bulb PHILIPS B35 4,9 W 5W 470lm E14 IP20 2700K warm white

Product code 22525

Brand PHILIPS
Output 5W
Luminous flux 470lumens
Luminaire's efficiency lm79 94W
Correlated colour temperature warm white 2700K
Socket E14
Protection class IP20
Lifespan 15000h
Height 106.0mm
Diameter 35.0mm
Casing material plastic
No. of switches 50000pcs

LED bulb PHILIPS küünal filament B35 dim 2200K-2700K 3,4W 470lm E14 2600K, 3500K

Product code 21875

Brand PHILIPS
Output 3,4W
Luminous flux 470lumens
Correlated colour temperature 2600K, 3500K 2600K, 3500K
Socket E14
Lifespan 15000h
No. of switches 20000pcs

LED bulb PHILIPS LED Classic 230V 10,5W 1521lm E27 360° 2700K warm white

Product code 19250

Brand PHILIPS
Supply voltage 230V
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Classic 230V 11W 1521lm E27 360° 2700K warm white

Product code 19238

Brand PHILIPS
Supply voltage 230V
Output 11W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Luminaire's efficiency lm79 138W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 124.0mm
Diameter 70.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Classic 230V 2,5W 250lm E14 360° 2700K warm white

Product code 19275

Brand PHILIPS
Supply voltage 230V
Output 2,5W
Maximum output 2.5W/1m
Luminous flux 250lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 123.0mm
Diameter 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS

LED bulb PHILIPS LED Classic 230V 2W 250lm E27 360° 2700K warm white

Product code 19243

Brand PHILIPS
Supply voltage 230V
Output 2W
Maximum output 2W/1m
Luminous flux 250lumens
Luminaire's efficiency lm79 125W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Classic 230V 4,3W 470lm E14 360° 2700K warm white

Product code 19273

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E14
Lifespan 15000h
Height 97.0mm
Width 35.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Certificates CE, RohS

LED bulb PHILIPS LED Classic 230V 4,3W 470lm E27 360° 2700K warm white

Product code 19242

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 80.0mm
Diameter 45.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Classic 230V 4,3W 470lm E27 360° 2700K warm white

Product code 19246

Brand PHILIPS
Supply voltage 230V
Output 4,3W
Maximum output 4.3W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Classic 230V 5,9W 806lm E27 360° TRIAC 927

Product code 19245 TRIAC dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable TRIAC
Output 5,9W
Maximum output 5.9W/1m
Luminous flux 806lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Cri 90
Lifespan 15000h
In package 1pc
No. of switches 20000pcs
Certificates CE, RohS

LED bulb PHILIPS LED Classic 230V 7W 806lm E27 360° 2700K warm white

Product code 19240

Brand PHILIPS
Supply voltage 230V
Output 7W
Maximum output 7W/1m
Luminous flux 806lumens
Luminaire's efficiency lm79 115W
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 140.0mm
Diameter 95.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Classic Dim 230V 3,4W 470lm E27 360° TRIAC 2200K-2700K

Product code 19249 TRIAC dimmable

Brand PHILIPS
Supply voltage 230V
Dimmable TRIAC
Output 3,4W
Maximum output 3.4W/1m
Luminous flux 470lumens
Correlated colour temperature 2200K-2700K
Lens angle 360
Socket E27
Lifespan 15000h
Height 104.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS LED Corepro CL 230V 5,5W 470lm E27 360° 2700K warm white

Product code 19241

Brand [PHILIPS](#)
Supply voltage 230V
Output 5,5W
Maximum output 5.5W/1m
Luminous flux 470lumens
Correlated colour temperature warm white 2700K
Lens angle 360
Socket E27
Lifespan 15000h
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb PHILIPS MasterValue LEDbulb 230V 10,5W 1521lm CRI90 E27 360° 2000K-3000K DIM TO WARM

Product code 19237

Brand [PHILIPS](#)
Supply voltage 230V
Output 10,5W
Maximum output 10.5W/1m
Luminous flux 1521lumens
Correlated colour temperature DIM TO WARM 2000K-3000K
Lens angle 360
Socket E27
Cri 90
Lifespan 15000h
Height 108.0mm
Diameter 60.0mm
In package 1pc
In box 100pcs
Casing material glass
No. of switches 20000pcs
Work environment indoor use
Certificates CE

LED bulb Star Trading A60 clear 230V 4W 470lm E27 360° IP44 TRIAC 827

Product code 17270 TRIAC dimmable

Brand Star Trading
Supply voltage 230V
Power factor 0.88
Dimmable TRIAC
Output 4W
Maximum output 4W/1m
Rated current 19mA
Luminous flux 470lumens
Luminaire's efficiency lm79 118W
Correlated colour temperature warm white
2700K
Lens angle 360
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 10.7mm
Diameter 60.0mm
In package 1pc
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20 ~40°C
Certificates CE

This Star Trading LED luminaire allows
creating an impressive lighting solution in
the room. The LED luminaire emits warm
white light. 2700K LED lights provide cozy
and soft light, which is ideal for living rooms
and bedrooms. The luminaire can also be
dimmed to maintain the appropriate
lighting level according to the atmosphere.
Improve the quality of light in your
everyday life and choose a top-notch
lighting solution from <a
href="https://ledhouse.ee/en/products">the
LED house product range!

LED bulb Star Trading Clear G45 351-22-1 230V 2.3W 270lm E27 IP44 840

Product code 16731

Brand Star Trading
Supply voltage 230V
Power factor 0.46
Output 2.3W
Maximum output 2.3W/1m
Rated current 22mA
Luminous flux 270lumens
Luminaire's efficiency lm79 117W
Correlated colour temperature pure white 4000K
Socket E27
Cri 80
Protection class IP44
Lifespan 15000h
Height 78.0mm
Installation opening diameter 45mm
In package 1pc
In box 10pcs
No. of switches 12500pcs
Work environment indoor / outdoor use
Operation temperature -20° - +40°°C
Certificates CE,RoHS

LED bulb Star Trading Filament C35 Soft Glow, 353-05 230V 4W 350lm E14 360° IP44 TRIAC 821

Product code 15166 TRIAC dimmable

Brand Star Trading
Supply voltage 230V
Dimmable TRIAC
Output 4W
Maximum output 4W/1m
Rated current 19mA
Luminous flux 350lumens
Luminaire's efficiency lm79 88W
Correlated colour temperature warm white 2100K
Lens angle 360
Socket E14
Cri 80
Protection class IP44
Lifespan 15000h
Height 98.0mm
Diameter 35.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -20 ~ +40°C

LED bulb Star Trading Filament ST26 SOFT GLOW 352-59-1 230V 1.4W 60lm 360° IP44 TRIAC 821

Product code 16131 **TRIAC dimmable**

Brand Star Trading
Supply voltage 230V
Dimmable TRIAC
Output 1.4W
Maximum output 1.4W/1m
Luminous flux 60lumens
Luminaire's efficiency lm79 43W
Correlated colour temperature warm white 2100K
Lens angle 360
Cri 80
Protection class IP44
Lifespan 15000h
Height 58.0mm
Width 26.0mm
Length 26.0mm
In package 1pc
In box 10pcs
Casing material glass
No. of switches 12500pcs
Operation temperature -20° - +40°°C
Certificates CE,RoHS

LED bulb Star Trading Filament ST64 Vintage Gold 230V 3.7W 240lm E27 TRIAC 918

Product code 14772 **TRIAC dimmable**

Brand Star Trading
Supply voltage 230V
Dimmable TRIAC
Output 3.7W
Maximum output 3.7W/1m
Rated current 19mA
Luminous flux 240lumens
Luminaire's efficiency lm79 65W
Correlated colour temperature warm white 1800K
Socket E27
Cri 90
Lifespan 15000h
Height 142.0mm
Diameter 64.0mm
Casing material glass
No. of switches 12500pcs
Operation temperature -20 ~ +40°C

LED bulb Star Trading G95 Clear 352-46-3 230V 4.2W 470lm E27 IP44 TRIAC 840

Product code 17129 TRIAC dimmable

Brand Star Trading
Supply voltage 230V
Dimmable TRIAC
Output 4.2W
Maximum output 4.2W/1m
Rated current 20mA
Luminous flux 470lumens
Luminaire's efficiency lm79 112W
Correlated colour temperature pure white 4000K
Socket E27
Cri 80
Protection class IP44
Lifespan 25000h
Height 142.0mm
Diameter 95.0mm
In package 1pc
No. of switches 12500pcs
Work environment indoor use
Operation temperature -20° - +40°°C
Certificates CE,RoHS

Natural light LED bulb

LED bulb Trio Lighting 230V 4 WW 470lm E14 830

Product code 19503

Brand [Trio Lighting](#)
Supply voltage 230V
Output 4 WW
Luminous flux 470lumens
Correlated colour temperature warm
white 3000K
Socket E14
Cri 80
Lifespan 25000h
Height 7.8mm
Diameter 4.5mm
Casing material glass
No. of switches 10000pcs
Certificates CE

This LED filament bulb in the shape of
a DROP makes homes shine. It has a
conventional E14 socket. Thanks to
the transparent glass, the light source
emits a natural light that is ideal for
illuminating living spaces. In addition,
the luminaires feature modern LED
technology, which stands for a high
quality of light. LED light sources are
characterized by a long service life
and low heat generation.