LED bulb AR111 12V 11W 700lm GX53 IP20 4000K pure white

Product code 19961

Supply voltage 12V
Output 11W
Maximum output 11W/1m
Luminous flux 700lumens
Luminaire’s efficiency 64W
Correlated colour temperature pure white 4000K
Socket GX53
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g



LED bulb AR111 12V 12,5W 1100lm G53 40° IP20 830

Product code 18412

Supply voltage 12V
Output 12,5W
Maximum output 12,5W/1m
Luminous flux 1100lumens
Correlated colour temperature warm white 3000K
Lens angle 40
Socket GX53
Cri 80
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g



LED bulb AR111 12V 13.5W 1075lm G53 IP20 3000K warm white

Product code 20584

Supply voltage 12V
Output 13.5W
Maximum output 13.5W/1m
Luminous flux 1075lumens
Luminaire’s efficiency 80W
Correlated colour temperature warm white 3000K
Socket GX53
Protection class IP20
Lifespan 25000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g



LED bulb AR111 white 12V 12,5W 1100lm G53 120° IP20 830

Product code 20858

Supply voltage 12V
Output 12,5W
Maximum output 12,5W/1m
Luminous flux 1100lumens
Correlated colour temperature warm white 3000K
Lens angle 120
Socket GX53
Cri 80
Protection class IP20
Lifespan 40000h
Casing colour white



LED bulb ES111 230V 12,5W 1250lm GU10 120° IP20 840

Product code 17961

Supply voltage 230V
Output 12,5W
Maximum output 12,5W/1m
Luminous flux 1250lumens
Correlated colour temperature pure white 4000K
Lens angle 120
Socket GU10
Cri 80
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g



This product is a modern alternative to halogen bulbs, offering excellent light performance. It is energy-efficient and provides an eye-friendly light source. The product is ideal for decorative lighting fixtures, offering versatile applications in both home and business environments. The neutral light color mimics natural daylight on a clear day, creating an invigorating and pleasant atmosphere.

LED bulb ES111 black 230V 15W GU10 140° IP20 TRIAC 827

Product code 22306 TRIAC dimmable

Supply voltage 230V
Dimmable TRIAC
Output 15W
Maximum output 15W/1m
Correlated colour temperature warm white 2700K
Lens angle 140
Socket GU10
Cri 80
Protection class IP20
Height 71.0mm
Diameter 111.0mm
Weight 95 g
Casing colour black



LED bulb ES111 gray 230V 12,5W 1250lm GU10 40° IP20 840

Product code 18153

Supply voltage 230V
Output 12,5W
Maximum output 12,5W/1m
Luminous flux 1250lumens
Correlated colour temperature pure white 4000K
Lens angle 40
Socket GU10
Cri 80
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g
Casing colour gray
Work environment indoor use
Warranty 3 years



This product is a modern alternative to halogen bulbs, offering excellent light performance. It is energy-efficient and provides an eye-friendly light source. The product is ideal for decorative lighting fixtures, offering versatile applications in both home and business environments. The neutral light color mimics natural daylight on a clear day, creating an invigorating and pleasant atmosphere.

LED bulb LUMAX AR111 LL512 12V 12W 800lm GU5.3 38° IP20 841

Product code 17158

Brand LUMAX
Supply voltage 12V
Output 12W
Maximum output 12W/1m
Luminous flux 800lumens
Luminaire’s efficiency 67W
Correlated colour temperature pure white 4100K
Lens angle 38
Socket GU5.3
Cri 80
Protection class IP20
Lifespan 25000h
Diameter 111.0mm
No. of switches 15000pcs

We recommend using a DC power supply.



LED bulb LUMAX ES111 LL510 230V 15W 1200lm GU10 60° IP20 841

Product code 17131

Brand LUMAX
Supply voltage 230V
Output 15W
Maximum output 15W/1m
Luminous flux 1200lumens
Luminaire’s efficiency 80W
Correlated colour temperature pure white 4100K
Lens angle 60
Socket GU10
Cri 80
Protection class IP20
Lifespan 25000h
Height 58.0mm
Diameter 111.0mm
No. of switches 15000pcs



LED bulb LUMAX ES111 LL516 230V 12W 950lm GU10 90° IP20 841

Product code 17152

Brand LUMAX
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 950lumens
Luminaire’s efficiency 79W
Correlated colour temperature pure white 4100K
Lens angle 90
Socket GU10
Cri 80
Protection class IP20
Lifespan 25000h
Height 58.0mm
Diameter 111.0mm
No. of switches 15000pcs



LED bulb LUMAX ES111 LL517 230V 12W 1000lm GU10 45° IP20 841

Product code 17153

Brand LUMAX
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Luminous flux 1000lumens
Luminaire’s efficiency 83W
Correlated colour temperature pure white 4100K
Lens angle 45
Socket GU10
Cri 80
Protection class IP20
Lifespan 25000h
Height 58.0mm
Diameter 111.0mm
No. of switches 15000pcs



LED bulb PHILIPS AR111 DC 12V 10.8W 620lm G53 40° IP20 DIMMABLE 930

Product code 23724 dimmerdatav dimmable

Brand PHILIPS
Supply voltage 12V
Dimmable dimmerdatav
Output 10.8W
Maximum output 10.8W/1m
Luminous flux 620lumens
Luminaire’s efficiency 57W
Correlated colour temperature warm white 3000K
Lens angle 40
Socket GX53
Cri 95
Protection class IP20
Lifespan 40000h
Height 61.0mm
Diameter 111.0mm
Weight 95 g



LED bulb REVAL BULB AR111 bulb + driver 230V 25W 2300lm G53 25° IP20 830

Product code 17815

Brand REVAL BULB
Supply voltage 230V
Power factor 0.50
Output 25W
Maximum output 25W/1m
Luminous flux 2300lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Lens angle 25
Socket GX53
Cri 80
Sdcm - macadam ellipses 6
Protection class IP20
Lifespan 30000h
Height 69.0mm
Diameter 110.0mm
Casing material aluminium
Work environment indoor use
Certificates CE, RoHS
Warranty 3 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee