

LED bulb AR111 12V 11W 700lm G53 IP20 4000K pure white

Product code 19961

Supply voltage 12V
Output 11W
Maximum output 11W/1m
Luminous flux 700lumens
Luminaire's efficiency lm79 64W
Correlated colour temperature pure white 4000K
Socket G53
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g



LED bulb AR111 12V 12,5W 1100lm G53 40° IP20 830

Product code 18412

Supply voltage 12V
Output 12,5W
Maximum output 12,5W/1m
Luminous flux 1100lumens
Correlated colour temperature warm white 3000K
Lens angle 40
Socket G53
Cri 80
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g



LED bulb AR111 12V 13.5W 1075lm G53 IP20 3000K warm white

Product code 20584

Supply voltage 12V
 Output 13.5W
 Maximum output 13.5W/1m
 Luminous flux 1075lumens
 Luminaire's efficiency lm79 80W
 Correlated colour temperature warm white 3000K
 Socket G53
 Protection class IP20
 Lifespan 25000h
 Height 66.0mm
 Diameter 111.0mm
 Weight 95 g



LED bulb AR111 white 12V 12,5W 1100lm G53 120° IP20 830

Product code 20858

Supply voltage 12V
 Output 12,5W
 Maximum output 12,5W/1m
 Luminous flux 1100lumens
 Correlated colour temperature warm white 3000K
 Lens angle 120
 Socket G53
 Cri 80
 Protection class IP20
 Lifespan 40000h
 Casing colour white



LED bulb ES111 230V 12,5W 1250lm GU10 120° IP20 840

Product code 17961

Supply voltage 230V
 Output 12,5W
 Maximum output 12,5W/1m
 Luminous flux 1250lumens
 Correlated colour temperature pure white 4000K
 Lens angle 120
 Socket GU10
 Cri 80
 Protection class IP20
 Lifespan 40000h
 Height 66.0mm
 Diameter 111.0mm
 Weight 95 g



This product is a modern alternative to halogen bulbs, offering excellent light performance. It is energy-efficient and provides an eye-friendly light source. The product is ideal for decorative lighting fixtures, offering versatile applications in both home and business environments. The neutral light color mimics natural daylight on a clear day, creating an invigorating and pleasant atmosphere.

LED bulb ES111 black 230V 15W GU10 140° IP20 TRIAC 827

Product code 22306 TRIAC dimmable

Supply voltage 230V
 Dimmable TRIAC
 Output 15W
 Maximum output 15W/1m
 Correlated colour temperature warm white 2700K
 Lens angle 140
 Socket GU10
 Cri 80
 Protection class IP20
 Height 71.0mm
 Diameter 111.0mm
 Weight 95 g
 Casing colour black



LED bulb ES111 gray 230V 12,5W 1250lm GU10 40° IP20 840

Product code 18153

Supply voltage 230V
Output 12,5W
Maximum output 12,5W/1m
Luminous flux 1250lumens
Correlated colour temperature pure white 4000K
Lens angle 40
Socket GU10
Cri 80
Protection class IP20
Lifespan 40000h
Height 66.0mm
Diameter 111.0mm
Weight 95 g
Casing colour gray
Work environment indoor use
Warranty 3 years



This product is a modern alternative to halogen bulbs, offering excellent light performance. It is energy-efficient and provides an eye-friendly light source. The product is ideal for decorative lighting fixtures, offering versatile applications in both home and business environments. The neutral light color mimics natural daylight on a clear day, creating an invigorating and pleasant atmosphere.

LED bulb LUMAX AR111 LL512 12V 12W 800lm GU5.3 38° IP20 841

Product code 17158

Brand [LUMAX](#)
Supply voltage 12V
Output 12W
Maximum output 12W/1m
Luminous flux 800lumens
Luminaire's efficiency lm79 67W
Correlated colour temperature pure white 4100K
Lens angle 38
Socket GU5.3
Cri 80
Protection class IP20
Lifespan 25000h
Diameter 111.0mm
No. of switches 15000pcs



We recommend using a DC power supply.

LED bulb LUMAX ES111 LL510 230V 15W 1200lm GU10 60° IP20 841

Product code 17131

Brand [LUMAX](#)
Supply voltage 230V
Output 15W
Maximum output 15W/1m
Luminous flux 1200lumens
Luminaire's efficiency lm79 80W
Correlated colour temperature pure white 4100K
Lens angle 60
Socket GU10
Cri 80
Protection class IP20
Lifespan 25000h
Height 58.0mm
Diameter 111.0mm
No. of switches 15000pcs



LED bulb LUMAX ES111 LL516 230V 12W 950lm GU10 90° IP20 841

Product code 17152

Brand [LUMAX](#)

Supply voltage 230V

Output 12W

Maximum output 12W/1m

Luminous flux 950lumens

Luminaire's efficiency lm79 79W

Correlated colour temperature pure white 4100K

Lens angle 90

Socket GU10

Cri 80

Protection class IP20

Lifespan 25000h

Height 58.0mm

Diameter 111.0mm

No. of switches 15000pcs



LED bulb LUMAX ES111 LL517 230V 12W 1000lm GU10 45° IP20 841

Product code 17153

Brand [LUMAX](#)

Supply voltage 230V

Output 12W

Maximum output 12W/1m

Luminous flux 1000lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature pure white 4100K

Lens angle 45

Socket GU10

Cri 80

Protection class IP20

Lifespan 25000h

Height 58.0mm

Diameter 111.0mm

No. of switches 15000pcs



LED bulb REVAL BULB AR111 bulb + driver 230V 25W 2300lm G53 25° IP20 830

Product code 17815

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.50

Output 25W

Maximum output 25W/1m

Luminous flux 2300lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature warm
white 3000K

Lens angle 25

Socket G53

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 30000h

Height 69.0mm

Diameter 110.0mm

Casing material aluminium

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years

