

## **Bollard light Deko-Light Antliae gray 13W 650lm IP65 3000K warm white**

**Product code 20172**

Brand [Deko-Light](#)

Output voltage 220-240V

Output 13W

Luminous flux 650lumens

Luminaire's efficiency lm79 50W

Correlated colour temperature warm white 3000K

Protection class IP65

Lifespan 25000h

Height 800.0mm

Length 121.0mm

Diameter 152.0mm

Casing colour gray

Casing material aluminium

Work environment outdoor use



Flexible waymarker - The Antliae LED path light provides bordering, path marking and visual elegance in gardens, on patios or in car parks. With its 80-cm-high housing made from dark grey die-cast aluminium with IP65 degree of protection, the Antliae is a robust and resilient functional lighting product providing a warm white ambience (3,000 K).

## **Bollard light Deko-Light Arawan dark gray 4,8W 150lm 360° IP44 830**

**Product code 23114**

Brand [Deko-Light](#)

Output 4,8W

Maximum output 4.8W/1m

Luminous flux 150lumens

Correlated colour temperature warm white 3000K

Lens angle 360

Cri 80

Protection class IP44

Lifespan 30000h

Height 478.0mm

Diameter 100.0mm

Weight 1.68 kg

Casing colour dark gray

Casing material aluminium

No. of switches 100000pcs

Work environment outdoor use

Operation temperature -20 kuni 50 °C

Warranty 5 years



Sometimes it's about more than just light. With our multiple socket tower, available with or without light, another gap in our range is filled. Design your garden even more flexibly, in proven DEKO-LIGHT quality of course and at a price that won't break the bank. Safe power distribution outdoors Total load max. 3,680 W Outlets and lights can be switched on separately Connection box with IP67 and accessories including in scope of delivery Feed-through wiring possible



## Bollard light Deko-Light Cata IV anthracite 4W 170lm IP54 830

**Product code 20222**

---

Brand [Deko-Light](#)

Output 4W

Luminous flux 170lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 500.0mm

Width 61.0mm

Length 151.0mm

Weight 1.34 kg

Package weight 1.49 kg

Casing colour anthracite

Casing material aluminium + plastic

No. of switches 15000pcs

Operation temperature -20 ~ 50°C



## Bollard light Deko-Light Cata V anthracite 4W 170lm IP54 830

**Product code 20223**

---

Brand [Deko-Light](#)

Output 4W

Luminous flux 170lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 700.0mm

Width 61.0mm

Length 151.0mm

Weight 1.58 kg

Package weight 1.84 kg

Casing colour anthracite

Casing material aluminium + plastic

No. of switches 15000pcs

Operation temperature -20 ~ 50°C



## Bollard light Deko-Light Cata VI anthracite 4W 170lm IP54 830

**Product code 20224**

Brand [Deko-Light](#)

Output 4W

Luminous flux 170lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 1000.0mm

Width 61.0mm

Length 151.0mm

Weight 2.04 kg

Package weight 2.38 kg

Casing colour anthracite

Casing material aluminium + plastic

No. of switches 15000pcs

Operation temperature -20 ~ 50°C



## Bollard light Deko-Light Chertan gray 13W 480lm IP54 930

**Product code 20225**

Brand [Deko-Light](#)

Output 13W

Luminous flux 480lumens

Luminaire's efficiency lm79 37W

Correlated colour temperature warm  
white 3000K

Cri 90

Protection class IP54

Lifespan 30000h

Height 450.0mm

Width 72.0mm

Length 170.0mm

Weight 3.8 kg

Package weight 4.34 kg

Casing colour gray

Casing material aluminium + plastic

No. of switches 15000pcs

Operation temperature -20 ~ 50°C



## Bollard light Deko-Light Chertan gray 13W 530lm IP54 930

### Product code 20226

Brand [Deko-Light](#)

Output 13W

Luminous flux 530lumens

Luminaire's efficiency lm79 41W

Correlated colour temperature warm white 3000K

Cri 90

Protection class IP54

Lifespan 30000h

Height 600.0mm

Width 72.0mm

Length 170.0mm

Weight 3.94 kg

Package weight 4.56 kg

Casing colour gray

Casing material aluminium + plastic

No. of switches 15000pcs

Operation temperature -20 ~ 50°C

With its extraordinary mix of materials consisting of die-cast aluminium housing and base made of weather-resistant, fibreglass-reinforced concrete, the CHERTAN outdoor standing light certainly stands apart from other models just on looks alone. With its pleasantly warm white light and light emission angle of 120°, the outdoor light is perfectly suited for decorative use in entrance areas, on paths or in the garden. Note: As concrete is a natural product, every surface is unique and forms a distinct patina over time, depending on local conditions. It is therefore normal in wet conditions for a blotchy surface to form that disappears again when dried, yet produces an individual patina over the long-term.



## Bollard light Deko-Light Chertan gray 13W 640lm IP54 930

### Product code 20227

Brand [Deko-Light](#)  
 Output 13W  
 Luminous flux 640lumens  
 Luminaire's efficiency lm79 49W  
 Correlated colour temperature warm  
 white 3000K  
 Cri 90  
 Protection class IP54  
 Lifespan 30000h  
 Height 1000.0mm  
 Width 72.0mm  
 Length 170.0mm  
 Weight 4.39 kg  
 Package weight 5.2 kg  
 Casing colour gray  
 Casing material aluminium + plastic  
 No. of switches 15000pcs  
 Operation temperature -20 ~ 50°C



With its extraordinary mix of materials consisting of die-cast aluminium housing and base made of weather-resistant, fibreglass-reinforced concrete, the CHERTAN outdoor standing light certainly stands apart from other models just on looks alone. With its pleasantly warm white light and light emission angle of 120°, the outdoor light is perfectly suited for decorative use in entrance areas, on paths or in the garden. Note: As concrete is a natural product, every surface is unique and forms a distinct patina over time, depending on local conditions. It is therefore normal in wet conditions for a blotchy surface to form that disappears again when dried, yet produces an individual patina over the long-term.

## Bollard light Deko-Light Estada silver E27 IP44

**Product code 20322**

Brand [Deko-Light](#)

Socket E27

Protection class IP44

Height 1000.0mm

Weight 2 kg

Package weight 2.3 kg

Casing colour silver

Casing material stainless steel

Operation temperature -20 ~ 40°C



## Bollard light Deko-Light Facado 2 anthracite E27 IP65

**Product code 19631**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 650.0mm

Width 108.0mm

Casing colour anthracite

Casing material aluminum + glass

Work environment outdoor use




## Bollard light Deko-Light Facado 2 dark gray E27 IP65

**Product code 20326**

Brand [Deko-Light](#)  
 Socket E27  
 Protection class IP65  
 Height 1000.0mm  
 Width 108.0mm  
 Length 108.0mm  
 Weight 4 kg  
 Package weight 4.87 kg  
 Casing colour dark gray  
 Casing material aluminium  
 Impact resistance IK05  
 Work environment outdoor use  
 Operation temperature -20 ~ 40°C

IP65 weather resistance IP67  
 connection box suitable for e.g. buried  
 cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5  
 mm<sup>2</sup> Newly designed lamp head for  
 improved illumination Available with  
 an opal diffuser or a transparent  
 diffuser with smoked glass. Our  
 FACADO series bollard lights feature  
 IP65 degree of protection for excellent  
 weather resistance. Choose between  
 an opal diffuser or a transparent  
 diffuser with smoked glass to suit your  
 requirements. The series is available  
 in two different sizes (650 mm/1,000  
 mm) and features an E27 socket for  
 replaceable lamps. The newly  
 designed lamp head provides even  
 better illumination. The FACADO light  
 is made from high-quality die-cast  
 aluminium and available in dark grey  
 or rust and in square or rounded  
 designs. The IP67 connection box  
 features a double M20 cable gland  
 suitable for buried cables in sizes 3 x  
 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5  
 mm<sup>2</sup>, and more. Our FACADO series  
 bollard lights feature IP65 degree of  
 protection for excellent weather  
 resistance. Choose between an opal  
 diffuser or a transparent diffuser with  
 smoked glass to suit your  
 requirements. The series is available  
 in two different sizes (650 mm/1,000  
 mm) and features an E27 socket for  
 replaceable lamps. The newly  
 designed lamp head provides even  
 better illumination. The FACADO light  
 is made from high-quality die-cast  
 aluminium and available in dark grey  
 or rust and in square or rounded  
 designs. The IP67 connection box  
 features a double M20 cable gland  
 suitable for buried cables in sizes 3 x  
 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5  
 mm<sup>2</sup>, and more. Our FACADO series  
 bollard lights feature IP65 degree of  
 protection for excellent weather  
 resistance. Choose between an opal  
 diffuser or a transparent diffuser with  
 smoked glass to suit your  
 requirements. The series is available  
 in two different sizes (650 mm/1,000  
 mm) and features an E27 socket for  
 replaceable lamps. The newly  
 designed lamp head provides even  
 better illumination. The FACADO light  
 is made from high-quality die-cast  
 aluminium and available in dark grey  
 or rust and in square or rounded  
 designs. The IP67 connection box  
 features a double M20 cable gland  
 suitable for buried cables in sizes 3 x  
 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5  
 mm<sup>2</sup>, and more.



## Bollard light Deko-Light Facado 2 dark gray E27 IP65

**Product code 20328**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 650.0mm

Weight 1.91 kg

Package weight 2.71 kg

Casing colour dark gray

Casing material aluminium

Impact resistance IK05

Work environment outdoor use

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass Ideal for e.g. ST64 bulbs and A60/70 bulbs Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 dark gray E27 IP65

**Product code 20331**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 1000.0mm

Diameter 108.0mm

Weight 2.6 kg

Package weight 3.55 kg

Casing colour dark gray

Casing material aluminum + glass

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

**Product code 20325**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 650.0mm

Width 108.0mm

Length 108.0mm

Weight 2.75 kg

Package weight 3.62 kg

Casing colour dark gray

Casing material aluminium + plastic

Operation temperature -20 ~ 40°C

P65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 x 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5 mm<sup>2</sup>, and more.



## Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

**Product code 20327**

Brand [Deko-Light](#)  
 Socket E27  
 Protection class IP65  
 Height 1000.0mm  
 Width 108.0mm  
 Length 108.0mm  
 Weight 4 kg  
 Package weight 4.87 kg  
 Casing colour dark gray  
 Casing material aluminium  
 Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 x 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5 mm<sup>2</sup>, and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 x 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5 mm<sup>2</sup>, and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 x 1.5 mm<sup>2</sup>, 5 x 1.5 mm<sup>2</sup> or 3 x 2.5 mm<sup>2</sup>, and more.



## Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

**Product code 20329**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 650.0mm

Diameter 108.0mm

Weight 1.91 kg

Package weight 2.71 kg

Casing colour dark gray

Casing material aluminium

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved.ur FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

**Product code 20332**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 1000.0mm

Diameter 108.0mm

Weight 2.6 kg

Package weight 3.55 kg

Casing colour dark gray

Casing material aluminium

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 opal rustic E27 IP65

**Product code 20330**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 650.0mm

Diameter 108.0mm

Weight 1.91 kg

Package weight 2.71 kg

Casing colour rustic

Casing material aluminum + glass

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 opal rustic E27 IP65

**Product code 20334**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 1000.0mm

Weight 2.6 kg

Package weight 3.55 kg

Casing colour rustic

Casing material aluminium + polycarbonate

Impact resistance IK05

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 rustic E27 IP65

**Product code 20333**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 1000.0mm

Diameter 108.0mm

Weight 2.6 kg

Package weight 3.55 kg

Casing colour rustic

Casing material aluminium + glass

Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5 mm<sup>2</sup> Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup> or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado 2 rustic E27 IP65

**Product code 19634**

Brand [Deko-Light](#)

Socket E27

Protection class IP65

Height 650.0mm

Diameter 108.0mm

Casing colour rustic

Casing material aluminium

Impact resistance IK05

Work environment outdoor use

P65 weather resistance IP67  
connection box suitable for e.g. buried  
cables 3x1.5 mm<sup>2</sup>/5x1.5 mm<sup>2</sup>/3x2.5  
mm<sup>2</sup> Newly designed lamp head for  
improved illumination Available with  
an opal diffuser or a transparent  
diffuser with smoked glass. Our  
FACADO series bollard lights feature  
IP65 degree of protection for excellent  
weather resistance. Choose between  
an opal diffuser or a transparent  
diffuser with smoked glass to suit your  
requirements. The series is available  
in two different sizes (650 mm/1,000  
mm) and features an E27 socket for  
replaceable lamps. The newly  
designed lamp head provides  
significantly improved illumination.  
The FACADO light is made of high-  
quality, die-cast aluminium and is  
available in dark grey or rust and in  
square or round designs. The IP67  
connection box features a double M20  
cable gland suitable for e.g. buried  
cables in sizes 3x1.5 mm<sup>2</sup>, 5x1.5 mm<sup>2</sup>  
or 3x2.5 mm<sup>2</sup>.



## Bollard light Deko-Light Facado A anthracite E27 IP54

**Product code 20987**

Brand [Deko-Light](#)

Socket E27

Protection class IP54

Height 650.0mm

Width 108.0mm

Length 108.0mm

Casing colour anthracite

Casing material aluminium

Work environment outdoor use

FACADO series standing lights have been proving quite the hit for some time on paved paths in gardens. The classically elegant outdoor lights (IP44) become even more versatile with the FACADO. Thanks to the E27 base, the lamps can be changed if required and adapted to the desired lighting atmosphere. The FACADO is available in two heights (65 and 100 cm)



## Bollard light Deko-Light Faro 100 gray 24W 1030lm IP65 DALI 830

**Product code 19704 DALI dimmable**

Brand [Deko-Light](#)

Power factor 0.90

Dimmable DALI

Output 24W

Maximum output 24W/1m

Rated current 2750mA

Luminous flux 1030lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm white 3000K

Cri 80

Sdcm - macadam ellipses 4

Protection class IP65

Lifespan 50000h

Height 1000.0mm

Diameter 180.0mm

Weight 6.29 kg

Casing colour gray

Casing material aluminium

No. of switches 100000pcs

Impact resistance IK10

Work environment outdoor use

Operation temperature -30 to 45 °C

emergency power capable (180-264 V/DC EOFI: 100 %) The solid FARO bollard lights made from die-cast aluminium are available in the sizes 25, 60 and 100 cm. Their design [more than 97 % of light directed downwards] and lens optics allow glare-free light distribution and a particularly large light beam of up to 10 metres in diameter. All variants are also DALI2 DT6 compatible. The FARO models can be equipped with an optional screening shade to illuminate surfaces on one side only. The IP68 connection box with possible feed-through wiring and the dirt-repellent powder coating in DB703 make the FARO bollard lights a long-lasting and high-quality choice for your outdoor lighting.



## Bollard light Deko-Light Faro 25 gray 24W 1030lm IP65 DALI 830

**Product code 20231 DALI dimmable**

Brand [Deko-Light](#)  
Dimmable DALI  
Output 24W  
Luminous flux 1030lumens  
Luminaire's efficiency lm79 43W  
Correlated colour temperature warm white 3000K  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 250.0mm  
Weight 3 kg  
Package weight 4.2 kg  
Casing colour gray  
Casing material aluminium  
No. of switches 100000pcs  
Impact resistance IK10  
Work environment outdoor use  
Operation temperature -30 ~ 45°C

Emergency power capable (180-264 V/DC EOFI: 100 %) The solid FARO bollard lights made from die-cast aluminium are available in the sizes 25, 60 and 100 cm. Their design [more than 97 % of light directed downwards] and lens optics allow glare-free light distribution and a particularly large light beam of up to 10 metres in diameter. All variants are also DALI2 DT6 compatible. The FARO models can be equipped with an optional screening shade to illuminate surfaces on one side only. The IP68 connection box with possible feed-through wiring and the dirt-repellent powder coating in DB703 make the FARO bollard lights a long-lasting and high-quality choice for your outdoor lighting.



## Bollard light Deko-Light Faro gray 24W 1030lm IP65 DALI 830

**Product code 20232 DALI dimmable**

Brand [Deko-Light](#)

Dimmable DALI

Output 24W

Luminous flux 1030lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP65

Lifespan 50000h

Height 600.0mm

Weight 4.17 kg

Package weight 5.95 kg

Casing colour gray

Casing material aluminium

No. of switches 100000pcs

Impact resistance IK10

Work environment outdoor use

Operation temperature -30 ~ 45°C



emergency power capable (180-264 V/DC EOFI: 100 %) The solid FARO bollard lights made from die-cast aluminium are available in the sizes 25, 60 and 100 cm. Their design [more than 97 % of light directed downwards] and lens optics allow glare-free light distribution and a particularly large light beam of up to 10 metres in diameter. All variants are also DALI2 DT6 compatible. The FARO models can be equipped with an optional screening shade to illuminate surfaces on one side only. The IP68 connection box with possible feed-through wiring and the dirt-repellent powder coating in DB703 make the FARO bollard lights a long-lasting and high-quality choice for your outdoor lighting.



## Bollard light Deko-Light Lerna anthracite 7,4W 256lm IP65 3000K, 4000K 2CCT

**Product code 20158**

Brand [Deko-Light](#)

Output 7,4W

Luminous flux 256lumens

Correlated colour temperature 2CCT

3000K, 4000K

Protection class IP65

Height 600.0mm

Width 100.0mm

Length 120.0mm

Casing colour anthracite

Casing material aluminium

Impact resistance IK06

Work environment outdoor use

Operation temperature -20 to 40 °C

Warranty 2 years



LERNA series bollard lights offer a number of advantages. The ability to adjust the light colour in 2 stages (3,000 K/4,000 K) allows you to choose the colour temperature that sets the perfect ambience. The downward orientation of the lighting also fully guarantees efficient illumination without creating light pollution. LERNA series bollard lights are available in two different sizes (600 mm and 1,000 mm). With a power rating of 7.4 W and up to 256 lm, the light itself is incredibly bright.



## Bollard light Deko-Light Lerna dark gray 7.4W 256lm IP65 830

### Product code 20233

Brand [Deko-Light](#)

Output 7.4W

Luminous flux 256lumens

Luminaire's efficiency lm79 35W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP65

Lifespan 50000h

Height 1000.0mm

Width 100.0mm

Length 120.0mm

Weight 3.08 kg

Package weight 3.99 kg

Casing colour dark gray

Casing material metal + glass

No. of switches 50000pcs

Impact resistance IK04

Work environment outdoor use

Operation temperature -20 ~ 40°C

LERNA series bollard lights offer a number of advantages. The ability to adjust the light colour in 2 stages (3,000 K/4,000 K) allows you to choose the colour temperature that sets the perfect ambience. The downward orientation of the lighting also fully guarantees efficient illumination without creating light pollution. LERNA series bollard lights are available in two different sizes (600 mm and 1,000 mm). With a power rating of 7.4 W and up to 256 lm, the light itself is incredibly bright.



## Bollard light Deko-Light Ortis gray 15.9W 510lm IP54 830

### Product code 20228

---

Brand [Deko-Light](#)

Output 15.9W

Luminous flux 510lumens

Luminaire's efficiency lm79 32W

Correlated colour temperature warm  
white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 1000.0mm

Weight 3.57 kg

Package weight 4.44 kg

Casing colour gray

Casing material metal + glass

No. of switches 100000pcs

Impact resistance IK06

Work environment outdoor use

Operation temperature -20 ~ 40°C



The Ortis LED bollard light cuts an excellent figure anywhere with its dark grey aluminium housing and, thanks to its IP54 certification, is suitable for flexible outdoor use in gardens, entrances and as path lighting. In addition, the Ortis has an internal slatted insert in the lamp head, which ensures a pleasant dimmed light that is directed downwards (warm white, 3,000 K).

## Bollard light Deko-Light Puka Mana dark gray E27 IP54

### Product code 23113

Brand [Deko-Light](#)

Socket E27

Protection class IP54

Lifespan 30000h

Height 620.0mm

Width 100.0mm

Length 100.0mm

Weight 2.24 kg

Casing colour dark gray

Casing material aluminium

Work environment outdoor use

A garden is pure nature and yet needs power in several different places. With the PUKA MANA, you can flexibly access power to operate lawnmowers and other gardening tools or simply to charge your e-bike or smartphone. The multiple socket tower has two socket outlets and can be installed particularly easily using our multi-outdoor cable connectors. The sophisticated cable routing ensures a clean visual design. Door can be completely closed when angled plugs are plugged in Total load: max. 3,680 W Easy to install thanks to IP68 cable connector Light can be switched on separately



## Bollard light Deko-Light Tucanae dark gray 18W 1650lm IP54 830

### Product code 20229

Brand [Deko-Light](#)

Output 18W

Luminous flux 1650lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 1000.0mm

Width 180.0mm

Length 206.0mm

Weight 3.47 kg

Package weight 4.44 kg

Casing colour dark gray

Casing material aluminium + plastic

No. of switches 15000pcs

Work environment outdoor use

Operation temperature -5 ~ 40°C



With its slim, unfussy housing design, the TUCANAE is a modern outdoor light that can be integrated almost anywhere. The 100-cm-high bollard light emits its warm white light diagonally downwards onto paths and other surfaces and, in the MOTION variant, has an integrated twilight switch with adjustable brightness threshold and operating time.

## Bollard light Deko-Light Tucanae dark gray 18W 1650lm IP65 830

### Product code 20230

Brand [Deko-Light](#)

Output 18W

Luminous flux 1650lumens

Luminaire's efficiency lm79 92W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP65

Lifespan 30000h

Height 1000.0mm

Width 180.0mm

Length 206.0mm

Weight 3.43 kg

Package weight 4.41 kg

Casing colour dark gray

Casing material aluminium + plastic

No. of switches 15000pcs

Work environment outdoor use

Operation temperature -5 ~ 40°C




With its slim, unfussy housing design, the TUCANAE is a modern outdoor light that can be integrated almost anywhere. The 100-cm-high bollard light emits its warm white light diagonally downwards onto paths and other surfaces and, in the MOTION variant, has an integrated twilight switch with adjustable brightness threshold and operating time.

## Bollard light LFGE27GR black 230V E27 IP65

### Product code 16455

Supply voltage 230V  
Maximum output 16W/1m  
Socket E27  
Protection class IP65  
Height 600.0mm  
Width 76.0mm  
Length 76.0mm  
In package 1pc  
Casing colour black  
Casing material aluminium  
Polishing matt  
Work environment outdoor use  
Warranty 2 years

Bollard light for outdoor use. Well-suited for illuminating driveways and walkways. Protection class IP65 means the light is protected against fine dust and water jets and can be used outdoors. The light has an E27 socket. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)



## Bollard light Liralighting Junior black 230V 19W 1389lm IP65 DALI 830

**Product code 22859 DALI dimmable**

Brand [Liralighting](#)  
 Supply voltage 230V  
 Dimmable DALI  
 Output 19W  
 Maximum output 19W/1m  
 Luminous flux 1389lumens  
 Luminaire's efficiency lm79 73W  
 Correlated colour temperature warm white 3000K  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP65  
 Lifespan 100000h  
 Llmf tm21 L80B10 @25°C 100.000h  
 Height 1000.0mm  
 Diameter 160.0mm  
 Weight 5.5 kg  
 In package 1pc  
 Casing colour black  
 Casing material aluminium  
 Polishing matt  
 Impact resistance IK10  
 Work environment outdoor use  
 Operation temperature -40 ~ 45°C  
 Certificates CE  
 Warranty 5 years



## Bollard light Maytoni Amas graphite E27 IP54

**Product code 19734**

Brand Maytoni  
 Socket E27  
 Protection class IP54  
 Height 250.0mm  
 Diameter 80.0mm  
 Casing colour graphite  
 Casing material metal + glass  
 Work environment outdoor use



## Bollard light Maytoni Amas graphite E27 IP54

### Product code 19735

Brand Maytoni  
Socket E27  
Protection class IP54  
Height 800.0mm  
Diameter 80.0mm  
Weight 1.29 kg  
Package weight 1.64 kg  
Casing colour graphite  
Casing material metal + glass  
Work environment outdoor use



## Bollard light Maytoni Baker Street black square 10W 520lm 180° IP65 830

### Product code 19884

Brand Maytoni  
Output 10W  
Luminous flux 520lumens  
Luminaire's efficiency lm79 52W  
Correlated colour temperature warm white 3000K  
Lens angle 180  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 800.0mm  
Width 180.0mm  
Length 180.0mm  
Casing colour black  
Casing material aluminium  
Shape square  
Work environment outdoor use



## Bollard light Maytoni Bold black E27 IP54

### Product code 19912

Brand Maytoni  
Socket E27  
Protection class IP54  
Height 800.0mm  
Casing colour black  
Casing material aluminum + glass  
Work environment outdoor use



## Bollard light Maytoni Bold gray 60W E27 IP54

### Product code 19913

Brand Maytoni  
Output 60W  
Socket E27  
Protection class IP54  
Height 800.0mm  
Weight 1.42 kg  
Package weight 2.42 kg  
Casing colour gray  
Casing material aluminium + glass  
Polishing matt  
Work environment outdoor use



## Bollard light Maytoni Bonn graphite 10W 550lm 150° IP65 830

### Product code 19755

Brand Maytoni  
Output 10W  
Luminous flux 550lumens  
Luminaire's efficiency lm79 55W  
Correlated colour temperature warm white 3000K  
Lens angle 150  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 1000.0mm  
Width 200.0mm  
Length 60.0mm  
Weight 3.32 kg  
Package weight 3.94 kg  
In package 1pc  
Casing colour graphite  
Casing material metal  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Bonn graphite 20W 1000lm 150° IP65 830

### Product code 19756

Brand Maytoni  
Output 20W  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 150  
Cri 80  
Protection class IP65  
Height 1500.0mm  
Width 200.0mm  
Length 60.0mm  
Casing colour graphite  
Casing material metal  
Work environment outdoor use



## Bollard light Maytoni Bonn graphite 25W 1350lm 150° IP65 830

### Product code 19757


Brand Maytoni  
Output 25W  
Luminous flux 1350lumens  
Luminaire's efficiency lm79 54W  
Correlated colour temperature warm white 3000K  
Lens angle 150  
Cri 80  
Protection class IP65  
Height 2000.0mm  
Width 200.0mm  
Length 60.0mm  
Casing colour graphite  
Casing material metal  
Work environment outdoor use



## Bollard light Maytoni Cell graphite 15W E27 IP54

### Product code 19766

Brand Maytoni  
Output 15W  
Socket E27  
Protection class IP54  
Height 220.0mm  
Width 145.0mm  
Length 145.0mm  
Weight 1.08 kg  
Package weight 1.2 kg  
Casing colour graphite  
Casing material metal + plastic  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Cell graphite 15W E27 IP54

**Product code 19767**

Brand Maytoni  
Output 15W  
Socket E27  
Protection class IP54  
Height 500.0mm  
Width 145.0mm  
Length 145.0mm  
Weight 1.62 kg  
Package weight 1.9 kg  
Casing colour graphite  
Casing material metal + plastic  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Cell graphite 15W E27 IP54

**Product code 19768**

Brand Maytoni  
Output 15W  
Socket E27  
Protection class IP54  
Height 750.0mm  
Width 145.0mm  
Length 145.0mm  
Weight 2.3 kg  
Package weight 2.64 kg  
Casing colour graphite  
Casing material metal + plastic  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Cell graphite 15W E27 IP54

**Product code 19769**

Brand Maytoni  
Output 15W  
Socket E27  
Protection class IP54  
Height 2200.0mm  
Width 145.0mm  
Length 145.0mm  
Weight 2.82 kg  
Package weight 6.77 kg  
Casing colour graphite  
Casing material metal + plastic  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Elbe graphite 10W 650lm 36° IP65 830

**Product code 19777**

Brand Maytoni  
Output 10W  
Luminous flux 650lumens  
Luminaire's efficiency lm79 65W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 1000.0mm  
Width 110.0mm  
Length 110.0mm  
Weight 18.88 kg  
Package weight 2.22 kg  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Elbe graphite 20W 1100lm 36° IP65 830

### Product code 19778

Brand Maytoni  
Output 20W  
Luminous flux 1100lumens  
Luminaire's efficiency lm79 55W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 1500.0mm  
Width 110.0mm  
Length 110.0mm  
Weight 2.7 kg  
Package weight 3.22 kg  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 3 years



## Bollard light Maytoni Elbe graphite 25W 1500lm 36° IP65 830

### Product code 19779

Brand Maytoni  
Output 25W  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 60W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 2000.0mm  
Width 110.0mm  
Length 110.0mm  
Weight 3.42 kg  
Package weight 4.12 kg  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Flare graphite 3W 250lm 92° IP65 830

### Product code 20795

Brand Maytoni  
 Output 3W  
 Luminous flux 250lumens  
 Luminaire's efficiency lm79 83W  
 Correlated colour temperature warm white 3000K  
 Lens angle 92  
 Cri 80  
 Protection class IP65  
 Height 590.0mm  
 Diameter 28.0mm  
 Weight 320 g  
 Package weight 340 g  
 Casing colour graphite  
 Casing material aluminium + plastic  
 Operation temperature -40...+50°C°C  
 Warranty 3 years

Landscape luminaires. Made from aluminum in a granite finish, this landscape fixture features a slender vertical structure with a cylindrical diffuser. Equipped with LED technology, 3W output, and 3,000K warm light, it has an IP65 rating, ensuring durability in all weather conditions. Designed to mimic the flickering of real flames, this fixture brings a modern touch to landscape lighting.



## Bollard light Maytoni Flare graphite 3W 250lm 92° IP65 830

**Product code 20797**

Brand Maytoni  
 Output 3W  
 Luminous flux 250lumens  
 Luminaire's efficiency lm79 83W  
 Correlated colour temperature warm white 3000K  
 Lens angle 92  
 Cri 80  
 Protection class IP65  
 Height 790.0mm  
 Diameter 28.0mm  
 Weight 420 g  
 Package weight 440 g  
 Casing colour graphite  
 Casing material aluminium + plastic  
 Operation temperature -40...+50°C°C  
 Warranty 3 years

Made from aluminum in a granite finish, this landscape fixture features a slender vertical structure with a cylindrical diffuser. Equipped with LED technology, 3W output, and 3,000K warm light, it has an IP65 rating, ensuring durability in all weather conditions. Designed to mimic the flickering of real flames, this fixture brings a modern touch to landscape lighting.



## Bollard light Maytoni Fleur 3 antique bronze 60W E27 IP44

**Product code 19792**

Brand Maytoni  
 Output 60W  
 Socket E27  
 Protection class IP44  
 Height 2390.0mm  
 Width 525.0mm  
 Length 570.0mm  
 Weight 8.14 kg  
 Package weight 10.67 kg  
 Casing colour antique bronze  
 Casing material aluminium  
 Operation temperature -40...+50°C°C  
 Warranty 2 years



## Bollard light Maytoni Fleur 3 black with gold 60W E27 IP44

**Product code 19793**


Brand Maytoni  
Output 60W  
Socket E27  
Protection class IP44  
Height 2390.0mm  
Width 525.0mm  
Length 570.0mm  
Weight 8.14 kg  
Package weight 10.68 kg  
Casing colour black with gold  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 2 years



## Bollard light Maytoni Fleur antique bronze 60W E27 IP44

**Product code 19788**

Brand Maytoni  
Output 60W  
Socket E27  
Protection class IP44  
Height 485.0mm  
Width 485.0mm  
Diameter 150.0mm  
Casing colour antique bronze  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 2 years




## Bollard light Maytoni Fleur antique bronze 60W E27 IP44

**Product code 19789**

Brand Maytoni  
Output 60W  
Socket E27  
Protection class IP44  
Height 1130.0mm  
Width 150.0mm  
Length 150.0mm  
Casing colour antique bronze  
Casing material aluminium



## **Bollard light Maytoni Fleur black with gold 60W E27 IP44**



### **Product code 19790**

Brand Maytoni  
Output 60W  
Socket E27  
Protection class IP44  
Height 485.0mm  
Diameter 150.0mm  
Weight 1.43 kg  
Package weight 1.79 kg  
Casing colour black with gold  
Casing material aluminium  
Work environment outdoor use  
Certificates  
<https://maytoni.de/en/catalog/street/landscape-lighting/o414fl-01gb/>  
Warranty 2 years



## Bollard light Maytoni Fleur black with gold 60W E27 IP44

### Product code 19791

Brand Maytoni  
Output 60W  
Socket E27  
Protection class IP44  
Height 1130.0mm  
Diameter 150.0mm  
Weight 2.67 kg  
Package weight 3.42 kg  
Casing colour black with gold  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 2 years



## Bollard light Maytoni Glide graphite 20W G9 IP54

### Product code 19798

Brand Maytoni  
Output 20W  
Socket G9  
Protection class IP54  
Height 370.0mm  
Diameter 40.0mm  
Casing colour graphite  
Casing material metal + glass  
Work environment outdoor use



## Bollard light Maytoni Glide graphite 20W G9 IP54

**Product code 19799**

Brand Maytoni  
Output 20W  
Socket G9  
Protection class IP54  
Height 460.0mm  
Casing colour graphite  
Casing material metal + glass  
Work environment outdoor use



## Bollard light Maytoni Guss graphite 15W 550lm 90° IP65 830

**Product code 19801**


Brand Maytoni  
Output 15W  
Luminous flux 550lumens  
Luminaire's efficiency lm79 37W  
Correlated colour temperature warm white 3000K  
Lens angle 90  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 900.0mm  
Width 200.0mm  
Length 180.0mm  
Weight 2.84 kg  
Package weight 3.51 kg  
Casing colour graphite  
Casing material metal + glass  
Work environment outdoor use  
Warranty 3 years



## Bollard light Maytoni Guss graphite 15W 550lm 90° IP65 830

### Product code 22461

Brand Maytoni  
 Output 15W  
 Luminous flux 550lumens  
 Luminaire's efficiency lm79 37W  
 Correlated colour temperature warm white 3000K  
 Lens angle 90  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 900.0mm  
 Width 200.0mm  
 Length 180.0mm  
 Weight 2.84 kg  
 Package weight 3.51 kg  
 Casing colour graphite  
 Casing material metal + glass  
 Work environment outdoor use  
 Warranty 3 years



## Bollard light Maytoni Hagen graphite 5W 200lm 51° IP65 830

### Product code 19802

Brand Maytoni  
 Output 5W  
 Luminous flux 200lumens  
 Luminaire's efficiency lm79 40W  
 Correlated colour temperature warm white 3000K  
 Lens angle 51  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 600.0mm  
 Installation opening diameter 50mm  
 Weight 1.02 kg  
 Package weight 1.23 kg  
 Casing colour graphite  
 Casing material metal  
 Work environment outdoor use  
 Operation temperature -40...+50°C  
 Warranty 3 years



## Bollard light Maytoni Hof graphite 12W 450lm 90° IP65 830

### Product code 19805

Brand Maytoni  
 Output 12W  
 Luminous flux 450lumens  
 Luminaire's efficiency lm79 38W  
 Correlated colour temperature warm white 3000K  
 Lens angle 90  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 600.0mm  
 Width 60.0mm  
 Length 100.0mm  
 Weight 1.54 kg  
 Package weight 1.69 kg  
 Casing colour graphite  
 Casing material aluminium  
 Work environment outdoor use  
 Operation temperature -40...+50°C°C



## Bollard light Maytoni Hof graphite 6W 200lm 90° IP65 830

### Product code 19806

Brand Maytoni  
 Output 6W  
 Luminous flux 200lumens  
 Luminaire's efficiency lm79 33W  
 Correlated colour temperature warm white 3000K  
 Lens angle 90  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 250.0mm  
 Width 60.0mm  
 Length 100.0mm  
 Weight 750 g  
 Package weight 930 g  
 Casing colour graphite  
 Casing material aluminium  
 Work environment outdoor use  
 Operation temperature -40...+50°C°C



## Bollard light Maytoni Olten graphite 100-240V 12W 300lm 55° IP65 830

### Product code 19824

Brand Maytoni  
Supply voltage 100-240V  
Output 12W  
Luminous flux 300lumens  
Luminaire's efficiency lm79 25W  
Correlated colour temperature warm white 3000K  
Lens angle 55  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 300.0mm  
Diameter 120.0mm  
Weight 1.15 kg  
Package weight 1.35 kg  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 3 years



## Bollard light Maytoni Olten graphite 100-240V 12W 300lm 55° IP65 830

### Product code 19825

Brand Maytoni  
Supply voltage 100-240V  
Output 12W  
Luminous flux 300lumens  
Luminaire's efficiency lm79 25W  
Correlated colour temperature warm white 3000K  
Lens angle 55  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 800.0mm  
Width 120.0mm  
Weight 2.2 kg  
Package weight 2.65 kg  
In package 1pc  
Casing colour graphite  
Casing material aluminium  
Operation temperature 40...+50°C°C  
Warranty 3 years



## Bollard light Maytoni Paso black 12W 660lm 97° IP54 830

### Product code 19826

Brand Maytoni  
Output 12W  
Maximum output 12W/1m  
Luminous flux 660lumens  
Luminaire's efficiency lm79 55W  
Correlated colour temperature warm white 3000K  
Lens angle 97  
Cri 83  
Protection class IP54  
Lifespan 50000h  
Height 800.0mm  
Width 165.0mm  
Length 100.0mm  
Weight 2.1 kg  
Package weight 2.58 kg  
Casing colour black  
Casing material aluminium  
Operation temperature -40...+50°C°C  
Warranty 3 years



## Bollard light Maytoni Pole graphite 12W 600lm 120° IP65 830

### Product code 19920

Brand Maytoni  
Output 12W  
Luminous flux 600lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 800.0mm  
Width 25.0mm  
Length 25.0mm  
Weight 830 g  
Package weight 1.08 kg  
In package 1pc  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 3 years



## Bollard light Maytoni Pole graphite 18W 1000lm 120° IP65 830

### Product code 19921

Brand Maytoni  
Output 18W  
Luminous flux 1000lumens  
Luminaire's efficiency lm79 56W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 1200.0mm  
Width 25.0mm  
Length 25.0mm  
Weight 1.02 kg  
Package weight 1.45 kg  
In package 1pc  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use  
Operation temperature 40...+50°C  
Warranty 3 years



## Bollard light Maytoni Pole graphite 24W 1200lm 120° IP65 830

### Product code 19922

Brand Maytoni  
Output 24W  
Luminous flux 1200lumens  
Luminaire's efficiency lm79 50W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 80  
Protection class IP65  
Height 1600.0mm  
Width 25.0mm  
Length 25.0mm  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use



## Bollard light Maytoni Porte black 7W 250lm 36° IP54 830

### Product code 19830

Brand Maytoni  
Output 7W  
Luminous flux 250lumens  
Luminaire's efficiency lm79 36W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Protection class IP54  
Height 680.0mm  
Width 60.0mm  
Length 160.0mm  
Weight 3.85 kg  
Package weight 4.25 kg  
In package 1pc  
Casing colour black  
Casing material aluminium  
Work environment outdoor use  
Warranty 3 years



## Bollard light Maytoni Porte black wood 7W 250lm 36° IP54 830

### Product code 19831

Brand Maytoni  
Output 7W  
Luminous flux 250lumens  
Luminaire's efficiency lm79 36W  
Correlated colour temperature warm white 3000K  
Lens angle 36  
Cri 80  
Protection class IP54  
Height 680.0mm  
Width 60.0mm  
Length 160.0mm  
Weight 3.85 kg  
Package weight 4.25 kg  
Casing colour black wood  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C  
Warranty 3 years



## Bollard light Maytoni Royal Mile gray 100-240V 13W 680lm 260° IP65 830

**Product code 19881**

Brand Maytoni  
 Supply voltage 100-240V  
 Output 13W  
 Maximum output 13W/1m  
 Luminous flux 680lumens  
 Luminaire's efficiency lm79 52W  
 Correlated colour temperature warm white 3000K  
 Lens angle 260  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 800.0mm  
 Width 151.0mm  
 Length 151.0mm  
 Weight 2.75 kg  
 Package weight 3.1 kg  
 Casing colour gray  
 Casing material aluminium  
 Work environment outdoor use  
 Operation temperature -40...+50°C°C  
 Warranty 3 years



## Bollard light Maytoni Royal Mile gray 13W 330lm 270° IP65 830

**Product code 19882**

Brand Maytoni  
 Output 13W  
 Maximum output 13W/1m  
 Luminous flux 330lumens  
 Luminaire's efficiency lm79 25W  
 Correlated colour temperature warm white 3000K  
 Lens angle 270  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 151.0mm  
 Width 151.0mm  
 Length 151.0mm  
 Weight 1.29 kg  
 Package weight 1.4 kg  
 In package 1pc  
 Casing colour gray  
 Casing material aluminium  
 Work environment outdoor use  
 Operation temperature -40...+50°C°C  
 Warranty 3 years



## Bollard light Maytoni Salamanca brown 60W E27 360° IP44

### Product code 19847

Brand Maytoni  
Output 60W  
Lens angle 360  
Socket E27  
Protection class IP44  
Height 1050.0mm  
Width 225.0mm  
Length 225.0mm  
Diameter 170.0mm  
Weight 2.42 kg  
Package weight 3.2 kg  
Casing colour brown  
Casing material aluminium + glass  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 2 years



## Bollard light Maytoni Scope black 230V 12W GU10 IP65

### Product code 19424

Brand Maytoni  
Supply voltage 230V  
Output 12W  
Maximum output 12W/1m  
Socket GU10  
Protection class IP65  
Height 600.0mm  
Length 100.0mm  
Diameter 55.0mm  
Weight 850 g  
Package weight 1.2 kg  
Casing colour black  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 2 years



## Bollard light Maytoni Share graphite 12W 1100lm 108° IP54 830

### Product code 19850

Brand Maytoni  
Output 12W  
Luminous flux 1100lumens  
Luminaire's efficiency lm79 92W  
Correlated colour temperature warm white 3000K  
Lens angle 108  
Cri 80  
Protection class IP54  
Height 650.0mm  
Width 162.0mm  
Length 238.0mm  
Casing colour graphite  
Casing material metal + glass  
Operation temperature -40...+50°C°C  
Warranty 3 years



## Bollard light Maytoni Slate graphite 10W 300lm 90° IP65 830

### Product code 22154

Brand Maytoni  
Output 10W  
Luminous flux 300lumens  
Luminaire's efficiency lm79 30W  
Correlated colour temperature warm white 3000K  
Lens angle 90  
Cri 80  
Protection class IP65  
Height 750.0mm  
Width 155.0mm  
Length 145.0mm  
Casing colour graphite  
Casing material aluminium  
Work environment outdoor use



## Bollard light Maytoni Sleek 2 graphite 4W 300lm 60° IP65 930

**Product code 19856**

Brand Maytoni  
Output 4W  
Luminous flux 300lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Cri 90  
Protection class IP65  
Height 500.0mm  
Width 100.0mm  
Length 284.0mm  
Weight 1.15 kg  
Package weight 1.38 kg  
Casing colour graphite  
Casing material stainless steel  
Work environment outdoor use  
Operation temperature -40...+50°C



## Bollard light Maytoni Sleek graphite 2W 150lm 60° IP65 930

**Product code 19855**

Brand Maytoni  
Output 2W  
Luminous flux 150lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Cri 90  
Protection class IP65  
Height 95.0mm  
Width 70.0mm  
Length 109.0mm  
Weight 250 g  
Package weight 300 g  
Casing colour graphite  
Casing material stainless steel  
Work environment outdoor use



## Bollard light Maytoni Sleek graphite 2W 150lm 60° IP65 930

**Product code 19859**

Brand Maytoni  
Output 2W  
Luminous flux 150lumens  
Luminaire's efficiency lm79 75W  
Correlated colour temperature warm white 3000K  
Lens angle 60  
Cri 90  
Protection class IP65  
Height 500.0mm  
Width 100.0mm  
Length 109.0mm  
Weight 900 g  
Package weight 1.2 kg  
Casing colour graphite  
Casing material stainless steel  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Trim graphite E27 IP65

**Product code 19868**

Brand Maytoni  
Socket E27  
Protection class IP65  
Height 255.0mm  
Width 227.0mm  
Length 227.0mm  
Weight 1.91 kg  
Package weight 2.16 kg  
In package 1pc  
Casing colour graphite  
Casing material metal + plastic  
Work environment outdoor use  
Operation temperature -40...+50°C°C



## Bollard light Maytoni Trim graphite E27 IP65

### Product code 19869

Brand Maytoni  
 Socket E27  
 Protection class IP65  
 Height 210.0mm  
 Width 170.0mm  
 Length 170.0mm  
 Weight 1.21 kg  
 Package weight 1.37 kg  
 Casing colour graphite  
 Casing material metal + plastic  
 Work environment outdoor use  
 Operation temperature -40...+50°C°C



## Bollard light Maytoni Vint graphite 9W 450lm 117° IP65 830

### Product code 19872

Brand Maytoni  
 Output 9W  
 Luminous flux 450lumens  
 Luminaire's efficiency lm79 50W  
 Correlated colour temperature warm  
 white 3000K  
 Lens angle 117  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 600.0mm  
 Weight 1.28 kg  
 Package weight 1.5 kg  
 Casing colour graphite  
 Casing material metal + glass  
 Work environment outdoor use  
 Warranty 3 years



## Bollard light Maytoni Wald graphite 12W 1000lm 54° IP65 830

### Product code 19874

Brand Maytoni  
 Output 12W  
 Maximum output 12W/1m  
 Luminous flux 1000lumens  
 Luminaire's efficiency lm79 83W  
 Correlated colour temperature warm white 3000K  
 Lens angle 54  
 Cri 80  
 Protection class IP65  
 Height 400.0mm  
 Diameter 180.0mm  
 Weight 1.16 kg  
 Package weight 1.48 kg  
 Casing colour graphite  
 Casing material aluminium + plastic  
 Work environment outdoor use  
 Operation temperature -40...+50°C°C  
 Warranty 3 years



## Bollard light Maytoni Wald graphite 12W 54° IP65 830

### Product code 19629

Brand Maytoni  
 Output 12W  
 Maximum output 12W/1m  
 Correlated colour temperature warm white 3000K  
 Lens angle 54  
 Cri 80  
 Protection class IP65  
 Lifespan 50000h  
 Height 800.0mm  
 Diameter 180.0mm  
 Weight 1.64 kg  
 Package weight 2.16 kg  
 Casing colour graphite  
 Casing material aluminium  
 Operation temperature -40...+50°C°C  
 Warranty 3 years



## Bollard light Maytoni Wall Street 2 x GU10 anthracite GU10 IP54 3000K warm white

### Product code 19630

Brand Maytoni  
Correlated colour temperature warm white 3000K  
Socket GU10  
Protection class IP54  
Height 550.0mm  
Width 205.0mm  
Casing colour anthracite  
Casing material aluminium



## Bollard light Maytoni Wall Street black 50W GU10 360° IP54

### Product code 19888

Brand Maytoni  
Output 50W  
Lens angle 360  
Socket GU10  
Protection class IP54  
Height 550.0mm  
Width 135.0mm  
Length 65.0mm  
Weight 1.2 kg  
Package weight 1.39 kg  
In package 1pc  
Casing colour black  
Casing material aluminium  
Work environment outdoor use  
Operation temperature -40...+50°C°C  
Warranty 2 years



## **Bollard light Nova Luce Gleam black 230V 5W 183lm 72° IP65 3000K warm white**

### **Product code 22863**

Brand Nova Luce  
Supply voltage 230V  
Output 5W  
Maximum output 5W/1m  
Luminous flux 183lumens  
Luminaire's efficiency lm79 37W  
Correlated colour temperature warm  
white 3000K  
Lens angle 72  
Protection class IP65  
Height 800.0mm  
Length 200.0mm  
Diameter 30.0mm  
Casing colour black  
Casing material aluminum + glass  
Work environment outdoor use



## **Bollard light Nova Luce Gream black 230V 5W 183lm 72° IP65 3000K warm white**

### **Product code 22862**

Brand Nova Luce  
Supply voltage 230V  
Output 5W  
Maximum output 5W/1m  
Luminous flux 183lumens  
Luminaire's efficiency lm79 37W  
Correlated colour temperature warm  
white 3000K  
Lens angle 72  
Protection class IP65  
Height 600.0mm  
Length 200.0mm  
Diameter 30.0mm  
Casing colour black  
Casing material aluminum + glass  
Work environment outdoor use



## Bollard light Nova Luce Mabel 2 black 17W 1190lm IP54 3000K warm white

### Product code 22856


Brand Nova Luce  
Output 17W  
Maximum output 17W/1m  
Luminous flux 1190lumens  
Luminaire's efficiency lm79 70W  
Correlated colour temperature warm white 3000K  
Protection class IP54  
Height 2012.0mm  
Width 201.0mm  
Length 489.0mm  
Casing colour black  
Casing material aluminium + glass  
Work environment outdoor use  
Warranty 3 years



## Bollard light Nova Luce Mabel black 8,5W 590lm 36° IP54 3000K warm white

### Product code 22857


Brand Nova Luce  
Output 8,5W  
Maximum output 8.5W/1m  
Luminous flux 590lumens  
Correlated colour temperature warm  
white 3000K  
Lens angle 36  
Protection class IP54  
Height 1500.0mm  
Length 78.0mm  
Diameter 78.0mm  
Casing colour black  
Casing material aluminium + glass  
Work environment outdoor use  
Warranty 3 years



## Bollard light Nova Luce Zosia dark gray E27 IP65

### Product code 23018

Brand Nova Luce  
 Socket E27  
 Protection class IP65  
 Height 800.0mm  
 Diameter 90.0mm  
 Casing colour dark gray  
 Casing material aluminium + acrylic  
 Work environment outdoor use  
 Warranty 3 years



## Bollard light Prolumen ML08 black 230V 8W 600lm 120° IP65 930

**Product code 15342**

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 8W

Maximum output 8W/1m

Luminous flux 600lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 50000h

Height 700.0mm

Width 140.0mm

Length 280.0mm

In package 1pc

In box 6pcs

Casing colour black

Casing material aluminium + plastic

Polishing matt

Impact resistance IK10

Work environment outdoor use

Operation temperature -20°C ~45°C

Certificates CE,RoHS

Warranty 5 years



A bollard light suitable for the garden with a bidirectional light beam. The light has an aluminum housing, which ensures efficient heat dissipation, and fire-resistant plastic, which distributes the light evenly. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

**Bollard light Prolumen NL90 black 230V 8W 600lm 360° IP65 TRIAC 930**

**Product code 17377 TRIAC dimmable**

---

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Dimmable TRIAC

Output 8W

Maximum output 8W/1m

Luminous flux 600lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature warm white 3000K

Lens angle 360

Cri 90

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1000.0mm

Diameter 100.0mm

Weight 2.3 kg

In package 1pc

In box 6pcs

Casing colour black

Casing material aluminium + plastic

Impact resistance IK08

Work environment outdoor use

Operation temperature -20 ~ 45°C

Warranty 5 years



Stylish bollard light, perfect addition to your driveway and garden! IP65 protection class means that the luminaire is protected against dust ingress and water jets and can be used outdoors. All NL90 models feature high-quality LED chips (CRI90), ensuring that the luminaire's light beam maintains color accuracy in the room. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Bollard light Prolumen oxis A black 230V 10W 530lm 50° IP65 930

**Product code 17382**

Brand [Prolumen](#)  
Supply voltage 230V  
Power factor 0.90  
Output 10W  
Maximum output 10W/1m  
Luminous flux 530lumens  
Luminaire's efficiency lm79 53W  
Correlated colour temperature warm white 3000K  
Lens angle 50  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Height 500.0mm  
Width 121.0mm  
Length 249.0mm  
Weight 5.02 kg  
In package 1pc  
In box 6pcs  
Casing colour black  
Casing material aluminium + plastic  
Work environment outdoor use  
Operation temperature -20 ~ 45°C  
Certificates CE  
Warranty 5 years



LED bollard light with optical structure. The luminaire adds warm white (3000K) light to the garden, and high CRI ensures the naturalness of the colours in the illuminated areas. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Bollard light Trio Lighting Ardila wood E27 IP44

**Product code 21100**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 650.0mm

Width 160.0mm

Weight 1.8 kg

Package weight 2.2 kg

Casing colour wood

Casing material Diecast aluminium

Polishing matt

Work environment indoor use

Warranty 3 years

Our ARDILA series brings timeless modernity to your outdoor area. The unusual design with a glass shade with a wood look provides atmospheric lighting accents and a pleasant atmosphere around your home. The bollard light has a twilight sensor that switches on automatically as it gets darker and can be switched off as required using an integrated switch. Thanks to its IP44 protection rating, the light is weatherproof. The light is a high-quality eye-catcher in your outdoor area thanks to its elegant design made of glass and die-cast aluminium in a wood look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Ardila wood E27 IP44

**Product code 21102**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 1000.0mm

Width 160.0mm

Weight 2.3 kg

Package weight 2.9 kg

Casing colour wood

Casing material Diecast aluminium

Polishing matt

Work environment indoor use

Warranty 3 years

Our ARDILA series brings timeless modernity to your outdoor area. The unusual design with a glass shade with a wood look provides atmospheric lighting accents and a pleasant atmosphere around your home. The bollard light has a twilight sensor that switches on automatically as it gets darker and can be switched off as required using an integrated switch. The IP44 protection rating makes the light particularly weather-resistant. The light is a high-quality eye-catcher in your outdoor area thanks to its elegant design made of glass and die-cast aluminium in a wood look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



# Bollard light Trio Lighting Beja anthracite 12,5W 1650lm IP44 4000K pure white

**Product code 22430**

Brand [Trio Lighting](#)

Output 12,5W

Maximum output 12.5W/1m

Luminous flux 1650lumens

Correlated colour temperature pure white 4000K

Protection class IP44

Lifespan 30000h

Height 600.0mm

Width 120.0mm

Length 80.0mm

Weight 1.1 kg

Package weight 1.2 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years



Stylish light for greater safety! With its curved design, the BEJA light sets elegant accents in any outdoor area. But it can do more than just look good: It provides targeted light along paths, driveways or in the garden, creating a safe and inviting atmosphere. Thanks to IP44, BEJA is weatherproof and can withstand rain, wind and snow - for reliable lighting all year round. The combination of robust die-cast aluminium in anthracite and white plastic ensures a modern look and long-lasting quality. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Bollard light Trio Lighting Beja anthracite 12,5W 1650lm IP44 4000K pure white

**Product code 22431**

Brand [Trio Lighting](#)

Output 12,5W

Maximum output 12.5W/1m

Luminous flux 1650lumens

Correlated colour temperature pure white 4000K

Protection class IP44

Lifespan 30000h

Height 100.0mm

Width 120.0mm

Length 80.0mm

Weight 1.1 kg

Package weight 1.2 kg

Casing colour anthracite


Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years

Stylish light for greater safety! With its curved design, the BEJA light sets elegant accents in any outdoor area. But it can do more than just look good: It provides targeted light along paths, driveways or in the garden, creating a safe and inviting atmosphere. Thanks to IP44, BEJA is weatherproof and can withstand rain, wind and snow - for reliable lighting all year round. The combination of robust die-cast aluminium in anthracite and white plastic ensures a modern look and long-lasting quality. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Elvo black E27 IP44

**Product code 22383**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 2400.0mm

Diameter 570.0mm

Weight 7.8 kg

Package weight 8.6 kg

Casing colour black

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Immerse yourself in a fascinating journey through time with the ELVO series! The unique design of the three-bulb outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the glass body of each light source, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Elvo black E27 IP44

**Product code 22384**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 1000.0mm

Width 170.0mm

Length 170.0mm

Weight 1.8 kg

Package weight 1.9 kg

Casing colour black

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Immerse yourself in a fascinating journey through time with the ELVO series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it provides pleasant light in all directions to ensure safety and create an atmospheric ambience. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Elvo black E27 IP44

**Product code 22385**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 490.0mm

Width 170.0mm

Length 170.0mm

Weight 1.3 kg

Package weight 1.5 kg

Casing colour black

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Immerse yourself in a fascinating journey through time with the ELVO series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it provides pleasant light in all directions to ensure safety and create an atmospheric ambience. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Fraser anthracite E27 IP54

## Product code 22378

Brand [Trio Lighting](#)

Socket E27

Protection class IP54

Height 845.0mm

Width 190.0mm

Weight 1.6 kg

Package weight 2.3 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant concrete colour, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Fraser anthracite E27 IP54

**Product code 22379**

Brand [Trio Lighting](#)

Socket E27

Protection class IP54

Height 540.0mm

Width 190.0mm

Weight 1.3 kg

Package weight 1.8 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant concrete colour, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Fraser anthracite E27 IP54

**Product code 22381**

Brand [Trio Lighting](#)

Socket E27

Protection class IP54

Height 845.0mm

Width 190.0mm

Weight 1.6 kg

Package weight 2.3 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant wood reproduction, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Fraser anthracite E27 IP54

**Product code 22382**

Brand [Trio Lighting](#)

Socket E27

Protection class IP54

Height 540.0mm

Width 190.0mm

Weight 1.3 kg

Package weight 1.8 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant wood reproduction, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## **Bollard light Trio Lighting Fuerte anthracite 15W 1700lm IP54 3000K warm white**

**Product code 21972**

Brand [Trio Lighting](#)

Output 15W

Maximum output 15W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature warm white 3000K

Protection class IP54

Lifespan 30000h

Height 600.0mm

Width 150.0mm

Length 150.0mm

Weight 2.4 kg

Package weight 2.6 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment indoor / outdoor use

Warranty 5 years

The FUERTE outdoor luminaire is characterised by its timeless yet modern appearance. The light filtered through the cover provides a pleasant light intensity in the garden, entrance area or on the terrace. In addition, the luminaire is particularly weather-resistant due to the IP54 protection class and the die-cast aluminium and is therefore suitable for lighting your outdoor area. The luminaire offers numerous application possibilities thanks to its simple form and modern colour scheme in anthracite and white. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



# Bollard light Trio Lighting Fuerte anthracite 15W 1700lm IP54 830

**Product code 21949**

Brand [Trio Lighting](#)

Output 15W

Maximum output 15W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 1550.0mm

Width 150.0mm

Length 150.0mm

Weight 5.3 kg

Package weight 5.9 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use



The FUERTE outdoor luminaire is characterised by its timeless yet modern appearance. The light filtered through the cover provides a pleasant light intensity in the garden, entrance area or on the terrace. In addition, the luminaire is particularly weather-resistant due to the IP54 protection class and the die-cast aluminium and is therefore suitable for lighting your outdoor area. The luminaire offers numerous application possibilities thanks to its simple form and modern colour scheme in anthracite and white. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

## Bollard light Trio Lighting Garonne anthracite 230V E27 IP44

**Product code 19530**

Brand [Trio Lighting](#)

Supply voltage 230V

Socket E27

Protection class IP44

Height 800.0mm

Width 140.0mm

Casing colour anthracite

Casing material aluminum + glass

Polishing matt

Work environment outdoor use

Warranty 2 years

The perfect ambience in the outdoor area requires not only the right decoration, but above all beautiful lighting. Our GARONNE series goes perfectly with straight-lined outdoor furniture and provides pleasant lighting and a perfect ambience for relaxed summer evenings. Whether a well-lit entrance area, path to the house or garden or simply a simple wall and ceiling light for the balcony - the outdoor light has IP44 protection and can therefore be used flexibly. The anthracite-coloured die-cast aluminium supports the linear design and represents a stylish combination with modern elements in the outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Garonne anthracite E27 IP44

**Product code 19529**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 400.0mm

Width 140.0mm

Length 140.0mm

Casing colour anthracite

Casing material metal + glass

Work environment outdoor use



## Bollard light Trio Lighting Hoosic anthracite E27 IP44

**Product code 22437**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 800.0mm

Diameter 120.0mm

Weight 1.5 kg

Package weight 1.8 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Whether you install the light in the entrance area, in the garden or on the patio, the HOOSIC series is versatile thanks to its simple design. What's more, the outdoor light not only provides atmospheric lighting accents, it also has two practical socket connections. Thanks to its IP44 protection rating, it is protected against splashing water and is therefore suitable for outdoor use. The white/anthracite colour combination underlines the modern style and can be combined wonderfully. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Hoosic anthracite E27 IP44

**Product code 22438**

---

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 800.0mm

Diameter 120.0mm

Weight 1.5 kg

Package weight 1.8 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Whether you install the light on your house façade, your balcony or on the wall of your patio, the HOOSIC series is versatile thanks to its simple design. With IP44 protection, it is protected against splashing water and is therefore suitable for outdoor use. The white/anthracite colour combination underlines the modern style and can be combined wonderfully. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Hoosic anthracite E27 IP44

**Product code 22439**

---

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 300.0mm

Diameter 120.0mm

Weight 1.5 kg

Package weight 1.8 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Whether you install the light on your house façade, your balcony or on the wall of your patio, the HOOSIC series is versatile thanks to its simple design. With IP44 protection, it is protected against splashing water and is therefore suitable for outdoor use. The white/anthracite colour combination underlines the modern style and can be combined wonderfully. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Hoosic anthracite E27 IP44

**Product code 22443**

---

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 800.0mm

Diameter 120.0mm

Weight 1.3 kg

Package weight 1.6 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Decorative and functional - the HOOSIC pathway light with integrated motion sensor. In the dark, the anthracite-coloured luminaire unfolds its full effect and shines the light evenly into the outdoor area, creating an effective and pleasant light intensity. Thanks to the weather-resistant die-cast aluminium in combination with white plastic and the IP44 protection rating, the path light with a height of 80 cm and a diameter of 9 cm is ideal for illuminating your outdoor area. The integrated motion detector has a detection angle of 120 and a range of up to 8 metres. The lighting duration can be individually set from five seconds to seven minutes. The anthracite-coloured design can be combined in a variety of ways and ensures a modern appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Hoosic anthracite E27 IP44

**Product code 22445**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 300.0mm

Diameter 120.0mm

Weight 1.5 kg

Package weight 1.8 kg

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Warranty 3 years

Decorative and functional - the HOOSIC pathway light with integrated motion sensor. In the dark, the luminaire unfolds its full effect and shines the light evenly into the outdoor area, creating an effective and pleasant light intensity. Thanks to the weather-resistant die-cast aluminium in combination with white plastic and the IP44 protection rating, the path light with a height of 30 cm and a diameter of 9 cm is ideal for illuminating your outdoor area. The integrated motion detector has a detection angle of 120 and a range of up to 8 metres. The lighting duration can be individually set from five seconds to seven minutes. The anthracite-coloured design can be combined in a variety of ways and ensures a modern appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Kaveri anthracite GU10 IP44

**Product code 19542**

Brand [Trio Lighting](#)

Socket GU10

Protection class IP44

Diameter 200.0mm

Casing colour anthracite

Work environment outdoor use

Reduced design and classic shape – that is our outdoor luminaire KAVERI. Placed in the entrance area, garden or on your terrace, the timeless luminaire provides an inviting ambience and optimal lighting conditions. Thanks to the weather-resistant die-cast aluminium and the IP44 protection rating, the path light is protected against splashing water and is therefore suitable for outdoor use. The stylish anthracite colour scheme will enhance your outdoor space with modern colour accents. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.



## Bollard light Trio Lighting kinnituspiik

**Product code 22423**

Brand [Trio Lighting](#)

Height 405.0mm

Width 200.0mm

Length 140.0mm


Weight 1.1 kg

Package weight 1.4 kg

Casing material metal

Work environment outdoor use

Warranty 3 years



## Bollard light Trio Lighting Livenza black 230V E27 IP44

**Product code 22395**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 60W/1m

Socket E27

Protection class IP44

Height 2000.0mm

Diameter 580.0mm

Weight 5 kg

Package weight 6.2 kg

Casing colour black

Casing material aluminium

Work environment indoor / outdoor use

Certificates CE, RoHS

Warranty 3 years

Immerse yourself in a fascinating journey through time with the LIVENZA series! The unique design of the three-bulb outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. With an IP44 protection rating, the light is protected against splashing water on all sides. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Livenza black 230V E27 IP44

Product code 22396

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 60W/1m

Socket E27

Protection class IP44

Height 1000.0mm

Width 150.0mm

Length 170.0mm

Weight 1.1 kg

Package weight 1.4 kg

Casing colour black

Casing material aluminium

Work environment indoor / outdoor  
use

Certificates CE, RoHS

Warranty 3 years



## Bollard light Trio Lighting Livenza black 230V E27 IP44

**Product code 22397**

---

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 60W/1m

Socket E27

Protection class IP44

Height 395.0mm

Width 170.0mm

Length 170.0mm

Weight 700 g

Package weight 1 kg

Casing colour black

Casing material aluminium

Work environment indoor / outdoor  
use

Certificates CE, RoHS

Warranty 3 years

Immerse yourself in a fascinating journey through time with the LIVENZA series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. With an IP44 protection rating, the light is protected against splashing water on all sides. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Livenza white 230V E27 IP44

**Product code 22398**

Brand [Trio Lighting](#)

Supply voltage 230V

Maximum output 60W/1m

Socket E27

Protection class IP44

Height 395.0mm

Width 170.0mm

Length 170.0mm

Weight 700 g

Package weight 1 kg

Casing colour white

Casing material aluminium

Work environment indoor / outdoor  
use

Certificates CE, RoHS

Warranty 3 years

Immerse yourself in a fascinating journey through time with the LIVENZA series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. With an IP44 protection rating, the light is protected against splashing water on all sides. The light, made of high-quality die-cast aluminium in matt white, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Mackenzie anthracite 8W 800lm IP54 830

**Product code 21077**

Brand [Trio Lighting](#)

Output 8W

Luminous flux 800lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 500.0mm

Diameter 165.0mm

Weight 1.6 kg

Package weight 2.1 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years



## Bollard light Trio Lighting Mackenzie anthracite 8W 800lm IP54 830

**Product code 21078**

Brand [Trio Lighting](#)

Output 8W

Luminous flux 800lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 30000h

Height 950.0mm

Diameter 165.0mm

Weight 2.1 kg

Package weight 2.8 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years



# Bollard light Trio Lighting Malawi anthracite 5W 700lm IP65 2300K, 3000K, 4000K 3CCT

**Product code 21095**

Brand [Trio Lighting](#)  
 Output 5W  
 Luminous flux 700lumens  
 Luminaire's efficiency lm79 140W  
 Correlated colour temperature 3CCT  
 2300K, 3000K, 4000K  
 Protection class IP65  
 Lifespan 50000h  
 Height 600.0mm  
 Width 153.0mm  
 Length 200.0mm  
 Weight 3 kg  
 Package weight 3.4 kg  
 Casing colour anthracite  
 Casing material Diecast aluminium  
 No. of switches 25000pcs  
 Work environment outdoor use  
 Warranty 5 years

The MALAWI outdoor light combines modern technology with practical functionality and is the ideal choice for your outdoor lighting. Equipped with a motion and twilight sensor, the light provides automatic and needs-based lighting. It offers flexible operating options: the light can be used either exclusively with solar energy, only with mains voltage or in hybrid operation. If the battery voltage is insufficient, it automatically switches to mains operation, while the battery is charged exclusively via the solar panel. The design of the MALAWI enables an individually adjustable light surface that can be tilted as required to direct the light in a targeted manner. At dusk or in the dark, the MALAWI lights up continuously with a gentle orientation light of around 10% brightness. As soon as the motion sensor registers activity in the immediate vicinity, the brightness automatically increases to 100%. With an IP65 protection rating, the luminaire is optimally protected against dust and water jets from any angle, making it ideal for outdoor use. The robust housing of the MALAWI is made of high-quality die-cast aluminium, which not only ensures a long service life, but also offers a modern and elegant look thanks to its anthracite-coloured surface. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



# Bollard light Trio Lighting Malawi Solar anthracite 5W 700lm IP65 2300K, 3000K, 4000K 3CCT

**Product code 21096**

Brand [Trio Lighting](#)  
 Output 5W  
 Luminous flux 700lumens  
 Luminaire's efficiency lm79 140W  
 Correlated colour temperature 3CCT  
 2300K, 3000K, 4000K  
 Protection class IP65  
 Lifespan 50000h  
 Height 1000.0mm  
 Width 153.0mm  
 Length 200.0mm  
 Weight 3.6 kg  
 Package weight 4.1 kg  
 Casing colour anthracite  
 Casing material Diecast aluminium  
 No. of switches 25000pcs  
 Work environment outdoor use  
 Warranty 5 years

The MALAWI outdoor light combines modern technology with practical functionality and is the ideal choice for your outdoor lighting. Equipped with a motion and twilight sensor, the light provides automatic and needs-based lighting. It offers flexible operating options: the light can be used either exclusively with solar energy, only with mains voltage or in hybrid operation. If the battery voltage is insufficient, it automatically switches to mains operation, while the battery is charged exclusively via the solar panel. The design of the MALAWI enables an individually adjustable light surface that can be tilted as required to direct the light in a targeted manner. At dusk or in the dark, the MALAWI lights up continuously with a gentle orientation light of around 10% brightness. As soon as the motion sensor registers activity in the immediate vicinity, the brightness automatically increases to 100%. With an IP65 protection rating, the luminaire is optimally protected against dust and water jets from any angle, making it ideal for outdoor use. The robust housing of the MALAWI is made of high-quality die-cast aluminium, which not only ensures a long service life, but also offers a modern and elegant look thanks to its anthracite-coloured surface. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Mariza anthracite 11W 1150lm IP65 3000K warm white

**Product code 19469**

Brand [Trio Lighting](#)

Output 11W

Luminous flux 1150lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature warm white 3000K

Protection class IP65

Height 500.0mm

Width 310.0mm

Length 115.0mm

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Impressive light art for outdoor areas with the MARIZA series! The modern bollard light bathes paths around the house in pleasant light and illuminates the entrance area with artistic lighting flair. Its elongated design has an IP65 protection rating, which means it is protected against water jets from all sides. The elegant anthracite colour scheme can be easily integrated into existing outdoor concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Mures anthracite E27 IP44

**Product code 22361**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 800.0mm

Diameter 180.0mm

Weight 2 kg

Package weight 2.7 kg

Casing colour anthracite

Casing material aluminium

Work environment outdoor use

The MURES outdoor bollard impresses with its simple, timeless design and a luminous sphere that emits pleasant light into the surroundings. It provides gentle illumination and creates a sense of security around the house - especially along paths, driveways or in entrance areas where orientation and good lighting are required. Thanks to its IP44 protection rating, MURES is reliably protected against splash water, making it ideal for outdoor use. Whether along garden paths, driveways or in entrance areas - this bollard combines functionality with discreet elegance. Made of die-cast aluminium in anthracite and combined with white glass, the luminaire impresses with its high-quality choice of materials and modern look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Mures anthracite E27 IP44

**Product code 22362**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 400.0mm

Diameter 180.0mm

Weight 1.2 kg

Package weight 1.7 kg

Casing colour anthracite

Casing material aluminium

Work environment outdoor use

The MURES outdoor bollard impresses with its simple, timeless design and a luminous sphere that emits pleasant light into the surroundings. It provides gentle illumination and creates a sense of security around the house - especially along paths, driveways or in entrance areas where orientation and good lighting are required. Thanks to its IP44 protection rating, MURES is reliably protected against splash water, making it ideal for outdoor use. Whether along garden paths, driveways or in entrance areas - this bollard combines functionality with discreet elegance. Made of die-cast aluminium in anthracite and combined with white glass, the luminaire impresses with its high-quality choice of materials and modern look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## **Bollard light Trio Lighting PEARL anthracite 230V 8W 900lm IP54 3000K warm white**

**Product code 20753**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 8W

Maximum output 8W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature warm white 3000K

Protection class IP54

Height 500.0mm

Width 140.0mm

Casing colour anthracite

Casing material aluminum + glass

Polishing matt

No. of switches 20000pcs

Work environment outdoor use

Warranty 2 years



## **Bollard light Trio Lighting Pearl anthracite 230V 8W 900lm IP54 3000K warm white**

**Product code 22721**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 8W

Maximum output 8W/1m

Luminous flux 900lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature warm white 3000K

Protection class IP54

Height 100.0mm

Width 140.0mm

Weight 1.6 kg

Package weight 2.2 kg

Casing colour anthracite

Casing material aluminum + glass

Polishing matt

No. of switches 20000pcs

Work environment outdoor use

Warranty 5 years



Functionality meets modern, innovative design! This outdoor light from the PEARL series impresses with its attractive design and offers you the opportunity to set the scene for your outdoor areas with warm lighting accents. The post provides direct, downward illumination on your footpath or garden path. Thanks to the IP rating of 54, this modern light is particularly weather-resistant. The path light has a height of 100 cm and a width of 14 cm. The pathway light impresses with a housing made of anthracite-coloured die-cast aluminium and a slanted light shade made of white plastic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Ravi anthracite 13W 1500lm IP65 2300K, 3000K, 4000K 3CCT

**Product code 22364**

Brand [Trio Lighting](#)

Output 13W

Maximum output 13W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature 3CCT

2300K, 3000K, 4000K

Protection class IP65

Lifespan 30000h

Height 1000.0mm

Width 22.0mm

Length 140.0mm

Weight 4.3 kg

Package weight 5 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years

The PARANA outdoor wall light impresses with its cylindrical, minimalist, simple design and blends harmoniously into any façade design. It emits its light pleasantly upwards and downwards and creates a stylish play of light on the façade, providing discreet yet effective lighting. With protection class IP44, PARANA is reliably protected against splash water and is therefore ideal for outdoor use. Whether at the front door, along the house wall or around the house - the light ensures greater safety and an inviting atmosphere. Die-cast aluminium in anthracite combined with white plastic gives RAVI a modern, robust look with a timeless character. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Ravi anthracite 13W 1500lm IP65 2300K, 3000K, 4000K 3CCT

**Product code 22365**

Brand [Trio Lighting](#)

Output 13W

Maximum output 13W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature 3CCT

2300K, 3000K, 4000K

Protection class IP65

Lifespan 30000h

Height 500.0mm

Width 22.0mm

Length 140.0mm

Weight 4.3 kg

Package weight 5 kg

Casing colour anthracite

Casing material Diecast aluminium

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years



The PARANA outdoor wall light impresses with its cylindrical, minimalist, simple design and blends harmoniously into any façade design. It emits its light pleasantly upwards and downwards and creates a stylish play of light on the façade, providing discreet yet effective lighting. With protection class IP44, PARANA is reliably protected against splash water and is therefore ideal for outdoor use. Whether at the front door, along the house wall or around the house - the light ensures greater safety and an inviting atmosphere. Die-cast aluminium in anthracite combined with white plastic gives RAVI a modern, robust look with a timeless character. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## **Bollard light Trio Lighting Reno anthracite 4,5W 450lm IP54 3000K warm white**

**Product code 19543**

---

Brand [Trio Lighting](#)

Output 4,5W

Luminous flux 450lumens

Correlated colour temperature warm  
white 3000K

Protection class IP54

Lifespan 20000h

Height 500.0mm

Width 160.0mm

Weight 1.8 kg

Package weight 2 kg

Casing colour anthracite

No. of switches 50000pcs

Work environment outdoor use

Warranty 5 years

This free-standing light from the RENO series brings completely new design possibilities to your outdoor area.

Clear lines and timeless elegance are combined here to form a perfect unit.

Leave a lasting impression in your entrance area. The anthracite die-cast aluminium version can complement modern style concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Reno anthracite 4,5W 450lm IP54 830

**Product code 22295**

Brand [Trio Lighting](#)

Output 4,5W

Luminous flux 450lumens

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP54

Lifespan 20000h

Height 1000.0mm

Width 160.0mm

Length 57.0mm

Weight 2.9 kg

Package weight 3.2 kg

Casing colour anthracite

Casing material metal

No. of switches 50000pcs

Work environment indoor use

Warranty 5 years

This free-standing light from the RENO series brings completely new design possibilities to your outdoor area. Clear lines and timeless elegance are combined here to form a perfect unit. Leave a lasting impression in your entrance area. The anthracite die-cast aluminium version can complement modern style concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Salmon black 230V 11W IP44 3000K warm white

**Product code 19423**

Brand [Trio Lighting](#)

Supply voltage 230V

Output 11W

Maximum output 11W/1m

Correlated colour temperature warm white 3000K

Protection class IP44

Lifespan 30000h

Height 600.0mm

Width 215.0mm

Length 950.0mm

In package 1pc

Casing colour black

Casing material aluminium

Polishing matt



Bollard light for outdoor use. Well-suited for illuminating driveways and walkways. Protection class IP65 means the light is protected against fine dust and water jets and can be used outdoors. The light has an E27 socket. Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## Bollard light Trio Lighting Sambesi 3 anthracite E27 IP44

**Product code 21098**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 2400.0mm

Diameter 510.0mm

Weight 4.9 kg

Package weight 6.9 kg

Casing colour anthracite

Casing material Diecast aluminium

Warranty 3 years



## Bollard light Trio Lighting Sambesi 3 rustic E27 IP44

**Product code 21097**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 2400.0mm

Diameter 510.0mm

Weight 4.9 kg

Package weight 6.9 kg

Casing colour rustic

Casing material Diecast aluminium

Warranty 3 years



## Bollard light Trio Lighting Sambesi anthracite E27 IP44

**Product code 20007**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 1000.0mm

Width 230.0mm

Casing colour anthracite

Casing material Diecast aluminium

Work environment outdoor use

Exceptional and functional luminaire design. With its traditional yet modern luminaire design, the SAMBESI path light will be an eye-catcher in your outdoor area. When the luminaire is switched on, the light is pleasantly emitted into the surroundings and creates a decorative lighting ambience. The light has a twilight sensor that can be switched off via an integrated switch if required. Thanks to the weather-resistant die-cast aluminium in combination with the IP44 protection rating, the pathway light with a height of 100 cm is ideal for illuminating your outdoor area. The anthracite-coloured design can be combined in a variety of ways and ensures a modern appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Sambesi anthracite E27 IP44 3000K warm white

### Product code 19470

Brand [Trio Lighting](#)  
 Correlated colour temperature warm white 3000K  
 Socket E27  
 Protection class IP44  
 Height 800.0mm  
 Width 230.0mm  
 Length 210.0mm  
 Casing colour anthracite  
 Casing material Diecast aluminium  
 Work environment outdoor use



## Bollard light Trio Lighting Sambesi rustic E27 IP44

### Product code 19497

Brand [Trio Lighting](#)  
 Socket E27  
 Protection class IP44  
 Height 600.0mm  
 Width 230.0mm  
 Length 210.0mm  
 Casing colour rustic  
 Casing material Diecast aluminium  
 Work environment outdoor use

Exceptional and functional luminaire design. The SAMBESI bollard light with its traditional yet modern luminaire design will be an eye-catcher in your outdoor area. When the luminaire is switched on, the light is pleasantly emitted into the surroundings and creates a decorative lighting ambience. The light has a twilight sensor that can be switched off via an integrated switch if required. Thanks to the weather-resistant die-cast aluminium in combination with the IP44 protection rating, the bollard light with a height of 60 cm is ideal for illuminating your outdoor area. The rust-coloured design is absolutely on trend and ensures a sophisticated appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Sambesi rustic E27 IP44

**Product code 19528**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 1000.0mm

Width 230.0mm

Casing colour rustic

Casing material Diecast aluminium

Work environment outdoor use

Exceptional and functional luminaire design. With its traditional yet modern luminaire design, the SAMBESI path light will be an eye-catcher in your outdoor area. When the luminaire is switched on, the light is pleasantly emitted into the surroundings and creates a decorative lighting ambience. The light has a twilight sensor that can be switched off via an integrated switch if required. Thanks to the weather-resistant die-cast aluminium in combination with the IP44 protection rating, the pathway light with a height of 100 cm is ideal for illuminating your outdoor area. The rust-coloured design is absolutely on trend and ensures a sophisticated appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Tanaro anthracite E27 IP44

**Product code 21987**

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Height 400.0mm

Diameter 145.0mm

Casing colour anthracite

Casing material aluminium



## Bollard light Trio Lighting Trioto black E27 IP20

**Product code 21467**

Brand [Trio Lighting](#)

Socket E27

Protection class IP20

Height 450.0mm

Diameter 118.0mm

Weight 500 g

Package weight 700 g

Casing colour black

Casing material stainless steel

Work environment outdoor use

Warranty 5 years

The TRIOTO bollard light combines stylish design and functionality to make paths, driveways and garden areas safe and inviting. Ideal along footpaths or near patios, it not only creates striking accents, but also ensures uniform illumination and better orientation in the dark. Its cylindrical design emits light in all directions and creates an atmospheric play of light in outdoor areas. With an IP44 protection rating, TRIOTO is reliably protected against splashing water from all sides and is ideal for outdoor use. Made from high-quality stainless steel in matt black and combined with white plastic, it impresses with its durability and timeless elegance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Trioto black E27 IP44

### Product code 22419

---

Brand [Trio Lighting](#)

Socket E27

Protection class IP44

Lifespan 30000h

Height 800.0mm

Diameter 118.0mm

Weight 900 g

Package weight 1 kg

Casing colour black

Casing material stainless steel

Work environment outdoor use

Warranty 3 years

The TRIOTO bollard light combines stylish design and functionality to make paths, driveways and garden areas safe and inviting. Ideal along footpaths or near patios, it not only creates striking accents, but also ensures uniform illumination and better orientation in the dark. Its cylindrical design emits light in all directions and creates an atmospheric play of light in outdoor areas. With an IP44 protection rating, TRIOTO is reliably protected against splashing water from all sides and is ideal for outdoor use. Made from high-quality stainless steel in matt black and combined with white plastic, it impresses with its durability and timeless elegance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Bollard light Trio Lighting Witham anthracite 14,5W 1450lm IP54 2300K, 3000K, 4000K 3CCT

**Product code 22424**

Brand [Trio Lighting](#)

Output 14,5W

Maximum output 14.5W/1m

Luminous flux 1450lumens

Correlated colour temperature 3CCT  
2300K, 3000K, 4000K

Protection class IP54

Lifespan 30000h

Height 800.0mm

Width 150.0mm

Length 150.0mm

Weight 2.9 kg

Package weight 3.3 kg

Casing colour anthracite

Casing material metal + plastic

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years



The WITHAM outdoor light provides the necessary safety around your house. In the dark, the floor lamp unfolds its full effect and emits the light evenly in all directions to the outdoor area, creating an effective and pleasant light distribution. Thanks to the simple, straight-lined design and the IP54 protection class, the WITHAM is versatile in use. In addition, the luminaire has a DIP switch, which allows the light colour to be adjusted individually. The anthracite-coloured outdoor light made of die-cast aluminium, metal and white plastic has a modern appearance. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## Bollard light Trio Lighting Witham anthracite 14W 1550lm IP54 2300K, 3000K, 4000K 3CCT

**Product code 22422**

Brand [Trio Lighting](#)

Output 14W

Maximum output 14W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 111W

Correlated colour temperature 3CCT

2300K, 3000K, 4000K

Protection class IP54

Lifespan 30000h

Height 400.0mm

Width 150.0mm

Length 150.0mm

Weight 1.7 kg

Package weight 1.9 kg


Casing colour anthracite

Casing material aluminium + plastic

No. of switches 15000pcs

Work environment outdoor use

Warranty 5 years



The WITHAM outdoor light provides the necessary safety around your house. In the dark, the floor lamp unfolds its full effect and emits the light evenly in all directions to the outdoor area, creating an effective and pleasant light distribution. Thanks to the simple, straight-lined design and the IP54 protection class, the WITHAM is versatile in use. In addition, the luminaire has a DIP switch, which allows the light colour to be adjusted individually. The anthracite-coloured outdoor light made of die-cast aluminium, metal and white plastic has a modern appearance. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.