Bollard light Deko-Light Antliae gray 13W 650lm IP65 3000K warm white

Product code 20172

Brand Deko-Light
Output voltage 220-240V
Output 13W
Luminous flux 650lumens
Luminaire’s efficiency 50W
Correlated colour temperature warm white 3000K
Protection class IP65
Lifespan 25000h
Height 800.0mm
Length 121.0mm
Diameter 152.0mm
Casing colour gray
Casing material aluminium
Work environment outdoor use




Flexible waymarker - The Antilae LED path light provides bordering, path marking and visual elegance in gardens, on patios or in car parks. With its 80-cm-high housing made from dark grey die-cast aluminium with IP65 degree of protection, the Antilae is a robust and resilient functional lighting product providing a warm white ambience (3,000 K).

Bollard light Deko-Light Arawan dark gray 4,8W 150lm 360° IP44 830

Product code 23114

Brand Deko-Light
Output 4,8W
Maximum output 4.8W/1m
Luminous flux 150lumens
Correlated colour temperature warm white 3000K
Lens angle 360
Cri 80
Protection class IP44
Lifespan 30000h
Height 478.0mm
Diameter 100.0mm
Weight 1.68 kg
Casing colour dark gray
Casing material aluminium
No. of switches 100000pcs
Work environment outdoor use
Operation temperature -20 kuni 50 °C°C
Warranty 5 years









Sometimes it's about more than just light. With our multiple socket tower, available with or without light, another gap in our range is filled. Design your garden even more flexibly, in proven DEKO-LIGHT quality of course and at a price that won't break the bank. Safe power distribution outdoors Total load max. 3,680 W Outlets and lights can be switched on separately Connection box with IP67 and accessories including in scope of delivery Feed-through wiring possible

Bollard light Deko-Light Cata IV anthracite 4W 170lm IP54 830

Product code 20222

Brand Deko-Light
Output 4W
Luminous flux 170lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 500.0mm
Width 61.0mm
Length 151.0mm
Weight 1.34 kg
Package weight 1.49 kg
Casing colour anthracite
Casing material aluminium + plastic
No. of switches 15000pcs
Operation temperature -20 ~ 50°C



Bollard light Deko-Light Cata V anthracite 4W 170lm IP54 830

Product code 20223

Brand Deko-Light
Output 4W
Luminous flux 170lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 700.0mm
Width 61.0mm
Length 151.0mm
Weight 1.58 kg
Package weight 1.84 kg
Casing colour anthracite
Casing material aluminium + plastic
No. of switches 15000pcs
Operation temperature -20 ~ 50°C



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Deko-Light Cata VI anthracite 4W 170lm IP54 830

Product code 20224

Brand Deko-Light
Output 4W
Luminous flux 170lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 1000.0mm
Width 61.0mm
Length 151.0mm
Weight 2.04 kg
Package weight 2.38 kg
Casing colour anthracite
Casing material aluminium + plastic
No. of switches 15000pcs
Operation temperature -20 ~ 50°C



Bollard light Deko-Light Chertan gray 13W 480lm IP54 930

Product code 20225

Brand Deko-Light
Output 13W
Luminous flux 480lumens
Luminaire’s efficiency 37W
Correlated colour temperature warm white 3000K
Cri 90
Protection class IP54
Lifespan 30000h
Height 450.0mm
Width 72.0mm
Length 170.0mm
Weight 3.8 kg
Package weight 4.34 kg
Casing colour gray
Casing material aluminium + plastic
No. of switches 15000pcs
Operation temperature -20 ~ 50°C



Bollard light Deko-Light Chertan gray 13W 530lm IP54 930

Product code 20226

Brand Deko-Light
Output 13W
Luminous flux 530lumens
Luminaire’s efficiency 41W
Correlated colour temperature warm white 3000K
Cri 90
Protection class IP54
Lifespan 30000h
Height 600.0mm
Width 72.0mm
Length 170.0mm
Weight 3.94 kg
Package weight 4.56 kg
Casing colour gray
Casing material aluminium + plastic
No. of switches 15000pcs
Operation temperature -20 ~ 50°C



With its extraordinary mix of materials consisting of die-cast aluminium housing and base made of weather-resistant, fibreglass-reinforced concrete, the CHERTAN outdoor standing light certainly stands apart from other models just on looks alone. With its pleasantly warm white light and light emission angle of 120°, the outdoor light is perfectly suited for decorative use in entrance areas, on paths or in the garden. Note: As concrete is a natural product, every surface is unique and forms a distinct patina over time, depending on local conditions. It is therefore normal in wet conditions for a blotchy surface to form that disappears again when dried, yet produces an individual patina over the long-term.

Bollard light Deko-Light Chertan gray 13W 640lm IP54 930


Product code 20227

Brand Deko-Light
Output 13W
Luminous flux 640lumens
Luminaire’s efficiency 49W
Correlated colour temperature warm white 3000K
Cri 90
Protection class IP54
Lifespan 30000h
Height 1000.0mm
Width 72.0mm
Length 170.0mm
Weight 4.39 kg
Package weight 5.2 kg
Casing colour gray
Casing material aluminium + plastic
No. of switches 15000pcs
Operation temperature -20 ~ 50°C



With its extraordinary mix of materials consisting of die-cast aluminium housing and base made of weather-resistant, fibreglass-reinforced concrete, the CHERTAN outdoor standing light certainly stands apart from other models just on looks alone. With its pleasantly warm white light and light emission angle of 120°, the outdoor light is perfectly suited for decorative use in entrance areas, on paths or in the garden. Note: As concrete is a natural product, every surface is unique and forms a distinct patina over time, depending on local conditions. It is therefore normal in wet conditions for a blotchy surface to form that disappears again when dried, yet produces an individual patina over the long-term.

Bollard light Deko-Light Facado 2 anthracite E27 IP65





Product code 19631

Brand Deko-Light
Socket E27
Protection class IP65
Height 650.0mm
Width 108.0mm
Casing colour anthracite
Casing material aluminum + glass
Work environment outdoor use

Bollard light Deko-Light Facado 2 dark gray E27 IP65

Product code 20326

Brand Deko-Light
Socket E27
Protection class IP65
Height 1000.0mm
Width 108.0mm
Length 108.0mm
Weight 4 kg
Package weight 4.87 kg
Casing colour dark gray
Casing material aluminium
Impact resistance IK05
Work environment outdoor use
Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more.



Bollard light Deko-Light Facado 2 dark gray E27 IP65

Product code 20328

Brand Deko-Light
Socket E27
Protection class IP65
Height 650.0mm
Weight 1.91 kg
Package weight 2.71 kg
Casing colour dark gray
Casing material aluminium
Impact resistance IK05
Work environment outdoor use
Operation temperature -20 ~ 40°C







IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass Ideal for e.g. ST64 bulbs and A60/70 bulbs Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².

Bollard light Deko-Light Facado 2 dark gray E27 IP65

Product code 20331

Brand Deko-Light
Socket E27
Protection class IP65
Height 1000.0mm
Diameter 108.0mm
Weight 2.6 kg
Package weight 3.55 kg
Casing colour dark gray
Casing material aluminum + glass
Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

Product code 20325

Brand Deko-Light
Socket E27
Protection class IP65
Height 650.0mm
Width 108.0mm
Length 108.0mm
Weight 2.75 kg
Package weight 3.62 kg
Casing colour dark gray
Casing material aluminium + plastic
Operation temperature -20 ~ 40°C





P65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more.

Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

Product code 20327

Brand Deko-Light
Socket E27
Protection class IP65
Height 1000.0mm
Width 108.0mm
Length 108.0mm
Weight 4 kg
Package weight 4.87 kg
Casing colour dark gray
Casing material aluminium
Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more. Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides even better illumination. The FACADO light is made from high-quality die-cast aluminium and available in dark grey or rust and in square or rounded designs. The IP67 connection box features a double M20 cable gland suitable for buried cables in sizes 3 × 1.5 mm², 5 × 1.5 mm² or 3 × 2.5 mm², and more.



Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

Product code 20329

Brand Deko-Light
Socket E27
Protection class IP65
Height 650.0mm
Diameter 108.0mm
Weight 1.91 kg
Package weight 2.71 kg
Casing colour dark gray
Casing material aluminium
Operation temperature -20 ~ 40°C



IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved.ur FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².

Bollard light Deko-Light Facado 2 opal dark gray E27 IP65

Product code 20332

Brand Deko-Light
Socket E27
Protection class IP65
Height 1000.0mm
Diameter 108.0mm
Weight 2.6 kg
Package weight 3.55 kg
Casing colour dark gray
Casing material aluminium
Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².







Bollard light Deko-Light Facado 2 opal rustic E27 IP65

Product code 20330

Brand Deko-Light
Socket E27
Protection class IP65
Height 650.0mm
Diameter 108.0mm
Weight 1.91 kg
Package weight 2.71 kg
Casing colour rustic
Casing material aluminum + glass
Operation temperature -20 ~ 40°C





IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².

Bollard light Deko-Light Facado 2 opal rustic E27 IP65

Product code 20334

Brand Deko-Light
Socket E27
Protection class IP65
Height 1000.0mm
Weight 2.6 kg
Package weight 3.55 kg
Casing colour rustic
Casing material aluminium + polycarbonate
Impact resistance IK05
Operation temperature -20 ~ 40°C

IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm². Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².



Bollard light Deko-Light Facado 2 rustic E27 IP65

Product code 20333

Brand Deko-Light
Socket E27
Protection class IP65
Height 1000.0mm
Diameter 108.0mm
Weight 2.6 kg
Package weight 3.55 kg
Casing colour rustic
Casing material aluminium + glass
Operation temperature -20 ~ 40°C





IP65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².

Bollard light Deko-Light Facado 2 rustic E27 IP65

Product code 19634

Brand Deko-Light
Socket E27
Protection class IP65
Height 650.0mm
Diameter 108.0mm
Casing colour rustic
Casing material aluminium
Impact resistance IK05
Work environment outdoor use







P65 weather resistance IP67 connection box suitable for e.g. buried cables 3x1.5 mm²/5x1.5 mm²/3x2.5 mm² Newly designed lamp head for improved illumination Available with an opal diffuser or a transparent diffuser with smoked glass.Our FACADO series bollard lights feature IP65 degree of protection for excellent weather resistance. Choose between an opal diffuser or a transparent diffuser with smoked glass to suit your requirements. The series is available in two different sizes (650 mm/1,000 mm) and features an E27 socket for replaceable lamps. The newly designed lamp head provides significantly improved illumination. The FACADO light is made of high-quality, die-cast aluminium and is available in dark grey or rust and in square or round designs. The IP67 connection box features a double M20 cable gland suitable for e.g. buried cables in sizes 3x1.5 mm², 5x1.5 mm² or 3x2.5 mm².

Bollard light Deko-Light Facado A anthracite E27 IP54

Product code 20987

Brand Deko-Light
Socket E27
Protection class IP54
Height 650.0mm
Width 108.0mm
Length 108.0mm
Casing colour anthracite
Casing material aluminium
Work environment outdoor use

FACADO series standing lights have been proving quite the hit for some time on paved paths in gardens. The classically elegant outdoor lights (IP44) become even more versatile with the FACADO. Thanks to the E27 base, the lamps can be changed if required and adapted to the desired lighting atmosphere. The FACADO is available in two heights (65 and 100 cm)





Bollard light Deko-Light Faro 100 gray 24W 1030lm IP65 DALI 830

Product code 19704 DALI dimmable

Brand Deko-Light
Power factor 0.90
Dimmable DALI
Output 24W
Maximum output 24W/1m
Rated current 2750mA
Luminous flux 1030lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 3000K
Cri 80
Sdcm - macadam ellipses 4
Protection class IP65
Lifespan 50000h
Height 1000.0mm
Diameter 180.0mm
Weight 6.29 kg
Casing colour gray
Casing material aluminium
No. of switches 100000pcs
Impact resistance IK10
Work environment outdoor use
Operation temperature -30 to 45 °C°C







mergency power capable (180-264 V/DC EOFI: 100 %) The solid FARO bollard lights made from die-cast aluminium are available in the sizes 25, 60 and 100 cm. Their design [more than 97 % of light directed downwards] and lens optics allow glare-free light distribution and a particularly large light beam of up to 10 metres in diameter. All variants are also DALI2 DT6 compatible. The FARO models can be equipped with an optional screening shade to illuminate surfaces on one side only. The IP68 connection box with possible feed-through wiring and the dirt-repellent powder coating in DB703 make the FARO bollard lights a long-lasting and high-quality choice for your outdoor lighting.

Bollard light Deko-Light Faro 25 gray 24W 1030lm IP65 DALI 830

Product code 20231 DALI dimmable

Brand Deko-Light
Dimmable DALI
Output 24W
Luminous flux 1030lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Lifespan 50000h
Height 250.0mm
Weight 3 kg
Package weight 4.2 kg
Casing colour gray
Casing material aluminium
No. of switches 100000pcs
Impact resistance IK10
Work environment outdoor use
Operation temperature -30 ~ 45°C

Emergency power capable (180-264 V/DC EOFI: 100 %) The solid FARO bollard lights made from die-cast aluminium are available in the sizes 25, 60 and 100 cm. Their design [more than 97 % of light directed downwards] and lens optics allow glare-free light distribution and a particularly large light beam of up to 10 metres in diameter. All variants are also DALI2 DT6 compatible. The FARO models can be equipped with an optional screening shade to illuminate surfaces on one side only. The IP68 connection box with possible feed-through wiring and the dirt-repellent powder coating in DB703 make the FARO bollard lights a long-lasting and high-quality choice for your outdoor lighting.





Bollard light Deko-Light Faro gray 24W 1030lm IP65 DALI 830

Product code 20232 **DALI dimmable**

Brand Deko-Light
Dimmable DALI
Output 24W
Luminous flux 1030lumens
Luminaire’s efficiency 43W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Lifespan 50000h
Height 600.0mm
Weight 4.17 kg
Package weight 5.95 kg
Casing colour gray
Casing material aluminium
No. of switches 100000pcs
Impact resistance IK10
Work environment outdoor use
Operation temperature -30 ~ 45°C







mergency power capable (180-264 V/DC EOFI: 100 %) The solid FARO bollard lights made from die-cast aluminium are available in the sizes 25, 60 and 100 cm. Their design [more than 97 % of light directed downwards] and lens optics allow glare-free light distribution and a particularly large light beam of up to 10 metres in diameter. All variants are also DALI2 DT6 compatible. The FARO models can be equipped with an optional screening shade to illuminate surfaces on one side only. The IP68 connection box with possible feed-through wiring and the dirt-repellent powder coating in DB703 make the FARO bollard lights a long-lasting and high-quality choice for your outdoor lighting.

Bollard light Deko-Light Lerna 600 anthracite 7,4W 256lm CRI80 IP65 3000K, 4000K 2CCT

Product code 23862

Brand Deko-Light
Power factor 0.90
Output 7,4W
Maximum output 7.4W/1m
Rated current 2750mA
Luminous flux 256lumens
Correlated colour temperature 2CCT
3000K, 4000K
Cri 80
Sdcm - macadam ellipses 4
Protection class IP65
Lifespan 50000h
Height 1000.0mm
Width 100.0mm
Length 120.0mm
Weight 2.36 kg
Casing colour anthracite
Casing material aluminium
No. of switches 100000pcs
Impact resistance IK06
Work environment outdoor use
Operation temperature -30 to 45 °C°C



LERNA series power distributors offer a number of advantages. With two sockets and a total load of 3,680 W, they allow you to connect various devices while providing reliable lighting. Light and sockets can be switched separately (separate L+N). The socket cover latches open for additional convenience. The ability to adjust the light colour in two stages (3,000 K/4,000 K) allows you to choose the colour temperature that sets the perfect ambience. The downward orientation of the lighting also fully guarantees efficient illumination without creating light pollution. LERNA series bollard lights are available in two different sizes (600 mm and 1,000 mm). With a output of 7,4 W and 256 lm, the light itself is incredibly bright. Socket cover latches open Total socket output: 3,680 W Light colour adjustable in two stages Light and socket can be switched separately (separate L+N) Light directed fully downwards to prevent light pollution

Bollard light Deko-Light Lerna anthracite 7,4W 256lm IP65 3000K, 4000K 2CCT

Product code 20158

Brand Deko-Light
Output 7,4W
Luminous flux 256lumens
Correlated colour temperature 2CCT 3000K, 4000K
Protection class IP65
Height 600.0mm
Width 100.0mm
Length 120.0mm
Casing colour anthracite
Casing material aluminium
Impact resistance IK06
Work environment outdoor use
Operation temperature -20 to 40 °C°C
Warranty 2 years





LERNA series bollard lights offer a number of advantages. The ability to adjust the light colour in 2 stages (3,000 K/4,000 K) allows you to choose the colour temperature that sets the perfect ambience. The downward orientation of the lighting also fully guarantees efficient illumination without creating light pollution. LERNA series bollard lights are available in two different sizes (600 mm and 1,000 mm). With a power rating of 7.4 W and up to 256 lm, the light itself is incredibly bright.



Bollard light Deko-Light Lerna anthracite 7.4W 256lm IP65 830

Product code 20233

Brand Deko-Light
Output 7.4W
Luminous flux 256lumens
Luminaire’s efficiency 35W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Lifespan 50000h
Height 1000.0mm
Width 100.0mm
Length 120.0mm
Weight 3.08 kg
Package weight 3.99 kg
Casing colour anthracite
Casing material metal + glass
No. of switches 50000pcs
Impact resistance IK04
Work environment outdoor use
Operation temperature -20 ~ 40°C



LERNA series bollard lights offer a number of advantages. The ability to adjust the light colour in 2 stages (3,000 K/4,000 K) allows you to choose the colour temperature that sets the perfect ambience. The downward orientation of the lighting also fully guarantees efficient illumination without creating light pollution. LERNA series bollard lights are available in two different sizes (600 mm and 1,000 mm). With a power rating of 7.4 W and up to 256 lm, the light itself is incredibly bright.

Bollard light Deko-Light Ortis gray 15.9W 510lm IP54 830

Product code 20228

Brand Deko-Light
Output 15.9W
Luminous flux 510lumens
Luminaire’s efficiency 32W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 1000.0mm
Weight 3.57 kg
Package weight 4.44 kg
Casing colour gray
Casing material metal + glass
No. of switches 100000pcs
Impact resistance IK06
Work environment outdoor use
Operation temperature -20 ~ 40°C



The Ortis LED bollard light cuts an excellent figure anywhere with its dark grey aluminium housing and, thanks to its IP54 certification, is suitable for flexible outdoor use in gardens, entrances and as path lighting. In addition, the Ortis has an internal slatted insert in the lamp head, which ensures a pleasant dimmed light that is directed downwards (warm white, 3,000 K).

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Deko-Light Puka Mana dark gray E27 IP54



Product code 23113

Brand Deko-Light
Socket E27
Protection class IP54
Lifespan 30000h
Height 620.0mm
Width 100.0mm
Length 100.0mm
Weight 2.24 kg
Casing colour dark gray
Casing material aluminium
Work environment outdoor use

A garden is pure nature and yet needs power in several different places. With the PUKA MANA, you can flexibly access power to operate lawnmowers and other gardening tools or simply to charge your e-bike or smartphone. The multiple socket tower has two socket outlets and can be installed particularly easily using our multi-outdoor cable connectors. The sophisticated cable routing ensures a clean visual design. Door can be completely closed when angled plugs are plugged in Total load: max. 3,680 W Easy to install thanks to IP68 cable connector Light can be switched on separately

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Deko-Light Tucanae dark gray 18W 1650lm IP54 830

Product code 20229

Brand Deko-Light
Output 18W
Luminous flux 1650lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 1000.0mm
Width 180.0mm
Length 206.0mm
Weight 3.47 kg
Package weight 4.44 kg
Casing colour dark gray
Casing material aluminium + plastic
No. of switches 15000pcs
Work environment outdoor use
Operation temperature -5 ~ 40°C



With its slim, unfussy housing design, the TUCANAE is a modern outdoor light that can be integrated almost anywhere. The 100-cm-high bollard light emits its warm white light diagonally downwards onto paths and other surfaces and, in the MOTION variant, has an integrated twilight switch with adjustable brightness threshold and operating time.

Bollard light Deko-Light Tucanae dark gray 18W 1650lm IP65 830

Product code 20230

Brand Deko-Light
Output 18W
Luminous flux 1650lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Lifespan 30000h
Height 1000.0mm
Width 180.0mm
Length 206.0mm
Weight 3.43 kg
Package weight 4.41 kg
Casing colour dark gray
Casing material aluminium + plastic
No. of switches 15000pcs
Work environment outdoor use
Operation temperature -5 ~ 40°C




With its slim, unfussy housing design, the TUCANAE is a modern outdoor light that can be integrated almost anywhere. The 100-cm-high bollard light emits its warm white light diagonally downwards onto paths and other surfaces and, in the MOTION variant, has an integrated twilight switch with adjustable brightness threshold and operating time.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light LFGE27GR black 230V E27 IP65

Product code 16455

Supply voltage 230V
Maximum output 16W/1m
Socket E27
Protection class IP65
Height 600.0mm
Width 76.0mm
Length 76.0mm
In package 1pc
Casing colour black
Casing material aluminium
Polishing matt
Work environment outdoor use
Warranty 2 years



Bollard light for outdoor use. Well-suited for illuminating driveways and walkways. Protection class IP65 means the light is protected against fine dust and water jets and can be used outdoors. The light has an E27 socket. Illuminate your world with LED House professionals - check out our project portfolio here!

Bollard light Liralighting Junior black 230V 19W 1389lm IP65 DALI 830

Product code 22859 DALI dimmable

Brand Liralighting
Supply voltage 230V
Dimmable DALI
Output 19W
Maximum output 19W/1m
Luminous flux 1389lumens
Luminaire’s efficiency 73W
Correlated colour temperature warm white 3000K
Cri 80
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 100000h
Llmf tm21 L80B10 @25°C 100.000h
Height 1000.0mm
Diameter 160.0mm
Weight 5.5 kg
In package 1pc
Casing colour black
Casing material aluminium
Polishing matt
Impact resistance IK10
Work environment outdoor use
Operation temperature -40 ~ 45°C
Certificates CE
Warranty 5 years



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Liralighting LT anthracite 230V 10W 1020lm IP65 DALI 830

Product code 22875 DALI dimmable

Brand Liralighting
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 10W
Maximum output 10W/1m
Luminous flux 1020lumens
Luminaire’s efficiency 102W
Correlated colour temperature warm white 3000K
Cri 80
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 100000h
Height 800.0mm
Width 150.0mm
Length 224.0mm
In package 1pc
Casing colour anthracite
Casing material aluminum + glass
Polishing matt
Impact resistance IK10
Work environment outdoor use
Operation temperature -40 ~ 45°C
Certificates CE
Warranty 5 years



Bollard light Maytoni Amas graphite E27 IP54

Product code 19734

Brand Maytoni
Socket E27
Protection class IP54
Height 250.0mm
Diameter 80.0mm
Casing colour graphite
Casing material metal + glass
Work environment outdoor use





Bollard light Maytoni Amas graphite E27 IP54

Product code 19735

Brand Maytoni
Socket E27
Protection class IP54
Height 800.0mm
Diameter 80.0mm
Weight 1.29 kg
Package weight 1.64 kg
Casing colour graphite
Casing material metal + glass
Work environment outdoor use



Bollard light Maytoni Baker Street black square 10W 520lm 180° IP65 830

Product code 19884

Brand Maytoni
Output 10W
Luminous flux 520lumens
Luminaire’s efficiency 52W
Correlated colour temperature warm white 3000K
Lens angle 180
Cri 80
Protection class IP65
Lifespan 50000h
Height 800.0mm
Width 180.0mm
Length 180.0mm
Casing colour black
Casing material aluminium
Shape square
Work environment outdoor use



Bollard light Maytoni Bold black E27 IP54

Product code 19912

Brand Maytoni
Socket E27
Protection class IP54
Height 800.0mm
Casing colour black
Casing material aluminum + glass
Work environment outdoor use





Bollard light Maytoni Bold gray 60W E27 IP54

Product code 19913

Brand Maytoni
Output 60W
Socket E27
Protection class IP54
Height 800.0mm
Weight 1.42 kg
Package weight 2.42 kg
Casing colour gray
Casing material aluminium + glass
Polishing matt
Work environment outdoor use





Bollard light Maytoni Bonn graphite 10W 550lm 150° IP65 830

Product code 19755

Brand Maytoni
Output 10W
Luminous flux 550lumens
Luminaire’s efficiency 55W
Correlated colour temperature warm white 3000K
Lens angle 150
Cri 80
Protection class IP65
Lifespan 50000h
Height 1000.0mm
Width 200.0mm
Length 60.0mm
Weight 3.32 kg
Package weight 3.94 kg
In package 1pc
Casing colour graphite
Casing material metal
Work environment outdoor use
Operation temperature -40...+50°C°C





Bollard light Maytoni Bonn graphite 20W 1000lm 150° IP65 830

Product code 19756

Brand Maytoni
Output 20W
Luminous flux 1000lumens
Luminaire’s efficiency 50W
Correlated colour temperature warm white 3000K
Lens angle 150
Cri 80
Protection class IP65
Height 1500.0mm
Width 200.0mm
Length 60.0mm
Casing colour graphite
Casing material metal
Work environment outdoor use





Bollard light Maytoni Bonn graphite 25W 1350lm 150° IP65 830

Product code 19757

Brand Maytoni
Output 25W
Luminous flux 1350lumens
Luminaire’s efficiency 54W
Correlated colour temperature warm white 3000K
Lens angle 150
Cri 80
Protection class IP65
Height 2000.0mm
Width 200.0mm
Length 60.0mm
Casing colour graphite
Casing material metal
Work environment outdoor use




Bollard light Maytoni Cell graphite 15W E27 IP54

Product code 19766

Brand Maytoni
Output 15W
Socket E27
Protection class IP54
Height 220.0mm
Width 145.0mm
Length 145.0mm
Weight 1.08 kg
Package weight 1.2 kg
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C





Bollard light Maytoni Cell graphite 15W E27 IP54

Product code 19767

Brand Maytoni
Output 15W
Socket E27
Protection class IP54
Height 500.0mm
Width 145.0mm
Length 145.0mm
Weight 1.62 kg
Package weight 1.9 kg
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C





Bollard light Maytoni Cell graphite 15W E27 IP54

Product code 19768

Brand Maytoni
Output 15W
Socket E27
Protection class IP54
Height 750.0mm
Width 145.0mm
Length 145.0mm
Weight 2.3 kg
Package weight 2.64 kg
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C




Bollard light Maytoni Cell graphite 15W E27 IP54

Product code 19769

Brand Maytoni
Output 15W
Socket E27
Protection class IP54
Height 2200.0mm
Width 145.0mm
Length 145.0mm
Weight 2.82 kg
Package weight 6.77 kg
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C






Bollard light Maytoni Elbe graphite 10W 650lm 36° IP65 830

Product code 19777

Brand Maytoni
Output 10W
Luminous flux 650lumens
Luminaire’s efficiency 65W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP65
Lifespan 50000h
Height 1000.0mm
Width 110.0mm
Length 110.0mm
Weight 18.88 kg
Package weight 2.22 kg
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C





Bollard light Maytoni Elbe graphite 20W 1100lm 36° IP65 830

Product code 19778

Brand Maytoni
Output 20W
Luminous flux 1100lumens
Luminaire’s efficiency 55W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP65
Lifespan 50000h
Height 1500.0mm
Width 110.0mm
Length 110.0mm
Weight 2.7 kg
Package weight 3.22 kg
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



Bollard light Maytoni Elbe graphite 25W 1500lm 36° IP65 830

Product code 19779

Brand Maytoni
Output 25W
Luminous flux 1500lumens
Luminaire’s efficiency 60W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP65
Lifespan 50000h
Height 2000.0mm
Width 110.0mm
Length 110.0mm
Weight 3.42 kg
Package weight 4.12 kg
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C



Bollard light Maytoni Flare graphite 3W 250lm 92° IP65 830

Product code 20795

Brand Maytoni
Output 3W
Luminous flux 250lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 3000K
Lens angle 92
Cri 80
Protection class IP65
Height 590.0mm
Diameter 28.0mm
Weight 320 g
Package weight 340 g
Casing colour graphite
Casing material aluminium + plastic
Operation temperature -40...+50°C°C
Warranty 3 years



Landscape luminaires. Made from aluminum in a granite finish, this landscape fixture features a slender vertical structure with a cylindrical diffuser. Equipped with LED technology, 3W output, and 3,000K warm light, it has an IP65 rating, ensuring durability in all weather conditions. Designed to mimic the flickering of real flames, this fixture brings a modern touch to landscape lighting.

Bollard light Maytoni Flare graphite 3W 250lm 92° IP65 830

Product code 20797

Brand Maytoni
Output 3W
Luminous flux 250lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 3000K
Lens angle 92
Cri 80
Protection class IP65
Height 790.0mm
Diameter 28.0mm
Weight 420 g
Package weight 440 g
Casing colour graphite
Casing material aluminium + plastic
Operation temperature -40...+50°C°C
Warranty 3 years

Made from aluminum in a granite finish, this landscape fixture features a slender vertical structure with a cylindrical diffuser. Equipped with LED technology, 3W output, and 3,000K warm light, it has an IP65 rating, ensuring durability in all weather conditions. Designed to mimic the flickering of real flames, this fixture brings a modern touch to landscape lighting.



Bollard light Maytoni Fleur 3 antique bronze 60W E27 IP44

Product code 19792

Brand Maytoni
Output 60W
Socket E27
Protection class IP44
Height 2390.0mm
Width 525.0mm
Length 570.0mm
Weight 8.14 kg
Package weight 10.67 kg
Casing colour antique bronze
Casing material aluminium
Operation temperature -40...+50°C°C
Warranty 2 years



Bollard light Maytoni Fleur 3 black with gold 60W E27 IP44

Product code 19793

Brand Maytoni
Output 60W
Socket E27
Protection class IP44
Height 2390.0mm
Width 525.0mm
Length 570.0mm
Weight 8.14 kg
Package weight 10.68 kg
Casing colour black with gold
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years



Bollard light Maytoni Fleur antique bronze 60W E27 IP44

Product code 19788

Brand Maytoni
Output 60W
Socket E27
Protection class IP44
Height 485.0mm
Width 485.0mm
Diameter 150.0mm
Casing colour antique bronze
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years



Bollard light Maytoni Fleur antique bronze 60W E27 IP44

Product code 19789

Brand Maytoni
Output 60W
Socket E27
Protection class IP44
Height 1130.0mm
Width 150.0mm
Length 150.0mm
Casing colour antique bronze
Casing material aluminium



Bollard light Maytoni Fleur black with gold 60W E27 IP44



Product code 19790

Brand Maytoni
Output 60W
Socket E27
Protection class IP44
Height 485.0mm
Diameter 150.0mm
Weight 1.43 kg
Package weight 1.79 kg
Casing colour black with gold
Casing material aluminium
Work environment outdoor use
Certificates
https://maytoni.de/en/catalog/street/landscape-lighting/o414fl-01gb/
Warranty 2 years



Bollard light Maytoni Fleur black with gold 60W E27 IP44

Product code 19791

Brand Maytoni
Output 60W
Socket E27
Protection class IP44
Height 1130.0mm
Diameter 150.0mm
Weight 2.67 kg
Package weight 3.42 kg
Casing colour black with gold
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years




Bollard light Maytoni Floeva black 18W 1150lm 86° IP65 930

Product code 23316

Brand Maytoni
Output 18W
Maximum output 18W/1m
Luminous flux 1150lumens
Luminaire’s efficiency 64W
Correlated colour temperature warm white 3000K
Lens angle 86
Cri 90
Protection class IP65
Height 800.0mm
Width 80.0mm
Length 80.0mm
Weight 2.15 kg
Package weight 2.4 kg
Casing colour black
Casing material aluminium + acrylic
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years







Bollard light Maytoni Glide graphite 20W G9 IP54

Product code 19798

Brand Maytoni
Output 20W
Socket G9
Protection class IP54
Height 370.0mm
Diameter 40.0mm
Casing colour graphite
Casing material metal + glass
Work environment outdoor use








Bollard light Maytoni Glide graphite 20W G9 IP54

Product code 19799

Brand Maytoni
Output 20W
Socket G9
Protection class IP54
Height 460.0mm
Casing colour graphite
Casing material metal + glass
Work environment outdoor use







© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Maytoni Guss graphite 15W 550lm 90° IP65 830

Product code 19801

Brand Maytoni
Output 15W
Luminous flux 550lumens
Luminaire’s efficiency 37W
Correlated colour temperature warm white 3000K
Lens angle 90
Cri 80
Protection class IP65
Lifespan 50000h
Height 900.0mm
Width 200.0mm
Length 180.0mm
Weight 2.84 kg
Package weight 3.51 kg
Casing colour graphite
Casing material metal + glass
Work environment outdoor use
Warranty 3 years






Bollard light Maytoni Hagen graphite 5W 200lm 51° IP65 830

Product code 19802

Brand Maytoni
Output 5W
Luminous flux 200lumens
Luminaire’s efficiency 40W
Correlated colour temperature warm white 3000K
Lens angle 51
Cri 80
Protection class IP65
Lifespan 50000h
Height 600.0mm
Installation opening diameter 50mm
Weight 1.02 kg
Package weight 1.23 kg
Casing colour graphite
Casing material metal
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years

Bollard light Maytoni Hof graphite 12W 450lm 90° IP65 830

Product code 19805

Brand Maytoni
Output 12W
Luminous flux 450lumens
Luminaire’s efficiency 38W
Correlated colour temperature warm white 3000K
Lens angle 90
Cri 80
Protection class IP65
Lifespan 50000h
Height 600.0mm
Width 60.0mm
Length 100.0mm
Weight 1.54 kg
Package weight 1.69 kg
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C





Bollard light Maytoni Hof graphite 6W 200lm 90° IP65 830

Product code 19806

Brand Maytoni
Output 6W
Luminous flux 200lumens
Luminaire’s efficiency 33W
Correlated colour temperature warm white 3000K
Lens angle 90
Cri 80
Protection class IP65
Lifespan 50000h
Height 250.0mm
Width 60.0mm
Length 100.0mm
Weight 750 g
Package weight 930 g
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C





Bollard light Maytoni Olten graphite 100-240V 12W 300lm 55° IP65 830

Product code 19824

Brand Maytoni
Supply voltage 100-240V
Output 12W
Luminous flux 300lumens
Luminaire’s efficiency 25W
Correlated colour temperature warm white 3000K
Lens angle 55
Cri 80
Protection class IP65
Lifespan 50000h
Height 300.0mm
Diameter 120.0mm
Weight 1.15 kg
Package weight 1.35 kg
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



Bollard light Maytoni Olten graphite 100-240V 12W 300lm 55° IP65 830

Product code 19825

Brand Maytoni
Supply voltage 100-240V
Output 12W
Luminous flux 300lumens
Luminaire’s efficiency 25W
Correlated colour temperature warm white 3000K
Lens angle 55
Cri 80
Protection class IP65
Lifespan 50000h
Height 800.0mm
Width 120.0mm
Weight 2.2 kg
Package weight 2.65 kg
In package 1pc
Casing colour graphite
Casing material aluminium
Operation temperature 40...+50°C°C
Warranty 3 years



Bollard light Maytoni Paso black 12W 660lm 97° IP54 830

Product code 19826

Brand Maytoni
Output 12W
Maximum output 12W/1m
Luminous flux 660lumens
Luminaire’s efficiency 55W
Correlated colour temperature warm white 3000K
Lens angle 97
Cri 83
Protection class IP54
Lifespan 50000h
Height 800.0mm
Width 165.0mm
Length 100.0mm
Weight 2.1 kg
Package weight 2.58 kg
Casing colour black
Casing material aluminium
Operation temperature -40...+50°C°C
Warranty 3 years






Bollard light Maytoni Pole graphite 12W 600lm 120° IP65 830

Product code 19920

Brand Maytoni
Output 12W
Luminous flux 600lumens
Luminaire’s efficiency 50W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 80
Protection class IP65
Lifespan 50000h
Height 800.0mm
Width 25.0mm
Length 25.0mm
Weight 830 g
Package weight 1.08 kg
In package 1pc
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years




Bollard light Maytoni Pole graphite 18W 1000lm 120° IP65 830

Product code 19921

Brand Maytoni
Output 18W
Luminous flux 1000lumens
Luminaire’s efficiency 56W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 80
Protection class IP65
Lifespan 50000h
Height 1200.0mm
Width 25.0mm
Length 25.0mm
Weight 1.02 kg
Package weight 1.45 kg
In package 1pc
Casing colour graphite
Casing material aluminium
Work environment outdoor use
Operation temperature 40...+50°C°C
Warranty 3 years



Bollard light Maytoni Pole graphite 24W 1200lm 120° IP65 830

Product code 19922

Brand Maytoni
Output 24W
Luminous flux 1200lumens
Luminaire’s efficiency 50W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 80
Protection class IP65
Height 1600.0mm
Width 25.0mm
Length 25.0mm
Casing colour graphite
Casing material aluminium
Work environment outdoor use



Bollard light Maytoni Porte black 7W 250lm 36° IP54 830

Product code 19830

Brand Maytoni
Output 7W
Luminous flux 250lumens
Luminaire’s efficiency 36W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP54
Height 680.0mm
Width 60.0mm
Length 160.0mm
Weight 3.85 kg
Package weight 4.25 kg
In package 1pc
Casing colour black
Casing material aluminium
Work environment outdoor use
Warranty 3 years





Bollard light Maytoni Porte black wood 7W 250lm 36° IP54 830

Product code 19831

Brand Maytoni
Output 7W
Luminous flux 250lumens
Luminaire’s efficiency 36W
Correlated colour temperature warm white 3000K
Lens angle 36
Cri 80
Protection class IP54
Height 680.0mm
Width 60.0mm
Length 160.0mm
Weight 3.85 kg
Package weight 4.25 kg
Casing colour black wood
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years





Bollard light Maytoni Royal Mile gray 100-240V 13W 680lm 260° IP65 830

Product code 19881

Brand Maytoni
Supply voltage 100-240V
Output 13W
Maximum output 13W/1m
Luminous flux 680lumens
Luminaire’s efficiency 52W
Correlated colour temperature warm white 3000K
Lens angle 260
Cri 80
Protection class IP65
Lifespan 50000h
Height 800.0mm
Width 151.0mm
Length 151.0mm
Weight 2.75 kg
Package weight 3.1 kg
Casing colour gray
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



Bollard light Maytoni Royal Mile gray 13W 330lm 270° IP65 830

Product code 19882

Brand Maytoni
Output 13W
Maximum output 13W/1m
Luminous flux 330lumens
Luminaire’s efficiency 25W
Correlated colour temperature warm white 3000K
Lens angle 270
Cri 80
Protection class IP65
Lifespan 50000h
Height 151.0mm
Width 151.0mm
Length 151.0mm
Weight 1.29 kg
Package weight 1.4 kg
In package 1pc
Casing colour gray
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



Bollard light Maytoni Salamanca brown 60W E27 360° IP44

Product code 19847

Brand Maytoni
Output 60W
Lens angle 360
Socket E27
Protection class IP44
Height 1050.0mm
Width 225.0mm
Length 225.0mm
Diameter 170.0mm
Weight 2.42 kg
Package weight 3.2 kg
Casing colour brown
Casing material aluminium + glass
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years





Bollard light Maytoni Scope black 230V 12W GU10 IP65

Product code 19424

Brand Maytoni
Supply voltage 230V
Output 12W
Maximum output 12W/1m
Socket GU10
Protection class IP65
Height 600.0mm
Length 100.0mm
Diameter 55.0mm
Weight 850 g
Package weight 1.2 kg
Casing colour black
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years




Bollard light Maytoni Share graphite 12W 1100lm 108° IP54 830





Product code 19850

Brand Maytoni
Output 12W
Luminous flux 1100lumens
Luminaire’s efficiency 92W
Correlated colour temperature warm white 3000K
Lens angle 108
Cri 80
Protection class IP54
Height 650.0mm
Width 162.0mm
Length 238.0mm
Casing colour graphite
Casing material metal + glass
Operation temperature -40...+50°C°C
Warranty 3 years

Bollard light Maytoni Sleek 2 graphite 4W 300lm 60° IP65 930




Product code 19856

Brand Maytoni
Output 4W
Luminous flux 300lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Protection class IP65
Height 500.0mm
Width 100.0mm
Length 284.0mm
Weight 1.15 kg
Package weight 1.38 kg
Casing colour graphite
Casing material stainless steel
Work environment outdoor use
Operation temperature -40...+50°C°C

Bollard light Maytoni Sleek graphite 2W 150lm 60° IP65 930

Product code 19855

Brand Maytoni
Output 2W
Luminous flux 150lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Protection class IP65
Height 95.0mm
Width 70.0mm
Length 109.0mm
Weight 250 g
Package weight 300 g
Casing colour graphite
Casing material stainless steel
Work environment outdoor use



Bollard light Maytoni Sleek graphite 2W 150lm 60° IP65 930

Product code 19859

Brand Maytoni
Output 2W
Luminous flux 150lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 60
Cri 90
Protection class IP65
Height 500.0mm
Width 100.0mm
Length 109.0mm
Weight 900 g
Package weight 1.2 kg
Casing colour graphite
Casing material stainless steel
Work environment outdoor use
Operation temperature -40…+50°C°C



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee


Bollard light Maytoni Stock graphite 7W 450lm 157° IP65 830

Product code 19861

Brand Maytoni
Output 7W
Luminous flux 450lumens
Luminaire’s efficiency 64W
Correlated colour temperature warm white 3000K
Lens angle 157
Cri 80
Protection class IP65
Height 800.0mm
Width 110.0mm
Length 150.0mm
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use







Bollard light Maytoni Trim graphite E27 IP65

Product code 19868

Brand Maytoni
Socket E27
Protection class IP65
Height 255.0mm
Width 227.0mm
Length 227.0mm
Weight 1.91 kg
Package weight 2.16 kg
In package 1pc
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C







Bollard light Maytoni Trim graphite E27 IP65

Product code 19869

Brand Maytoni
Socket E27
Protection class IP65
Height 210.0mm
Width 170.0mm
Length 170.0mm
Weight 1.21 kg
Package weight 1.37 kg
Casing colour graphite
Casing material metal + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C



Bollard light Maytoni Unter den Linden black 60W E27 360° IP54

Product code 19887

Brand Maytoni
Output 60W
Lens angle 360
Socket E27
Protection class IP54
Height 610.0mm
Width 140.0mm
Length 140.0mm
Casing colour black
Casing material aluminium
Work environment outdoor use

The Unter den Linden series of garden and park luminaires is distinguished by its grooved surface and small transparent diffusers made of plastic. Constructed from aluminum and equipped with silicone gaskets, these luminaires have a high IP54 rating and are resistant to corrosion and temperature fluctuations.



Bollard light Maytoni Velora brown 8W 420lm 110° IP65 930

Product code 23314

Brand Maytoni
Output 8W
Maximum output 8W/1m
Luminous flux 420lumens
Luminaire’s efficiency 53W
Correlated colour temperature warm white 3000K
Lens angle 110
Cri 90
Protection class IP65
Lifespan 50000h
Height 600.0mm
Diameter 200.0mm
Weight 940 g
Package weight 1.54 kg
Casing colour brown
Casing material metal
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years



Bollard light Maytoni Vint graphite 9W 450lm 117° IP65 830

Product code 19872

Brand Maytoni
Output 9W
Luminous flux 450lumens
Luminaire’s efficiency 50W
Correlated colour temperature warm white 3000K
Lens angle 117
Cri 80
Protection class IP65
Lifespan 50000h
Height 600.0mm
Weight 1.28 kg
Package weight 1.5 kg
Casing colour graphite
Casing material metal + glass
Work environment outdoor use
Warranty 3 years



Bollard light Maytoni Wald graphite 12W 1000lm 54° IP65 830

Product code 19874

Brand Maytoni
Output 12W
Maximum output 12W/1m
Luminous flux 1000lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 3000K
Lens angle 54
Cri 80
Protection class IP65
Height 400.0mm
Diameter 180.0mm
Weight 1.16 kg
Package weight 1.48 kg
Casing colour graphite
Casing material aluminium + plastic
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 3 years





Bollard light Maytoni Wald graphite 12W 54° IP65 830

Product code 19629

Brand Maytoni
Output 12W
Maximum output 12W/1m
Correlated colour temperature warm white 3000K
Lens angle 54
Cri 80
Protection class IP65
Lifespan 50000h
Height 800.0mm
Diameter 180.0mm
Weight 1.64 kg
Package weight 2.16 kg
Casing colour graphite
Casing material aluminium
Operation temperature -40...+50°C°C
Warranty 3 years





Bollard light Maytoni Wall Street 2 x GU10 anthracite GU10 IP54 3000K warm white

Product code 19630

Brand Maytoni
Correlated colour temperature warm white 3000K
Socket GU10
Protection class IP54
Height 550.0mm
Width 205.0mm
Casing colour anthracite
Casing material aluminium



Bollard light Maytoni Wall Street black 50W GU10 360° IP54

Product code 19888

Brand Maytoni
Output 50W
Lens angle 360
Socket GU10
Protection class IP54
Height 550.0mm
Width 135.0mm
Length 65.0mm
Weight 1.2 kg
Package weight 1.39 kg
In package 1pc
Casing colour black
Casing material aluminium
Work environment outdoor use
Operation temperature -40...+50°C°C
Warranty 2 years



Bollard light Nova Luce Gream black 230V 5W 183lm 72° IP65 3000K warm white

Product code 22862

Brand Nova Luce
Supply voltage 230V
Output 5W
Maximum output 5W/1m
Luminous flux 183lumens
Luminaire’s efficiency 37W
Correlated colour temperature warm white 3000K
Lens angle 72
Protection class IP65
Height 600.0mm
Length 200.0mm
Diameter 30.0mm
Casing colour black
Casing material aluminum + glass
Work environment outdoor use



The Gleam outdoor bollard offers a sleek, minimalist design with a dark anthracite aluminum body and clear glass diffuser. It features a warm white 3000K LED light source producing 183 lumens at 5 watts, ideal for subtle, energy-efficient outdoor illumination. Designed for surface mounting on the ground, this fixture is IP65 rated for protection against dust and water, making it suitable for various outdoor environments. Its robust construction includes anti-salt protection, enhancing durability in coastal or harsh weather conditions. The integrated LED module is non-replaceable, ensuring consistent performance without maintenance. With a height of 60 cm and a diameter of 3 cm, it provides focused lighting with a high color rendering index above 80, enhancing outdoor ambiance with quality light.

Bollard light Nova Luce Mabel 2 black 17W 1190lm IP54 3000K warm white

Product code 22856

Brand Nova Luce
Output 17W
Maximum output 17W/1m
Luminous flux 1190lumens
Luminaire’s efficiency 70W
Correlated colour temperature warm white 3000K
Protection class IP54
Height 2012.0mm
Width 201.0mm
Length 489.0mm
Weight 4 kg
Package weight 5.5 kg
Casing colour black
Casing material aluminium + glass
Work environment outdoor use
Warranty 3 years



The Mabel outdoor bollard features a sleek dark anthracite aluminium body paired with a clear glass diffuser, delivering warm white LED illumination at 3000K. Designed for surface mounting on the ground, this fixed, non-dimmable fixture provides 1190 lumens of light with a 36° beam angle, ideal for pathways and garden areas. Its robust IP54 rating ensures reliable performance in outdoor environments. With a height of 201.2 cm and a cable length of 35 cm, it combines modern aesthetics with practical functionality for exterior lighting needs.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee


Bollard light Nova Luce Mabel black 8,5W 590lm 36° IP54 3000K warm white

Product code 22857

Brand Nova Luce
Output 8,5W
Maximum output 9W/1m
Luminous flux 590lumens
Correlated colour temperature warm white 3000K
Lens angle 36
Protection class IP54
Height 1500.0mm
Length 78.0mm
Diameter 78.0mm
Casing colour black
Casing material aluminium + glass
Work environment outdoor use
Warranty 3 years







The Mabel outdoor bollard light features a sleek dark anthracite aluminium body with a clear glass diffuser, delivering 590 lumens of warm white light at 3000K. Designed for ground surface mounting, it provides focused illumination with a 36° beam angle. This durable fixture is IP54 rated, making it suitable for various outdoor environments. The integrated 9-watt LED module offers efficient lighting without the need for replacement. With a height of 150 cm and a compact 7.8 cm diameter, it blends seamlessly into modern outdoor spaces, enhancing pathways and gardens with subtle, reliable illumination.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Nova Luce Orix 2 brown E27 IP65


Product code 23928

Brand Nova Luce
Socket E27
Protection class IP65
Height 2200.0mm
Width 600.0mm
Casing colour brown
Casing material aluminium
Work environment outdoor use
Warranty 3 years









The Orix outdoor floor light combines robust corten aluminium construction with a polycarbonate diffuser, designed for reliable surface mounting in exterior environments. Its IP65 rating ensures protection against dust and water, making it suitable for all-weather outdoor use. Featuring two E27 light sources with a total power of 24W, this fixture delivers effective illumination for gardens, pathways, and outdoor spaces. The light is non-dimmable and not adjustable, emphasizing simplicity and durability. With a height of 220 cm and a sleek corten finish, it complements modern outdoor settings while providing functional lighting.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Nova Luce Orix black E27 IP65


Product code 23927

Brand Nova Luce
Socket E27
Protection class IP65
Height 2200.0mm
Diameter 215.0mm
Casing colour black
Casing material aluminium
Work environment outdoor use
Warranty 3 years










The Orix outdoor floor light features a sleek black sandy finish on durable aluminium, designed for surface mounting on floors. Its polycarbonate diffuser ensures effective light distribution while protecting the light source. This fixture supports a single E27 bulb up to 12W (not included) and is rated IP65 for reliable outdoor performance. With a height of 220 cm and a compact diameter of 21.5 cm, it provides elegant illumination for gardens, pathways, and outdoor spaces. The Orix light is non-dimmable and built to withstand ambient temperatures up to 45°C, making it a robust choice for various exterior environments.

Bollard light Nova Luce Poet 16 black 230V 16W 1177lm IP65 830

Product code 23360

Brand Nova Luce
Supply voltage 230V
Output 16W
Maximum output 16W/1m
Luminous flux 1177lumens
Luminaire’s efficiency 74W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Height 650.0mm
Width 100.0mm
Length 235.0mm
Diameter 30.0mm
Weight 1.73 kg
Casing colour black
Casing material aluminum + glass
Work environment outdoor use
Warranty 3 years








Bollard light Nova Luce Poet 8 black 230V 8W 560lm IP65 830

Product code 23359

Brand Nova Luce
Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 560lumens
Luminaire’s efficiency 70W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP65
Height 650.0mm
Width 100.0mm
Length 135.0mm
Diameter 30.0mm
Weight 150 g
Casing colour black
Casing material aluminum + glass
Work environment outdoor use
Warranty 3 years








Bollard light Nova Luce Zosia dark gray E27 IP65

Product code 23018

Brand Nova Luce
Socket E27
Protection class IP65
Height 800.0mm
Diameter 90.0mm
Casing colour dark gray
Casing material aluminium + acrylic
Work environment outdoor use
Warranty 3 years

The Zosia outdoor bollard features a sleek dark gray aluminum body paired with a clear acrylic diffuser, designed for durable and stylish exterior lighting. It supports a single E27 bulb up to 12 watts (not included), providing efficient illumination for pathways, gardens, and outdoor spaces. With an IP65 rating, this bollard is protected against dust and water, ensuring reliable performance in various weather conditions. Its surface mounting design allows easy installation on ground surfaces, making it ideal for enhancing safety and ambiance in outdoor environments.







Bollard light Prolumen ML08 black 230V 8W 600lm 120° IP65 930

Product code 15342

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 8W
Maximum output 8W/1m
Luminous flux 600lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Height 700.0mm
Width 140.0mm
Length 280.0mm
In package 1pc
In box 6pcs
Casing colour black
Casing material aluminium + plastic
Polishing matt
Impact resistance IK10
Work environment outdoor use
Operation temperature -20℃ ~45℃°C
Certificates CE,RoHS
Warranty 5 years



A bollard light suitable for the garden with a bidirectional light beam. The light has an aluminum housing, which ensures efficient heat dissipation, and fire-resistant plastic, which distributes the light evenly. Illuminate your world with LED House professionals - check out our project portfolio here!

Bollard light Prolumen NL90 black 230V 8W 600lm 360° IP65 TRIAC 930

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Product code 17377 TRIAC dimmable

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Dimmable TRIAC
Output 8W
Maximum output 8W/1m
Luminous flux 600lumens
Luminaire’s efficiency 75W
Correlated colour temperature warm white 3000K
Lens angle 360
Cri 90
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 1000.0mm
Diameter 100.0mm
Weight 2.3 kg
In package 1pc
In box 6pcs
Casing colour black
Casing material aluminium + plastic
Impact resistance IK08
Work environment outdoor use
Operation temperature -20 ~ 45°C
Warranty 5 years



Stylish bollard light, perfect addition to your driveway and garden! IP65 protection class means that the luminaire is protected against dust ingress and water jets and can be used outdoors. All NL90 models feature high-quality LED chips (CRI90), ensuring that the luminaire's light beam maintains color accuracy in the room. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!

Bollard light Prolumen oxis A black 230V 10W 530lm 50° IP65 930

Product code 17382

Brand Prolumen
Supply voltage 230V
Power factor 0.90
Output 10W
Maximum output 10W/1m
Luminous flux 530lumens
Luminaire’s efficiency 53W
Correlated colour temperature warm white 3000K
Lens angle 50
Cri 90
Sdcm - macadam ellipses 6
Protection class IP65
Lifespan 50000h
Height 500.0mm
Width 121.0mm
Length 249.0mm
Weight 5.02 kg
In package 1pc
In box 6pcs
Casing colour black
Casing material aluminium + plastic
Work environment outdoor use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years



LED bollard light with optical structure. The luminaire adds warm white (3000K) light to the garden, and high CRI ensures the naturalness of the colours in the illuminated areas. With proper use, the luminaire is energy-efficient, environmentally friendly, and has a very long lifespan (50,000 hours). Illuminate your world with LED House professionals - check out our project portfolio here!

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Ardila wood E27 IP44

Product code 21100

Brand Trio Lighting
Socket E27
Protection class IP44
Height 650.0mm
Width 160.0mm
Weight 1.8 kg
Package weight 2.2 kg
Casing colour wood
Casing material diecast aluminium
Polishing matt
Work environment indoor use
Warranty 3 years







Our ARDILA series brings timeless modernity to your outdoor area. The unusual design with a glass shade with a wood look provides atmospheric lighting accents and a pleasant atmosphere around your home. The bollard light has a twilight sensor that switches on automatically as it gets darker and can be switched off as required using an integrated switch. Thanks to its IP44 protection rating, the light is weatherproof. The light is a high-quality eye-catcher in your outdoor area thanks to its elegant design made of glass and die-cast aluminium in a wood look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Ardila wood E27 IP44

Product code 21102

Brand Trio Lighting
Socket E27
Protection class IP44
Height 1000.0mm
Width 160.0mm
Weight 2.3 kg
Package weight 2.9 kg
Casing colour wood
Casing material diecast aluminium
Polishing matt
Work environment indoor use
Warranty 3 years







Our ARDILA series brings timeless modernity to your outdoor area. The unusual design with a glass shade with a wood look provides atmospheric lighting accents and a pleasant atmosphere around your home. The bollard light has a twilight sensor that switches on automatically as it gets darker and can be switched off as required using an integrated switch. The IP44 protection rating makes the light particularly weather-resistant. The light is a high-quality eye-catcher in your outdoor area thanks to its elegant design made of glass and die-cast aluminium in a wood look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Beja anthracite 12,5W 1650lm IP44 4000K pure white

Product code 22430

Brand Trio Lighting
Output 12,5W
Maximum output 12.5W/1m
Luminous flux 1650lumens
Correlated colour temperature pure white 4000K
Protection class IP44
Lifespan 30000h
Height 600.0mm
Width 120.0mm
Length 80.0mm
Weight 1.1 kg
Package weight 1.2 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years







Stylish light for greater safety! With its curved design, the BEJA light sets elegant accents in any outdoor area. But it can do more than just look good: It provides targeted light along paths, driveways or in the garden, creating a safe and inviting atmosphere. Thanks to IP44, BEJA is weatherproof and can withstand rain, wind and snow - for reliable lighting all year round. The combination of robust die-cast aluminium in anthracite and white plastic ensures a modern look and long-lasting quality. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Beja anthracite 12,5W 1650lm IP44 4000K pure white

Product code 22431

Brand Trio Lighting
Output 12,5W
Maximum output 12.5W/1m
Luminous flux 1650lumens
Correlated colour temperature pure white 4000K
Protection class IP44
Lifespan 30000h
Height 100.0mm
Width 120.0mm
Length 80.0mm
Weight 1.1 kg
Package weight 1.2 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years







Stylish light for greater safety! With its curved design, the BEJA light sets elegant accents in any outdoor area. But it can do more than just look good: It provides targeted light along paths, driveways or in the garden, creating a safe and inviting atmosphere. Thanks to IP44, BEJA is weatherproof and can withstand rain, wind and snow - for reliable lighting all year round. The combination of robust die-cast aluminium in anthracite and white plastic ensures a modern look and long-lasting quality. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Cavado 3 anthracite E27 IP44

Product code 23556

Brand Trio Lighting
Socket E27
Protection class IP44
Height 220.0mm
Diameter 446.0mm
Casing colour anthracite
Casing material aluminium
Work environment outdoor use
Warranty 3 years



For the perfect ambience in the outdoor area is missing next to the appropriate decoration, a beautiful lighting. With a traditional yet modern luminaire design, the CAVADO will be an eye-catcher in your outdoor space. Placed in the entrance area, garden or on your terrace, the timeless luminaire provides an inviting ambience and optimal lighting conditions. Thanks to the weather-resistant die-cast aluminium and the IP44 protection rating, the wall light is ideal for lighting your outdoor area. The luminaire offers numerous application possibilities thanks to its classic shape and modern anthracite colouring. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Cavado anthracite E27 IP44

Product code 23236

Brand Trio Lighting
Socket E27
Protection class IP44
Height 1000.0mm
Length 270.0mm
Casing colour anthracite
Casing material aluminium
Work environment outdoor use
Warranty 3 years



For the perfect ambience in the outdoor area is missing next to the appropriate decoration, a beautiful lighting. With a traditional yet modern luminaire design, the CAVADO will be an eye-catcher in your outdoor space. Placed in the entrance area, garden or on your terrace, the timeless luminaire provides an inviting ambience and optimal lighting conditions. Thanks to the weather-resistant die-cast aluminium and the IP44 protection rating, the wall light is ideal for lighting your outdoor area. The luminaire offers numerous application possibilities thanks to its classic shape and modern anthracite colouring. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Elvo black E27 IP44

Product code 22383

Brand Trio Lighting
Socket E27
Protection class IP44
Height 2400.0mm
Diameter 570.0mm
Weight 7.8 kg
Package weight 8.6 kg
Casing colour black
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years









Immerse yourself in a fascinating journey through time with the ELVO series! The unique design of the three-bulb outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the glass body of each light source, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Elvo black E27 IP44

Product code 22384

Brand Trio Lighting
Socket E27
Protection class IP44
Height 1000.0mm
Width 170.0mm
Length 170.0mm
Weight 1.8 kg
Package weight 1.9 kg
Casing colour black
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years





Immerse yourself in a fascinating journey through time with the ELVO series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it provides pleasant light in all directions to ensure safety and create an atmospheric ambience. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Elvo black E27 IP44

Product code 22385

Brand Trio Lighting
Socket E27
Protection class IP44
Height 490.0mm
Width 170.0mm
Length 170.0mm
Weight 1.3 kg
Package weight 1.5 kg
Casing colour black
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years





Immerse yourself in a fascinating journey through time with the ELVO series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it provides pleasant light in all directions to ensure safety and create an atmospheric ambience. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Fraser anthracite E27 IP54

Product code 22378

Brand Trio Lighting
Socket E27
Protection class IP54
Height 845.0mm
Width 190.0mm
Weight 1.6 kg
Package weight 2.3 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years

The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant concrete colour, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Fraser anthracite E27 IP54

Product code 22379

Brand Trio Lighting
Socket E27
Protection class IP54
Height 540.0mm
Width 190.0mm
Weight 1.3 kg
Package weight 1.8 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years







The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant concrete colour, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Fraser anthracite E27 IP54

Product code 22381

Brand Trio Lighting
Socket E27
Protection class IP54
Height 845.0mm
Width 190.0mm
Weight 1.6 kg
Package weight 2.3 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years

The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant wood reproduction, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





Bollard light Trio Lighting Fraser anthracite E27 IP54

Product code 22382

Brand Trio Lighting
Socket E27
Protection class IP54
Height 540.0mm
Width 190.0mm
Weight 1.3 kg
Package weight 1.8 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years







The FRASER outdoor light impresses with its unusual mushroom design and sets stylish accents in any outdoor area. Its modern appearance makes it a real eye-catcher, while the downward-directed light illuminates paths, driveways and gardens pleasantly and harmoniously. Whether for stylish orientation on garden paths or as a decorative element along the driveway - the FRASER combines functionality and aesthetics. With an IP54 protection rating, it offers protection against dust deposits and splashing water on all sides, making it ideal for outdoor use. The high-quality die-cast aluminium in anthracite, combined with an elegant wood reproduction, gives the luminaire a natural and modern look that adds character to any outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Fuerte anthracite 15W 1700lm IP54 3000K warm white

Product code 21972

Brand Trio Lighting
Output 15W
Maximum output 15W/1m
Luminous flux 1700lumens
Luminaire’s efficiency 113W
Correlated colour temperature warm white 3000K
Protection class IP54
Lifespan 30000h
Height 600.0mm
Width 150.0mm
Length 150.0mm
Weight 2.4 kg
Package weight 2.6 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment indoor / outdoor use
Warranty 5 years









The FUERTE outdoor luminaire is characterised by its timeless yet modern appearance. The light filtered through the cover provides a pleasant light intensity in the garden, entrance area or on the terrace. In addition, the luminaire is particularly weather-resistant due to the IP54 protection class and the die-cast aluminium and is therefore suitable for lighting your outdoor area. The luminaire offers numerous application possibilities thanks to its simple form and modern colour scheme in anthracite and white. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Fuerte anthracite 15W 1700lm IP54 830

Product code 21949

Brand Trio Lighting
Output 15W
Maximum output 15W/1m
Luminous flux 1700lumens
Luminaire’s efficiency 113W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 1550.0mm
Width 150.0mm
Length 150.0mm
Weight 5.3 kg
Package weight 5.9 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use









The FUERTE outdoor luminaire is characterised by its timeless yet modern appearance. The light filtered through the cover provides a pleasant light intensity in the garden, entrance area or on the terrace. In addition, the luminaire is particularly weather-resistant due to the IP54 protection class and the die-cast aluminium and is therefore suitable for lighting your outdoor area. The luminaire offers numerous application possibilities thanks to its simple form and modern colour scheme in anthracite and white. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Garonne anthracite 230V E27 IP44

Product code 19530

Brand Trio Lighting
Supply voltage 230V
Socket E27
Protection class IP44
Height 800.0mm
Width 140.0mm
Casing colour anthracite
Casing material aluminum + glass
Polishing matt
Work environment outdoor use
Warranty 2 years







The perfect ambience in the outdoor area requires not only the right decoration, but above all beautiful lighting. Our GARONNE series goes perfectly with straight-lined outdoor furniture and provides pleasant lighting and a perfect ambience for relaxed summer evenings. Whether a well-lit entrance area, path to the house or garden or simply a simple wall and ceiling light for the balcony - the outdoor light has IP44 protection and can therefore be used flexibly. The anthracite-coloured die-cast aluminium supports the linear design and represents a stylish combination with modern elements in the outdoor area. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Garonne anthracite E27 IP44

Product code 19529

Brand Trio Lighting
Socket E27
Protection class IP44
Height 400.0mm
Width 140.0mm
Length 140.0mm
Casing colour anthracite
Casing material metal + glass
Work environment outdoor use



Bollard light Trio Lighting Hoosic anthracite E27 IP44

Product code 22437

Brand Trio Lighting
Socket E27
Protection class IP44
Height 800.0mm
Diameter 120.0mm
Weight 1.5 kg
Package weight 1.8 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years

Whether you install the light in the entrance area, in the garden or on the patio, the HOOSIC series is versatile thanks to its simple design. What's more, the outdoor light not only provides atmospheric lighting accents, it also has two practical socket connections. Thanks to its IP44 protection rating, it is protected against splashing water and is therefore suitable for outdoor use. The white/anthracite colour combination underlines the modern style and can be combined wonderfully. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.









Bollard light Trio Lighting Hoosic anthracite E27 IP44

Product code 22438

Brand Trio Lighting
Socket E27
Protection class IP44
Height 800.0mm
Diameter 120.0mm
Weight 1.5 kg
Package weight 1.8 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years



Whether you install the light on your house façade, your balcony or on the wall of your patio, the HOOSIC series is versatile thanks to its simple design. With IP44 protection, it is protected against splashing water and is therefore suitable for outdoor use. The white/anthracite colour combination underlines the modern style and can be combined wonderfully. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Hoosic anthracite E27 IP44

Product code 22439

Brand Trio Lighting
Socket E27
Protection class IP44
Height 300.0mm
Diameter 120.0mm
Weight 1.5 kg
Package weight 1.8 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years

Whether you install the light on your house façade, your balcony or on the wall of your patio, the HOOSIC series is versatile thanks to its simple design. With IP44 protection, it is protected against splashing water and is therefore suitable for outdoor use. The white/anthracite colour combination underlines the modern style and can be combined wonderfully. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





Bollard light Trio Lighting Hoosic anthracite E27 IP44

Product code 22443

Brand Trio Lighting
Socket E27
Protection class IP44
Height 800.0mm
Diameter 120.0mm
Weight 1.3 kg
Package weight 1.6 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years



Decorative and functional - the HOOSIC pathway light with integrated motion sensor. In the dark, the anthracite-coloured luminaire unfolds its full effect and shines the light evenly into the outdoor area, creating an effective and pleasant light intensity. Thanks to the weather-resistant die-cast aluminium in combination with white plastic and the IP44 protection rating, the path light with a height of 80 cm and a diameter of 9 cm is ideal for illuminating your outdoor area. The integrated motion detector has a detection angle of 120 and a range of up to 8 metres. The lighting duration can be individually set from five seconds to seven minutes. The anthracite-coloured design can be combined in a variety of ways and ensures a modern appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Hoosic anthracite E27 IP44

Product code 22445

Brand Trio Lighting
Socket E27
Protection class IP44
Height 300.0mm
Diameter 120.0mm
Weight 1.5 kg
Package weight 1.8 kg
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use
Warranty 3 years

Decorative and functional - the HOOSIC pathway light with integrated motion sensor. In the dark, the luminaire unfolds its full effect and shines the light evenly into the outdoor area, creating an effective and pleasant light intensity. Thanks to the weather-resistant die-cast aluminium in combination with white plastic and the IP44 protection rating, the path light with a height of 30 cm and a diameter of 9 cm is ideal for illuminating your outdoor area. The integrated motion detector has a detection angle of 120 and a range of up to 8 metres. The lighting duration can be individually set from five seconds to seven minutes. The anthracite-coloured design can be combined in a variety of ways and ensures a modern appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





Bollard light Trio Lighting Kaveri anthracite GU10 IP44

Product code 19542

Brand Trio Lighting
Socket GU10
Protection class IP44
Diameter 200.0mm
Casing colour anthracite
Work environment outdoor use



Reduced design and classic shape – that is our outdoor luminaire KAVERI. Placed in the entrance area, garden or on your terrace, the timeless luminaire provides an inviting ambience and optimal lighting conditions. Thanks to the weather-resistant die-cast aluminium and the IP44 protection rating, the path light is protected against splashing water and is therefore suitable for outdoor use. The stylish anthracite colour scheme will enhance your outdoor space with modern colour accents. For energy-saving lighting, it is recommended to use an LED illuminant. These are an optimal alternative to conventional halogen lamps and stand for a high quality of light and energy savings of up to 80%. In addition, LED lamps help you benefit from a long service life, low heat generation and at the same time protect the environment.

Bollard light Trio Lighting kinnituspiik

Product code 22423

Brand Trio Lighting
Height 405.0mm
Width 200.0mm
Length 140.0mm
Weight 1.1 kg
Package weight 1.4 kg
Casing material metal
Work environment outdoor use
Warranty 3 years







Bollard light Trio Lighting Livenza black 230V E27 IP44

Product code 22395

Brand Trio Lighting
Supply voltage 230V
Maximum output 60W/1m
Socket E27
Protection class IP44
Height 2000.0mm
Diameter 580.0mm
Weight 5 kg
Package weight 6.2 kg
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 3 years







Immerse yourself in a fascinating journey through time with the LIVENZA series! The unique design of the three-bulb outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. With an IP44 protection rating, the light is protected against splashing water on all sides. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Livenza black 230V E27 IP44

Product code 22396

Brand Trio Lighting
Supply voltage 230V
Maximum output 60W/1m
Socket E27
Protection class IP44
Height 1000.0mm
Width 150.0mm
Length 170.0mm
Weight 1.1 kg
Package weight 1.4 kg
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 3 years





Bollard light Trio Lighting Livenza black 230V E27 IP44

Product code 22397

Brand Trio Lighting
Supply voltage 230V
Maximum output 60W/1m
Socket E27
Protection class IP44
Height 395.0mm
Width 170.0mm
Length 170.0mm
Weight 700 g
Package weight 1 kg
Casing colour black
Casing material aluminium
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 3 years



Immerse yourself in a fascinating journey through time with the LIVENZA series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. With an IP44 protection rating, the light is protected against splashing water on all sides. The light, made of high-quality die-cast aluminium in matt black, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Livenza white 230V E27 IP44

Product code 22398

Brand Trio Lighting
Supply voltage 230V
Maximum output 60W/1m
Socket E27
Protection class IP44
Height 395.0mm
Width 170.0mm
Length 170.0mm
Weight 700 g
Package weight 1 kg
Casing colour white
Casing material aluminium
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 3 years



Immerse yourself in a fascinating journey through time with the LIVENZA series! The unique design of the outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. Thanks to the generous light emission, it emits pleasant light in all directions to ensure safety and create an atmospheric ambience. With an IP44 protection rating, the light is protected against splashing water on all sides. The light, made of high-quality die-cast aluminium in matt white, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Mackenzie anthracite 8W 800lm IP54 830




Product code 21077

Brand Trio Lighting
Output 8W
Luminous flux 800lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 500.0mm
Diameter 165.0mm
Weight 1.6 kg
Package weight 2.1 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years



Bollard light Trio Lighting Mackenzie anthracite 8W 800lm IP54 830

Product code 21078

Brand Trio Lighting
Output 8W
Luminous flux 800lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 30000h
Height 950.0mm
Diameter 165.0mm
Weight 2.1 kg
Package weight 2.8 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years




Bollard light Trio Lighting Malawi anthracite 5W 700lm IP65 2300K, 3000K, 4000K 3CCT

Product code 21095

Brand Trio Lighting
Output 5W
Luminous flux 700lumens
Luminaire’s efficiency 140W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP65
Lifespan 50000h
Height 600.0mm
Width 153.0mm
Length 200.0mm
Weight 3 kg
Package weight 3.4 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 25000pcs
Work environment outdoor use
Warranty 5 years









The MALAWI outdoor light combines modern technology with practical functionality and is the ideal choice for your outdoor lighting. Equipped with a motion and twilight sensor, the light provides automatic and needs-based lighting. It offers flexible operating options: the light can be used either exclusively with solar energy, only with mains voltage or in hybrid operation. If the battery voltage is insufficient, it automatically switches to mains operation, while the battery is charged exclusively via the solar panel. The design of the MALAWI enables an individually adjustable light surface that can be tilted as required to direct the light in a targeted manner. At dusk or in the dark, the MALAWI lights up continuously with a gentle orientation light of around 10% brightness. As soon as the motion sensor registers activity in the immediate vicinity, the brightness automatically increases to 100%. With an IP65 protection rating, the luminaire is optimally protected against dust and water jets from any angle, making it ideal for outdoor use. The robust housing of the MALAWI is made of high-quality die-cast aluminium, which not only ensures a long service life, but also offers a modern and elegant look thanks to its anthracite-coloured surface. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Malawi Solar anthracite 5W 700lm IP65 2300K, 3000K, 4000K 3CCT

Product code 21096

Brand Trio Lighting
Output 5W
Luminous flux 700lumens
Luminaire’s efficiency 140W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP65
Lifespan 50000h
Height 1000.0mm
Width 153.0mm
Length 200.0mm
Weight 3.6 kg
Package weight 4.1 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 25000pcs
Work environment outdoor use
Warranty 5 years




The MALAWI outdoor light combines modern technology with practical functionality and is the ideal choice for your outdoor lighting. Equipped with a motion and twilight sensor, the light provides automatic and needs-based lighting. It offers flexible operating options: the light can be used either exclusively with solar energy, only with mains voltage or in hybrid operation. If the battery voltage is insufficient, it automatically switches to mains operation, while the battery is charged exclusively via the solar panel. The design of the MALAWI enables an individually adjustable light surface that can be tilted as required to direct the light in a targeted manner. At dusk or in the dark, the MALAWI lights up continuously with a gentle orientation light of around 10% brightness. As soon as the motion sensor registers activity in the immediate vicinity, the brightness automatically increases to 100%. With an IP65 protection rating, the luminaire is optimally protected against dust and water jets from any angle, making it ideal for outdoor use. The robust housing of the MALAWI is made of high-quality die-cast aluminium, which not only ensures a long service life, but also offers a modern and elegant look thanks to its anthracite-coloured surface. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Mariza anthracite 11W 1150lm IP65 3000K warm white

Product code 19469

Brand Trio Lighting
Output 11W
Luminous flux 1150lumens
Luminaire’s efficiency 105W
Correlated colour temperature warm white 3000K
Protection class IP65
Height 500.0mm
Width 310.0mm
Length 115.0mm
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use



Impressive light art for outdoor areas with the MARIZA series! The modern bollard light bathes paths around the house in pleasant light and illuminates the entrance area with artistic lighting flair. Its elongated design has an IP65 protection rating, which means it is protected against water jets from all sides. The elegant anthracite colour scheme can be easily integrated into existing outdoor concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Mures anthracite E27 IP44

Product code 22361

Brand Trio Lighting
Socket E27
Protection class IP44
Height 800.0mm
Diameter 180.0mm
Weight 2 kg
Package weight 2.7 kg
Casing colour anthracite
Casing material aluminium
Work environment outdoor use

The MURES outdoor bollard impresses with its simple, timeless design and a luminous sphere that emits pleasant light into the surroundings. It provides gentle illumination and creates a sense of security around the house - especially along paths, driveways or in entrance areas where orientation and good lighting are required. Thanks to its IP44 protection rating, MURES is reliably protected against splash water, making it ideal for outdoor use. Whether along garden paths, driveways or in entrance areas - this bollard combines functionality with discreet elegance. Made of die-cast aluminium in anthracite and combined with white glass, the luminaire impresses with its high-quality choice of materials and modern look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.





© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Mures anthracite E27 IP44

Product code 22362

Brand Trio Lighting
Socket E27
Protection class IP44
Height 400.0mm
Diameter 180.0mm
Weight 1.2 kg
Package weight 1.7 kg
Casing colour anthracite
Casing material aluminium
Work environment outdoor use



The MURES outdoor bollard impresses with its simple, timeless design and a luminous sphere that emits pleasant light into the surroundings. It provides gentle illumination and creates a sense of security around the house - especially along paths, driveways or in entrance areas where orientation and good lighting are required. Thanks to its IP44 protection rating, MURES is reliably protected against splash water, making it ideal for outdoor use. Whether along garden paths, driveways or in entrance areas - this bollard combines functionality with discreet elegance. Made of die-cast aluminium in anthracite and combined with white glass, the luminaire impresses with its high-quality choice of materials and modern look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting PEARL anthracite 230V 8W 900lm IP54 3000K warm white

Product code 20753

Brand Trio Lighting
Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 900lumens
Luminaire’s efficiency 113W
Correlated colour temperature warm white 3000K
Protection class IP54
Height 500.0mm
Width 140.0mm
Casing colour anthracite
Casing material aluminum + glass
Polishing matt
No. of switches 20000pcs
Work environment outdoor use
Warranty 2 years



Bollard light Trio Lighting Pearl anthracite 230V 8W 900lm IP54 3000K warm white

Product code 22721

Brand Trio Lighting
Supply voltage 230V
Output 8W
Maximum output 8W/1m
Luminous flux 900lumens
Luminaire’s efficiency 113W
Correlated colour temperature warm white 3000K
Protection class IP54
Height 100.0mm
Width 140.0mm
Weight 1.6 kg
Package weight 2.2 kg
Casing colour anthracite
Casing material aluminum + glass
Polishing matt
No. of switches 20000pcs
Work environment outdoor use
Warranty 5 years








Functionality meets modern, innovative design! This outdoor light from the PEARL series impresses with its attractive design and offers you the opportunity to set the scene for your outdoor areas with warm lighting accents. The post provides direct, downward illumination on your footpath or garden path. Thanks to the IP rating of 54, this modern light is particularly weather-resistant. The path light has a height of 100 cm and a width of 14 cm. The pathway light impresses with a housing made of anthracite-coloured die-cast aluminium and a slanted light shade made of white plastic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Ravi anthracite 13W 1500lm IP65 2300K, 3000K, 4000K 3CCT

Product code 22364

Brand Trio Lighting
Output 13W
Maximum output 13W/1m
Luminous flux 1500lumens
Luminaire’s efficiency 115W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP65
Lifespan 30000h
Height 1000.0mm
Width 22.0mm
Length 140.0mm
Weight 4.3 kg
Package weight 5 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years



The PARANA outdoor wall light impresses with its cylindrical, minimalist, simple design and blends harmoniously into any façade design. It emits its light pleasantly upwards and downwards and creates a stylish play of light on the façade, providing discreet yet effective lighting. With protection class IP44, PARANA is reliably protected against splash water and is therefore ideal for outdoor use. Whether at the front door, along the house wall or around the house - the light ensures greater safety and an inviting atmosphere. Die-cast aluminium in anthracite combined with white plastic gives RAVI a modern, robust look with a timeless character. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Ravi anthracite 13W 1500lm IP65 2300K, 3000K, 4000K 3CCT

Product code 22365

Brand Trio Lighting
Output 13W
Maximum output 13W/1m
Luminous flux 1500lumens
Luminaire’s efficiency 115W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP65
Lifespan 30000h
Height 500.0mm
Width 22.0mm
Length 140.0mm
Weight 4.3 kg
Package weight 5 kg
Casing colour anthracite
Casing material diecast aluminium
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years









The PARANA outdoor wall light impresses with its cylindrical, minimalist, simple design and blends harmoniously into any façade design. It emits its light pleasantly upwards and downwards and creates a stylish play of light on the façade, providing discreet yet effective lighting. With protection class IP44, PARANA is reliably protected against splash water and is therefore ideal for outdoor use. Whether at the front door, along the house wall or around the house - the light ensures greater safety and an inviting atmosphere. Die-cast aluminium in anthracite combined with white plastic gives RAVI a modern, robust look with a timeless character. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Reno anthracite 4,5W 450lm IP54 3000K warm white

Product code 19543

Brand Trio Lighting
Output 4,5W
Luminous flux 450lumens
Correlated colour temperature warm white 3000K
Protection class IP54
Lifespan 20000h
Height 500.0mm
Width 160.0mm
Weight 1.8 kg
Package weight 2 kg
Casing colour anthracite
No. of switches 50000pcs
Work environment outdoor use
Warranty 5 years





This free-standing light from the RENO series brings completely new design possibilities to your outdoor area. Clear lines and timeless elegance are combined here to form a perfect unit. Leave a lasting impression in your entrance area. The anthracite die-cast aluminium version can complement modern style concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Reno anthracite 4,5W 450lm IP54 830

Product code 22295

Brand Trio Lighting
Output 4,5W
Luminous flux 450lumens
Correlated colour temperature warm white 3000K
Cri 80
Protection class IP54
Lifespan 20000h
Height 1000.0mm
Width 160.0mm
Length 57.0mm
Weight 2.9 kg
Package weight 3.2 kg
Casing colour anthracite
Casing material metal
No. of switches 50000pcs
Work environment indoor use
Warranty 5 years





This free-standing light from the RENO series brings completely new design possibilities to your outdoor area. Clear lines and timeless elegance are combined here to form a perfect unit. Leave a lasting impression in your entrance area. The anthracite die-cast aluminium version can complement modern style concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Salmon black 230V 11W IP44 3000K warm white

Product code 19423

Brand Trio Lighting
Supply voltage 230V
Output 11W
Maximum output 11W/1m
Correlated colour temperature warm white 3000K
Protection class IP44
Lifespan 30000h
Height 600.0mm
Width 215.0mm
Length 950.0mm
In package 1pc
Casing colour black
Casing material aluminium
Polishing matt



Bollard light for outdoor use. Well-suited for illuminating driveways and walkways. Protection class IP65 means the light is protected against fine dust and water jets and can be used outdoors. The light has an E27 socket. Illuminate your world with LED House professionals - check out our project portfolio here!

Bollard light Trio Lighting Sambesi 3 anthracite E27 IP44

Product code 21098

Brand Trio Lighting
Socket E27
Protection class IP44
Height 2400.0mm
Diameter 510.0mm
Weight 4.9 kg
Package weight 6.9 kg
Casing colour anthracite
Casing material diecast aluminium
Warranty 3 years









Bollard light Trio Lighting Sambesi 3 rustic E27 IP44




Product code 21097

Brand Trio Lighting
Socket E27
Protection class IP44
Height 2400.0mm
Diameter 510.0mm
Weight 4.9 kg
Package weight 6.9 kg
Casing colour rustic
Casing material diecast aluminium
Warranty 3 years




Bollard light Trio Lighting Sambesi anthracite E27 IP44

Product code 20007

Brand Trio Lighting
Socket E27
Protection class IP44
Height 1000.0mm
Width 230.0mm
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use







Exceptional and functional luminaire design. With its traditional yet modern luminaire design, the SAMBESI path light will be an eye-catcher in your outdoor area. When the luminaire is switched on, the light is pleasantly emitted into the surroundings and creates a decorative lighting ambience. The light has a twilight sensor that can be switched off via an integrated switch if required. Thanks to the weather-resistant die-cast aluminium in combination with the IP44 protection rating, the pathway light with a height of 100 cm is ideal for illuminating your outdoor area. The anthracite-coloured design can be combined in a variety of ways and ensures a modern appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Sambesi anthracite E27 IP44 3000K warm white

Product code 19470



Brand Trio Lighting
Correlated colour temperature warm white 3000K
Socket E27
Protection class IP44
Height 800.0mm
Width 230.0mm
Length 210.0mm
Casing colour anthracite
Casing material diecast aluminium
Work environment outdoor use

Bollard light Trio Lighting Sambesi rustic E27 IP44

Product code 19497

Brand Trio Lighting
Socket E27
Protection class IP44
Height 600.0mm
Width 230.0mm
Length 210.0mm
Casing colour rustic
Casing material diecast aluminium
Work environment outdoor use





Exceptional and functional luminaire design. The SAMBESI bollard light with its traditional yet modern luminaire design will be an eye-catcher in your outdoor area. When the luminaire is switched on, the light is pleasantly emitted into the surroundings and creates a decorative lighting ambience. The light has a twilight sensor that can be switched off via an integrated switch if required. Thanks to the weather-resistant die-cast aluminium in combination with the IP44 protection rating, the bollard light with a height of 60 cm is ideal for illuminating your outdoor area. The rust-coloured design is absolutely on trend and ensures a sophisticated appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Sambesi rustic E27 IP44

Product code 19528

Brand Trio Lighting
Socket E27
Protection class IP44
Height 1000.0mm
Width 230.0mm
Casing colour rustic
Casing material diecast aluminium
Work environment outdoor use

Exceptional and functional luminaire design. With its traditional yet modern luminaire design, the SAMBESI path light will be an eye-catcher in your outdoor area. When the luminaire is switched on, the light is pleasantly emitted into the surroundings and creates a decorative lighting ambience. The light has a twilight sensor that can be switched off via an integrated switch if required. Thanks to the weather-resistant die-cast aluminium in combination with the IP44 protection rating, the pathway light with a height of 100 cm is ideal for illuminating your outdoor area. The rust-coloured design is absolutely on trend and ensures a sophisticated appearance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Bollard light Trio Lighting Tanaro anthracite E27 IP44

Product code 21987

Brand Trio Lighting
Socket E27
Protection class IP44
Height 400.0mm
Diameter 145.0mm
Casing colour anthracite
Casing material aluminium





Bollard light Trio Lighting Trioto black E27 IP20

Product code 21467

Brand Trio Lighting
Socket E27
Protection class IP20
Height 450.0mm
Diameter 118.0mm
Weight 500 g
Package weight 700 g
Casing colour black
Casing material stainless steel
Work environment outdoor use
Warranty 5 years









The TRIOTO bollard light combines stylish design and functionality to make paths, driveways and garden areas safe and inviting. Ideal along footpaths or near patios, it not only creates striking accents, but also ensures uniform illumination and better orientation in the dark. Its cylindrical design emits light in all directions and creates an atmospheric play of light in outdoor areas. With an IP44 protection rating, TRIOTO is reliably protected against splashing water from all sides and is ideal for outdoor use. Made from high-quality stainless steel in matt black and combined with white plastic, it impresses with its durability and timeless elegance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Trioto black E27 IP44

Product code 22419

Brand Trio Lighting
Socket E27
Protection class IP44
Lifespan 30000h
Height 800.0mm
Diameter 118.0mm
Weight 900 g
Package weight 1 kg
Casing colour black
Casing material stainless steel
Work environment outdoor use
Warranty 3 years



The TRIOTO bollard light combines stylish design and functionality to make paths, driveways and garden areas safe and inviting. Ideal along footpaths or near patios, it not only creates striking accents, but also ensures uniform illumination and better orientation in the dark. Its cylindrical design emits light in all directions and creates an atmospheric play of light in outdoor areas. With an IP44 protection rating, TRIOTO is reliably protected against splashing water from all sides and is ideal for outdoor use. Made from high-quality stainless steel in matt black and combined with white plastic, it impresses with its durability and timeless elegance. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Volturno 3 antique bronze E27 IP44

Product code 23534

Brand Trio Lighting
Socket E27
Protection class IP44
Height 2000.0mm
Diameter 590.0mm
Weight 160 g
Package weight 190 g
In package 1pc
Casing colour antique bronze
Casing material aluminium
Work environment outdoor use
Warranty 3 years



Experience a fascinating journey through time with the VOLTURNO series! The unique design of this three-bulb outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. The body, which is fitted with glass, enables wide-area light distribution in all directions, ensures safety and creates an atmospheric ambience. The light, made of high-quality die-cast aluminium in an antique rust colour, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

Bollard light Trio Lighting Volturno antique bronze E27 IP44

Product code 22596

Brand Trio Lighting
Socket E27
Protection class IP44
Height 1000.0mm
Width 150.0mm
Weight 1.6 kg
Package weight 1.8 kg
Casing colour antique bronze
Casing material aluminium
Work environment outdoor use





Experience a fascinating journey through time with the VOLTURNO series! The unique design of this outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. The body, which is fitted with glass, enables wide-area light distribution in all directions, ensures safety and creates an atmospheric ambience. The light, made of high-quality die-cast aluminium in an antique rust colour, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Volturno antique bronze E27 IP44

Product code 23295

Brand Trio Lighting
Socket E27
Protection class IP44
Height 475.0mm
Width 170.0mm
Casing colour antique bronze
Casing material aluminium
Work environment outdoor use
Warranty 3 years







Experience a fascinating journey through time with the VOLTURNO series! The unique design of this outdoor light is an eye-catcher and sets special lighting accents in your garden or driveway. The body, which is fitted with glass, enables wide-area light distribution in all directions, ensures safety and creates an atmospheric ambience. The light, made of high-quality die-cast aluminium in an antique rust colour, lends your garden an elegant charm. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.

Bollard light Trio Lighting Witham anthracite 14,5W 1450lm IP54 2300K, 3000K, 4000K 3CCT

Product code 22424

Brand Trio Lighting
Output 14,5W
Maximum output 14.5W/1m
Luminous flux 1450lumens
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP54
Lifespan 30000h
Height 800.0mm
Width 150.0mm
Length 150.0mm
Weight 2.9 kg
Package weight 3.3 kg
Casing colour anthracite
Casing material metal + plastic
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years









The WITHAM outdoor light provides the necessary safety around your house. In the dark, the floor lamp unfolds its full effect and emits the light evenly in all directions to the outdoor area, creating an effective and pleasant light distribution. Thanks to the simple, straight-lined design and the IP54 protection class, the WITHAM is versatile in use. In addition, the luminaire has a DIP switch, which allows the light colour to be adjusted individually. The anthracite-coloured outdoor light made of die-cast aluminium, metal and white plastic has a modern appearance. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Bollard light Trio Lighting Witham anthracite 14W 1550lm IP54 2300K, 3000K, 4000K 3CCT

Product code 22422

Brand Trio Lighting
Output 14W
Maximum output 14W/1m
Luminous flux 1550lumens
Luminaire’s efficiency 111W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP54
Lifespan 30000h
Height 400.0mm
Width 150.0mm
Length 150.0mm
Weight 1.7 kg
Package weight 1.9 kg
Casing colour anthracite
Casing material aluminium + plastic
No. of switches 15000pcs
Work environment outdoor use
Warranty 5 years







The WITHAM outdoor light provides the necessary safety around your house. In the dark, the floor lamp unfolds its full effect and emits the light evenly in all directions to the outdoor area, creating an effective and pleasant light distribution. Thanks to the simple, straight-lined design and the IP54 protection class, the WITHAM is versatile in use. In addition, the luminaire has a DIP switch, which allows the light colour to be adjusted individually. The anthracite-coloured outdoor light made of die-cast aluminium, metal and white plastic has a modern appearance. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.