



### REVAL BULB 0305 5m roll 24V 5.5W 650lm 120° IP20 940

### **Product code 17945**

Brand REVAL BULB Supply voltage 24V Output 5.5W Maximum output 5.5W/1m Luminous flux 650lumens Luminaire's efficiency Im79 118W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 3.0mm Width 5.0mm Minimum length 25.0mm Length 5000.0mm In package 5 reels Work environment indoor use Certificates CE, RoHS Warranty 5 years







# LED strip REVAL BULB 0305 NEON 5m roll 24V 5.5W 650lm 120° IP20 930

#### Product code 17944

Brand REVAL BULB Supply voltage 24V Output 5.5W Maximum output 5.5W/1m Luminous flux 650lumens Luminaire's efficiency Im79 118W Correlated colour temperature warm white 3000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 3.0mm Width 5.0mm Minimum length 25.0mm Length 5000.0mm In package 5 reels Work environment indoor use Certificates CE, RoHS Warranty 5 years








### REVAL BULB 1010 5m 24V 7.2W 460lm 100° IP67 930

### **Product code 16475**

**Brand REVAL BULB** Supply voltage 24V Output 7.2W Maximum output 7.2W/1m Luminous flux 460lumens Luminaire's efficiency Im79 64W Correlated colour temperature warm white 3000K Lens angle 100 Cri 90 Sdcm - macadam ellipses 6 Protection class IP67 Lifespan 25000h Llmf tm21 L80B10 @25°C 50.000h Height 11.0mm Width 10.0mm Minimum length 50.0mm Length 5000.0mm Certificates CE, RoHS Warranty 5 years








# Flexible LED neon tube REVAL BULB 10x20 5m 24V 15W 100lm 115° IP67 RGB + 3000K RGBW warm

#### Product code 16740

Brand REVAL BULB Supply voltage 24V Output 15W Maximum output 15W/1m Luminous flux 100lumens Luminaire's efficiency Im79 7W Correlated colour temperature RGBW warm RGB + 3000K Lens angle 115 Sdcm - macadam ellipses 6 Protection class IP67 Lifespan 50000h Llmf tm21 L70B50 @25°C 50.000h Height 20.0mm Width 12.0mm Minimum length 62.5mm Length 5000.0mm Impact resistance IK08 Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years

Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!








# Flexible LED neon tube REVAL BULB 12x20 10m 24V 11.5W 150lm IP67 RGB

### Product code 15401

Brand REVAL BULB
Supply voltage 24V
Output 11.5W
Maximum output 11.5W/1m
Luminous flux 150lumens
Luminaire's efficiency Im79 13W
Correlated colour temperature RGB
RGB
Protection class IP67
Height 22.0mm
Width 12.0mm
Minimum length 62.5mm
Certificates CE
Warranty 5 years

Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!








# Flexible LED neon tube REVAL BULB 12x20 10m 24V 12W 200lm 120° IP67 RGB

#### Product code 17447

Brand REVAL BULB Supply voltage 24V Output 12W Maximum output 12W/1m Luminous flux 200lumens Luminaire's efficiency Im79 17W Correlated colour temperature RGB RGB Lens angle 120 Source of light **EPISTAR LED** Sdcm - macadam ellipses 3 Protection class IP67 Height 20.0mm Width 12.0mm Minimum length 50.0mm Length 10000.0mm Work environment indoor / outdoor Operation temperature -30 ~ 50°C Certificates CE Warranty 5 years

Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!







# Flexible LED neon tube REVAL BULB 12x22mm 5m 12V 14.4W 455lm 165° IP67 927

### **Product code 16385**

Brand REVAL BULB Supply voltage 12V Output 14.4W Maximum output 14.4W/1m Luminous flux 455lumens Luminaire's efficiency Im79 32W Correlated colour temperature warm white 2700K Lens angle 165 Source of light SANAN LED Cri 90 Protection class IP67 Lifespan 50000h Height 22.0mm Width 12.0mm Minimum length 25.0mm Length 5000.0mm Weight 1080g Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years

Silicone-covered LED strip - the most impactful design element to incorporate into your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!








# LED strip REVAL BULB 1616 NEON 40m roll 48V 15W 680lm 120° IP68 930

### **Product code 18309**

Brand REVAL BULB Supply voltage 48V Output 15W Maximum output 15W/1m Luminous flux 680lumens Luminaire's efficiency Im79 45W Correlated colour temperature warm white 3000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP68 Lifespan 50000h Llmf tm21 L70B50 @25°C 50.000h Height 16.0mm Width 16.0mm Minimum length 100.0mm Length 40000.0mm In package 40 reels Work environment indoor / outdoor Certificates CE, RoHS Warranty 5 years

Durable and flexible LED lighting suitable for both indoor and outdoor use, including humid and dusty environments. Its weather resistance and flexibility make it an excellent choice for illuminating various surfaces and shapes, such as stairs, terraces, canopies, or architectural lines. The light emits a warm and uniform glow, creating a continuous line of light along its entire length. It is ideal both for creating ambience and for directional lighting in areas where durability, reliability, and an aesthetic result are important.








# LED strip REVAL BULB 1616 NEON 40m roll 48V 5W 230lm 120° IP68 930

### **Product code 18308**

**Brand REVAL BULB** Supply voltage 48V Output 5W Maximum output 5W/1m Luminous flux 230lumens Luminaire's efficiency Im79 46W Correlated colour temperature warm white 3000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP68 Lifespan 50000h Llmf tm21 L70B50 @25°C 50.000h Height 16.0mm Width 16.0mm Minimum length 100.0mm Length 40000.0mm In package 40 reels Work environment indoor / outdoor Certificates CE, RoHS Warranty 5 years

Durable and flexible LED lighting suitable for both indoor and outdoor use, including humid and dusty environments. Its weather resistance and flexibility make it an excellent choice for illuminating various surfaces and shapes, such as stairs, terraces, canopies, or architectural lines. The light emits a warm and uniform glow, creating a continuous line of light along its entire length. It is ideal both for creating ambience and for directional lighting in areas where durability, reliability, and an aesthetic result are important.







# Flexible LED neon tube REVAL BULB 360 D23 5m 24V 14.4W 400lm 360° IP65 RGB

#### **Product code 17215**

Brand REVAL BULB Supply voltage 24V Output 14.4W Maximum output 14.4W/1m Luminous flux 400lumens Luminaire's efficiency Im79 28W Correlated colour temperature RGB RGB Lens angle 360 Source of light SANAN LED Sdcm - macadam ellipses 3 Protection class IP65 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 23.0mm Width 23.0mm Minimum length 50.0mm Length 5015.0mm Diameter 23.0mm Impact resistance IK08 Work environment indoor / outdoor use Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years







# Flexible LED neon tube REVAL BULB 360 D23 5m 24V 19.2W 1824lm 360° IP20 830

#### Product code 16382

Brand REVAL BULB Supply voltage 24V Output 19.2W Maximum output 19.2W/1m Luminous flux 1824lumens Luminaire's efficiency Im79 95W Correlated colour temperature warm white 3000K Lens angle 360 Source of light SANAN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 25000h Llmf tm21 L70 @25°C 50.000h Length 5015.0mm Diameter 25.0mm Weight 2650g Impact resistance IK08 Work environment indoor / outdoor Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years







# Flexible LED neon tube REVAL BULB 360 D23 5m 24V 19.2W 1928lm 360° IP67 840

#### Product code 16920

Brand REVAL BULB Supply voltage 24V Output 19.2W Maximum output 19.2W/1m Luminous flux 1928lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 360 Source of light SANAN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP67 Lifespan 25000h Llmf tm21 L70 @25°C 50.000h Length 5015.0mm Diameter 25.0mm Weight 2650g Impact resistance IK08 Work environment indoor / outdoor Operation temperature -20 ~ 45°C Certificates CE Warranty 5 years








# Flexible LED neon tube REVAL BULB 4x10mm 5m 24V 9.6W 206lm 115° IP65 927

### **Product code 19975**

Warranty 5 years

Brand REVAL BULB Supply voltage 24V Output 9.6W Maximum output 9.6W/1m Luminous flux 206lumens Luminaire's efficiency Im79 21W Correlated colour temperature warm white 2700K Lens angle 115 Source of light SANAN LED Cri 90 Sdcm - macadam ellipses 6 Protection class IP65 Lifespan 50000h Llmf tm21 L80B10 @25°C 50.000h Height 10.0mm Width 4.0mm Minimum length 50.0mm Length 5000.0mm Certificates CE









# Flexible LED neon tube REVAL BULB 4x10mm 5m 24V 9.6W 229lm 90° IP65 940

### **Product code 15944**

Brand REVAL BULB Supply voltage 24V Output 9.6W Maximum output 9.6W/1m Luminous flux 229lumens Luminaire's efficiency Im79 24W Correlated colour temperature pure white 4000K Lens angle 90 Source of light SANAN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP65 Lifespan 50000h Llmf tm21 L80B50 @25°C 50.000h Height 10.0mm Width 4.0mm Minimum length 50.0mm Length 5000.0mm Certificates CE Warranty 5 years

Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!







# Flexible LED neon tube REVAL BULB 4x10mm 5m 24V 9.6W 330lm 115° IP65 830

### **Product code 16030**

Brand REVAL BULB Supply voltage 24V Output 9.6W Maximum output 9.6W/1m Luminous flux 330lumens Luminaire's efficiency Im79 34W Correlated colour temperature warm white 3000K Lens angle 115 Source of light SANAN LED Cri 85 Sdcm - macadam ellipses 6 Protection class IP65 Lifespan 25000h Llmf tm21 L80B10 @25°C 50.000h Height 10.0mm Width 4.0mm Minimum length 50.0mm Length 5000.0mm Certificates CE

Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Warranty 5 years







# Flexible LED neon tube REVAL BULB 6x12mm 5m 24V 14.4W 582lm 120° IP67 830


### **Product code 16931**

Warranty 5 years

Brand REVAL BULB Supply voltage 24V Output 14.4W Maximum output 14.4W/1m Luminous flux 582lumens Luminaire's efficiency Im79 40W Correlated colour temperature warm white 3000K Lens angle 120 Source of light SANAN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP67 Lifespan 50000h Llmf tm21 L80B50 @25°C 50.000h Height 9.0mm Width 7.0mm Minimum length 50.0mm Length 5000.0mm Certificates CE

Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!







8.12.2025




# Flexible LED neon tube REVAL BULB 6x12mm 5m 24V 14.4W 617lm 120° IP67 840

### **Product code 15565**

Brand REVAL BULB Supply voltage 24V Output 14.4W Maximum output 14.4W/1m Luminous flux 617lumens Luminaire's efficiency Im79 43W Correlated colour temperature pure white 4000K Lens angle 120 Source of light SANAN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP67 Lifespan 25000h Llmf tm21 L70B50 @25°C 50.000h Height 9.0mm Width 7.0mm Minimum length 50.0mm Length 5000.0mm Certificates CE Warranty 5 years

Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!





LED strip REVAL BULB 7014 5m 24V 9.6W 245Im 115° IP67 940





#### **Product code 16576**

**Brand REVAL BULB** Supply voltage 24V Output 9.6W Maximum output 9.6W/1m Luminous flux 245lumens Luminaire's efficiency lm79 26W Correlated colour temperature pure white 4000K Lens angle 115 Cri 90 Sdcm - macadam ellipses 3 Protection class IP67 Lifespan 50000h Height 14.0mm Width 7.0mm Minimum length 50.0mm Length 5000.0mm Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years

