

Flexible LED Neon Tube REVAL BULB 1010 5m 24V 7.2W 460lm 100° IP67 930

Product code 16475

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Luminous flux 460lumens

Luminaire's efficiency lm79 64W

Correlated colour temperature warm
white 3000K

Lens angle 100

Cri 90

Protection class IP67

Lifespan 25000h

Height 11.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years


LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



Flexible LED Neon Tube REVAL BULB 10x20 5m 24V 15W 100lm 115° IP67 RGB + 3000K RGBW warm

Product code 16740

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 15W
 Luminous flux 100lumens
 Luminaire's efficiency lm79 7W
 Correlated colour temperature RGBW
 warm RGB + 3000K
 Lens angle 115
 Sdcm - macadam ellipses 6
 Protection class IP67
 Height 20.0mm
 Width 12.0mm
 Minimum length 62.5mm
 Length 5000.0mm
 Impact resistance IK08
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 12x20 10m 24V 11.5W 150lm IP67 RGB

Product code 15401

Brand [REVAL BULB](#)

Supply voltage 24V

Output 11.5W

Luminous flux 150lumens

Luminaire's efficiency lm79 13W

Correlated colour temperature RGB

RGB

Protection class IP67

Height 22.0mm


Width 12.0mm

Minimum length 62.5mm

Certificates CE

Warranty 5 years


Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



Flexible LED Neon Tube REVAL BULB 12x20 10m 24V 12W 200lm 120° IP67 RGB

Product code 17447

Brand [REVAL BULB](#)
Supply voltage 24V
Output 12W
Luminous flux 200lumens
Luminaire's efficiency lm79 17W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light [EPISTAR LED](#)
Sdcm - macadam ellipses 3
Protection class IP67
Height 20.0mm
Width 12.0mm
Minimum length 50.0mm
Length 10000.0mm
Work environment indoor / outdoor
use
Operation temperature -30 ~ 50°C
Certificates CE
Warranty 5 years



Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 12x22mm 5m 12V 14.4W 455lm 165° IP67 927

Product code 16385

Brand [REVAL BULB](#)
 Supply voltage 12V
 Output 14.4W
 Luminous flux 455lumens
 Luminaire's efficiency lm79 32W
 Correlated colour temperature warm white 2700K
 Lens angle 165
 Source of light SANAN LED
 Cri 90
 Protection class IP67
 Lifespan 50000h
 Height 22.0mm
 Width 12.0mm
 Minimum length 25.0mm
 Length 5000.0mm
 Weight 1080g
 Operation temperature -20 ~ 45°C
 Certificates CE
 Warranty 5 years



Silicone-covered LED strip - the most impactful design element to incorporate into your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 360 D23 5m 24V 14.4W 400lm 360° IP65 RGB

Product code 17215

Brand [REVAL BULB](#)
Supply voltage 24V
Output 14.4W
Luminous flux 400lumens
Luminaire's efficiency lm79 28W
Correlated colour temperature RGB
RGB
Lens angle 360
Source of light SANAN LED
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 23.0mm
Width 23.0mm
Minimum length 50.0mm
Length 5015.0mm
Diameter 23.0mm
Impact resistance IK08
Work environment indoor / outdoor
use
Operation temperature -20 ~ 45°C
Certificates CE
Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



Flexible LED Neon Tube REVAL BULB 360 D23 5m 24V 19.2W 1824lm 360° IP20 830

Product code 16382

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 1824lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature warm white 3000K

Lens angle 360

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 25000h

Llmf tm21 L70 @25°C 50.000h

Length 5015.0mm

Diameter 25.0mm

Weight 2650g

Impact resistance IK08

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns.

Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal!

They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



Flexible LED Neon Tube REVAL BULB 360 D23 5m 24V 19.2W 1928lm 360° IP67 840

Product code 16920

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 1928lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 360

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 25000h

Llmf tm21 L70 @25°C 50.000h

Length 5015.0mm

Diameter 25.0mm

Weight 2650g

Impact resistance IK08

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns.

Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



Flexible LED Neon Tube REVAL BULB 4x10mm 5m 24V 9.6W 229lm IP65 840

Product code 15944

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Luminous flux 229lumens

Luminaire's efficiency lm79 24W

Correlated colour temperature pure white 4000K

Source of light SANAN LED

Cri 85

Protection class IP65

Lifespan 25000h

Height 10.0mm

Width 4.0mm

Minimum length 50.0mm

Certificates CE

Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 4x10mm 5m 24V 9.6W 330lm 115° IP65 830

Product code 16030

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Luminous flux 330lumens

Luminaire's efficiency lm79 34W

Correlated colour temperature warm
white 3000K

Lens angle 115

Source of light SANAN LED

Cri 85

Protection class IP65

Lifespan 25000h

Height 10.0mm

Width 4.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE

Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 6x12mm 5m 24V 14.4W 582lm IP67 830

Product code 16931

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 582lumens

Luminaire's efficiency lm79 40W

Correlated colour temperature warm
white 3000K

Source of light SANAN LED

Cri 80

Protection class IP67

Lifespan 25000h

Height 9.0mm


Width 7.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE

Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 6x12mm 5m 24V 14.4W 617lm 120° IP67 840

Product code 15565

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 617lumens

Luminaire's efficiency lm79 43W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 80

Protection class IP67

Lifespan 25000h

Height 9.0mm


Width 7.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE

Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

Flexible LED Neon Tube REVAL BULB 7014 5m 24V 9.6W 245lm 115° IP67 940

Product code 16576

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Luminous flux 245lumens

Luminaire's efficiency lm79 26W

Correlated colour temperature pure white 4000K

Lens angle 115

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Height 14.0mm

Width 7.0mm

Minimum length 50.0mm

Length 5000.0mm

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns.

Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

