

## LED strip Deko-Light kinnitus komplekt 5m

Product code 22298

---

Brand [Deko-Light](#)  
Casing material metal



## REVAL BULB 0305 5m roll 24V 5.5W 650lm 120° IP20 940

## Product code 17945

Brand [REVAL BULB](#)

Supply voltage 24V

Output 5.5W

Maximum output 5.5W/1m

Luminous flux 650lumens

Luminaire's efficiency lm79 118W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 3.0mm

Width 5.0mm

Minimum length 25.0mm

Length 5000.0mm

In package 5 reels

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns.

Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



# LED strip REVAL BULB 0305 NEON 5m roll 24V 5.5W 650lm 120° IP20 930

**Product code 17944**

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 5.5W  
 Maximum output 5.5W/1m  
 Luminous flux 650lumens  
 Luminaire's efficiency lm79 118W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Llmf tm21 L80B10 @25°C 50.000h  
 Height 3.0mm  
 Width 5.0mm  
 Minimum length 25.0mm  
 Length 5000.0mm  
 In package 5 reels  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 5 years



LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## REVAL BULB 1010 5m 24V 12W 500lm CRI90 100° IP67 2300K warm white

### Product code 22994

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 500lumens  
Luminaire's efficiency lm79 42W  
Correlated colour temperature warm white 2300K  
Lens angle 100  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 11.0mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Certificates CE, RoHS  
Warranty 3 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



## REVAL BULB 1010 5m 24V 7.2W 461lm 100° IP67 930

### Product code 16475

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 461lumens

Luminaire's efficiency lm79 64W

Correlated colour temperature warm white 3000K

Lens angle 100

Cri 90

Sdcm - macadam ellipses 6

Protection class IP67

Lifespan 25000h

Llmf tm21 L80B10 @25°C 50.000h

Height 11.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns.


Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



## Flexible LED neon tube REVAL BULB 10x20 5m 24V 15W 100lm 115° IP67 RGB + 3000K RGBW warm

### Product code 16740

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 15W  
 Maximum output 15W/1m  
 Luminous flux 100lumens  
 Luminaire's efficiency lm79 7W  
 Correlated colour temperature RGBW  
 warm RGB + 3000K  
 Lens angle 115  
 Sdcm - macadam ellipses 6  
 Protection class IP67  
 Lifespan 50000h  
 Llmf tm21 L70B50 @25°C 50.000h  
 Height 20.0mm  
 Width 12.0mm  
 Minimum length 62.5mm  
 Length 5000.0mm  
 Impact resistance IK08  
 Operation temperature -20 ~ 45°C  
 Certificates CE  
 Warranty 5 years



Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## Flexible LED neon tube REVAL BULB 12x20 10m 24V 11.5W 150lm IP67 RGB

**Product code 15401**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 11.5W

Maximum output 11.5W/1m

Luminous flux 150lumens

Luminaire's efficiency lm79 13W

Correlated colour temperature RGB

RGB

Protection class IP67

Height 22.0mm


Width 12.0mm

Minimum length 62.5mm

Certificates CE

Warranty 5 years


Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



## Flexible LED neon tube REVAL BULB 12x20 10m 24V 12W 200lm 120° IP67 RGB

**Product code 17447**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 12W  
Maximum output 12W/1m  
Luminous flux 200lumens  
Luminaire's efficiency lm79 17W  
Correlated colour temperature RGB  
RGB  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Sdcm - macadam ellipses 3  
Protection class IP67  
Height 20.0mm  
Width 12.0mm  
Minimum length 50.0mm  
Length 10000.0mm  
Work environment indoor / outdoor  
use  
Operation temperature -30 ~ 50°C  
Certificates CE  
Warranty 5 years



Neon Flex RGB LED strip - the most impressive design element to include in your business and events! Neon Flex creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/What is Neon Flex strip designed for? For brands and companies that want to create attractive and eye-catching advertising lighting solutions. To support architectural applications, highlighting building contours, facade lighting, interior design, stair lighting, room separation, and more. Neon Flex LED strips are perfect for event organizing! They can illuminate stages, create stage designs, and create a light-filled atmosphere. Industrial use of Neon Flex includes lighting for machines and workplaces, as well as creating safety signs. The IP67-rated LED strip is suitable for both indoor and outdoor use. You can trust our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

# Flexible LED neon tube REVAL BULB 12x22mm 5m 12V 14.4W 455lm 165° IP67 927

**Product code 16385**

Brand [REVAL BULB](#)  
 Supply voltage 12V  
 Output 14.4W  
 Maximum output 14.4W/1m  
 Luminous flux 455lumens  
 Luminaire's efficiency lm79 32W  
 Correlated colour temperature warm white 2700K  
 Lens angle 165  
 Source of light SANAN LED  
 Cri 90  
 Protection class IP67  
 Lifespan 50000h  
 Height 22.0mm  
 Width 12.0mm  
 Minimum length 25.0mm  
 Length 5000.0mm  
 Weight 1.08 kg  
 Operation temperature -20 ~ 45°C  
 Certificates CE  
 Warranty 5 years




Silicone-covered LED strip - the most impactful design element to incorporate into your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 1616 NEON 40m roll 48V 15W 680lm 120° IP68 930

**Product code 18309**

Brand [REVAL BULB](#)  
Supply voltage 48V  
Output 15W  
Maximum output 15W/1m  
Luminous flux 680lumens  
Luminaire's efficiency lm79 45W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP68  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 16.0mm  
Width 16.0mm  
Minimum length 100.0mm  
Length 40000.0mm  
In package 40 reels  
Work environment indoor / outdoor use  
Operation temperature -25°C to 60°C  
Certificates CE, RoHS  
Warranty 5 years




Durable and flexible LED lighting suitable for both indoor and outdoor use, including humid and dusty environments. Its weather resistance and flexibility make it an excellent choice for illuminating various surfaces and shapes, such as stairs, terraces, canopies, or architectural lines. The light emits a warm and uniform glow, creating a continuous line of light along its entire length. It is ideal both for creating ambience and for directional lighting in areas where durability, reliability, and an aesthetic result are important.

## LED strip REVAL BULB 1616 NEON 40m roll 48V 5W 230lm 120° IP68 930

### Product code 18308

Brand [REVAL BULB](#)  
Supply voltage 48V  
Output 5W  
Maximum output 5W/1m  
Luminous flux 230lumens  
Luminaire's efficiency lm79 46W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP68  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 16.0mm  
Width 16.0mm  
Minimum length 100.0mm  
Length 40000.0mm  
In package 40 reels  
Work environment indoor / outdoor use  
Certificates CE, RoHS  
Warranty 5 years



Durable and flexible LED lighting suitable for both indoor and outdoor use, including humid and dusty environments. Its weather resistance and flexibility make it an excellent choice for illuminating various surfaces and shapes, such as stairs, terraces, canopies, or architectural lines. The light emits a warm and uniform glow, creating a continuous line of light along its entire length. It is ideal both for creating ambience and for directional lighting in areas where durability, reliability, and an aesthetic result are important.

## Flexible LED neon tube REVAL BULB 360 D23 5m 24V 14.4W 400lm 360° IP65 RGB

**Product code 17215**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 28W

Correlated colour temperature RGB

RGB

Lens angle 360

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 23.0mm

Width 23.0mm

Minimum length 50.0mm

Length 5015.0mm

Diameter 23.0mm

Impact resistance IK08

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



# Flexible LED neon tube REVAL BULB 360 D23 5m 24V 19.2W 1824lm 360° IP20 830

**Product code 16382**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 1824lumens

Luminaire's efficiency lm79 95W

Correlated colour temperature warm white 3000K

Lens angle 360

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 25000h

Llmf tm21 L70 @25°C 50.000h

Length 5015.0mm

Diameter 25.0mm

Weight 2.65 kg

Impact resistance IK08

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns.

Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



# Flexible LED neon tube REVAL BULB 360 D23 5m 24V 19.2W 1928lm 360° IP67 840

**Product code 16920**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 1928lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 360

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 25000h

Llmf tm21 L70 @25°C 50.000h

Length 5015.0mm

Diameter 25.0mm

Weight 2.65 kg

Impact resistance IK08

Work environment indoor / outdoor use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



## Flexible LED neon tube REVAL BULB 4x10mm 5m 24V 9.6W 206lm 115° IP65 927

**Product code 19975**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 9.6W  
Maximum output 9.6W/1m  
Luminous flux 206lumens  
Luminaire's efficiency lm79 21W  
Correlated colour temperature warm white 2700K  
Lens angle 115  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 10.0mm  
Width 4.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Certificates CE  
Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## Flexible LED neon tube REVAL BULB 4x10mm 5m 24V 9.6W 229lm 90° IP65 940

**Product code 15944**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 9.6W  
Maximum output 9.6W/1m  
Luminous flux 229lumens  
Luminaire's efficiency lm79 24W  
Correlated colour temperature pure white 4000K  
Lens angle 90  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L80B50 @25°C 50.000h  
Height 10.0mm  
Width 4.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Certificates CE  
Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## Flexible LED neon tube REVAL BULB 4x10mm 5m 24V 9.6W 330lm 115° IP65 830

**Product code 16030**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 9.6W  
Maximum output 9.6W/1m  
Luminous flux 330lumens  
Luminaire's efficiency lm79 34W  
Correlated colour temperature warm white 3000K  
Lens angle 115  
Source of light SANAN LED  
Cri 85  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 25000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 10.0mm  
Width 4.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Certificates CE  
Warranty 5 years




Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## Flexible LED neon tube REVAL BULB 6x12mm 5m 24V 14.4W 582lm 120° IP67 830

**Product code 16931**

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 14.4W  
 Maximum output 14.4W/1m  
 Luminous flux 582lumens  
 Luminaire's efficiency lm79 40W  
 Correlated colour temperature warm white 3000K  
 Lens angle 120  
 Source of light SANAN LED  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP67  
 Lifespan 50000h  
 Llmf tm21 L80B50 @25°C 50.000h  
 Height 9.0mm  
 Width 7.0mm  
 Minimum length 50.0mm  
 Length 5000.0mm  
 Certificates CE  
 Warranty 5 years




Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## Flexible LED neon tube REVAL BULB 6x12mm 5m 24V 14.4W 617lm 120° IP67 840

**Product code 15565**

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 14.4W  
 Maximum output 14.4W/1m  
 Luminous flux 617lumens  
 Luminaire's efficiency lm79 43W  
 Correlated colour temperature pure white 4000K  
 Lens angle 120  
 Source of light SANAN LED  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP67  
 Lifespan 25000h  
 Llmf tm21 L70B50 @25°C 50.000h  
 Height 9.0mm  
 Width 7.0mm  
 Minimum length 50.0mm  
 Length 5000.0mm  
 Certificates CE  
 Warranty 5 years



Neon Flex LED strip, where LEDs are enclosed in a special material that evenly diffuses light. Neon Flex LED strips are flexible and easy to install. LED strip cutting interval is 50mm. IP65-67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 7014 5m 24V 9.6W 245lm 115° IP67 940

## Product code 16576

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 245lumens

Luminaire's efficiency lm79 26W

Correlated colour temperature pure white 4000K

Lens angle 115

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Height 14.0mm

Width 7.0mm

Minimum length 50.0mm

Length 5000.0mm

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 5 years

LED strip in silicone - the most effective design element to include in your business and events! Creates the most exciting and aesthetic lighting solutions! This flexible LED strip can be shaped into various texts, numbers, shapes, and patterns. Who/what is it created for? 1. For brands and businesses that want to create attractive and eye-catching advertising lighting solutions. 2. For architectural applications to highlight building contours, facade lighting, interior design, stair lighting, space separation, and more. 3. For event organization, LED strips are ideal! They can illuminate the stage, create stage designs, and create a light-playful atmosphere. 4. Industrially, LED strips are used for machine and workplace lighting and for creating safety signs. The IP67 rated LED strip is suitable for both indoor and outdoor use. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



# LED strip Trio Lighting Neon 20W 1600lm IP20 RGB + 3000K RGBW warm

**Product code 22000**

Brand [Trio Lighting](#)

Output 20W

Luminous flux 1600lumens

Luminaire's efficiency lm79 80W

Correlated colour temperature RGBW

warm RGB + 3000K

Protection class IP20

Lifespan 20000h

The NEON strip light impresses with the many different ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting in the living room, the NEON light strip gives the ambience a modern and cosy character. The LED strip can be shortened at the markings provided, making it ideal for personalising your living space. The RGB colour changer and the brightness of the LEDs on the five-metre-long strip can be adjusted using the included remote control. The Stripe is kept in a plain white colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

