LED strip 120-MEAT-24 - 1m 24V 17W 1300lm 120° IP20

Product code 24060

Supply voltage 24V
Output 17W
Maximum output 17W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 76W
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.5mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years





Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip RETECHAS 120LED 1m 24V 10W 963lm IP67 3000K warm white

Product code 19620

Brand RETECHAS
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 963lumens
Luminaire’s efficiency 96W
Correlated colour temperature warm white 3000K
Protection class IP67
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Warranty 3 years





Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 12,5W 1278lm IP67 3000K warm white

Product code 22144

Brand RETECHAS
Supply voltage 24V
Output voltage 24V
Output 12,5W
Luminous flux 1278lumens
Correlated colour temperature warm white 3000K
Protection class IP67
Length 1000.0mm
Work environment indoor use
Warranty 3 years

Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting







LED strip RETECHAS 120LED 1m 24V 12W 1244lm IP20 2700K warm white

Product code 23203

Brand RETECHAS
Supply voltage 24V
Output voltage 24V
Output 12W
Maximum output 12W/1m
Luminous flux 1244lumens
Luminaire’s efficiency 104W
Correlated colour temperature warm white 2700K
Protection class IP20
Length 1000.0mm
Work environment indoor use
Warranty 6 years

Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting







LED strip RETECHAS 120LED 1m 24V 12W 1300lm IP20 930

Product code 19174

Brand RETECHAS
Supply voltage 24V
Output 12W
Maximum output 12W/1m
Luminous flux 1300lumens
Luminaire’s efficiency 108W
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP20
Lifespan 55000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 35.7mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 6 years






Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 12W 1383lm IP20 940

Product code 23201

Brand RETECHAS
Supply voltage 24V
Output 12W
Maximum output 12W/1m
Luminous flux 1383lumens
Luminaire’s efficiency 115W
Correlated colour temperature pure white 4000K
CRI 90
Protection class IP20
Lifespan 55000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 6 years






Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 12W IP20 2700K warm white

Product code 23205

Brand RETECHAS
Supply voltage 24V
Output 12W
Maximum output 12W/1m
Correlated colour temperature warm white 2700K
Protection class IP20
Height 1.4mm
Width 8.4mm
Length 1000.0mm
Work environment indoor use
Warranty 6 years






Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 18W 1821lm IP20 930

Product code 23200

Brand RETECHAS
Supply voltage 24V
Output voltage 24V
Output 18W
Maximum output 18W/1m
Luminous flux 1821lumens
Luminaire’s efficiency 101W
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP20
Height 1.4mm
Width 8.4mm
Length 1000.0mm
Work environment indoor use
Warranty 3 years





Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 4,2W 443lm IP67 930

Product code 23212

Brand RETECHAS
Supply voltage 24V
Output 4,2W
Maximum output 4.2W/1m
Luminous flux 443lumens
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP67
Lifespan 55000h
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment outdoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 6 years





Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 4W 382lm IP20 930

Product code 23754

Brand RETECHAS
Supply voltage 24V
Output 4W
Maximum output 4W/1m
Luminous flux 382lumens
Luminaire’s efficiency 96W
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP20
Lifespan 55000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 3 years




LED strip RETECHAS 120LED 1m 24V 6,4W 661lm IP67 930

Product code 19712

Brand RETECHAS
Supply voltage 24V
Output 6,4W
Maximum output 6.4W/1m
Luminous flux 661lumens
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP67
Lifespan 55000h
LLMF TM21 L70B50 @25°C 50.000h
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 3 years






Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 6W 612lm IP67 940

Product code 20815

Brand RETECHAS
Supply voltage 24V
Output 6W
Maximum output 6W/1m
Luminous flux 612lumens
Luminaire’s efficiency 102W
Correlated colour temperature pure white 4000K
CRI 90
Protection class IP67
Lifespan 55000h
LLMF TM21 L70B50 @25°C 50.000h
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 3 years





Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 6W 642lm IP20 930

Product code 23614

Brand RETECHAS
Supply voltage 24V
Output 6W
Maximum output 6W/1m
Luminous flux 642lumens
Luminaire’s efficiency 107W
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP20
Lifespan 55000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.2mm
Width 5.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +30°C
Certificates CE,RoHS
Warranty 5 years





LED strip RETECHAS 120LED 1m 24V 6W 655lm IP20 2700K warm white

Product code 23202

Brand RETECHAS
Supply voltage 24V
Output voltage 24V
Output 6W
Maximum output 6W/1m
Luminous flux 655lumens
Luminaire’s efficiency 109W
Correlated colour temperature warm white 2700K
Protection class IP20
Height 1.4mm
Width 8.4mm
Length 1000.0mm
Work environment indoor use
Warranty 6 years

Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting







LED strip RETECHAS 120LED 1m 24V 6W 684lm IP20 3000K warm white

Product code 23198

Brand RETECHAS
Supply voltage 24V
Output voltage 24V
Output 6W
Maximum output 6W/1m
Luminous flux 684lumens
Luminaire’s efficiency 114W
Correlated colour temperature warm white 3000K
Protection class IP20
Height 1.4mm
Width 8.4mm
Length 1000.0mm
Work environment indoor use
Warranty 3 years







Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 120LED 1m 24V 6W 684lm IP67 3000K warm white

Product code 23199

Brand RETECHAS
Supply voltage 24V
Output voltage 24V
Output 6W
Maximum output 6W/1m
Luminous flux 684lumens
Luminaire’s efficiency 114W
Correlated colour temperature warm white 3000K
Protection class IP67
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Warranty 3 years





Product tested under various conditions by accredited laboratories ¨ High quality Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High LED density creates a „line of light“ effect even with shallow aluminium profiles ¨ High quality light meets EU photobiological safety requirments for indoor lighting

LED strip RETECHAS 280LED 1m 24V 3W IP67 930

Product code 23206

Brand RETECHAS
Supply voltage 24V
Output 3W
Maximum output 3W/1m
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP67
Lifespan 55000h
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 3 years





Product tested under various conditions by accredited laboratories ¨ Reliable Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High quality light meets EU photobiological safety requirments for indoor lighting ¨ 6-year manufacturer‘s warranty (L80B10 ~55000 hrs. at 55°C LED strip temperature)


© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

LED strip RETECHAS 280LED 1m 24V 4W IP67 3000K warm white

Product code 19623

Brand RETECHAS
Supply voltage 24V
Output 4W
Maximum output 4W/1m
Correlated colour temperature warm white 3000K
Protection class IP67
Height 3.0mm
Width 9.0mm
Length 1000.0mm
Work environment indoor use
Warranty 3 years





Product tested under various conditions by accredited laboratories ¨ Reliable Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High quality light meets EU photobiological safety requirments for indoor lighting ¨ 6-year manufacturer‘s warranty (L80B10 ~55000 hrs. at 55°C LED strip temperature)


LED strip RETECHAS 280LED 1m 24V 6W 756lm IP67 930

Product code 23204

Brand RETECHAS
Supply voltage 24V
Output 6W
Maximum output 6W/1m
Luminous flux 756lumens
Luminaire’s efficiency 126W
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP67
Lifespan 55000h
Height 1.4mm
Width 8.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +50°C
Certificates CE,RoHS
Warranty 3 years

Product tested under various conditions by accredited laboratories ¨ Reliable Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High quality light meets EU photobiological safety requirments for indoor lighting ¨ 6-year manufacturer‘s warranty (L80B10 ~55000 hrs. at 55°C LED strip temperature)





© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee


LED strip RETECHAS 60LED 1m 24V 16W 1592lm IP20 940

Product code 22145

Brand RETECHAS
Supply voltage 24V
Output 16W
Maximum output 16W/1m
Luminous flux 1592lumens
Luminaire’s efficiency 100W
Correlated colour temperature pure white 4000K
CRI 90
Protection class IP20
Height 1.4mm
Width 8.4mm
Length 1000.0mm
Work environment indoor use

Product tested under various conditions by accredited laboratories ¨ Reliable Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High quality light meets EU photobiological safety requirments for indoor lighting ¨ 6-year manufacturer‘s warranty (L80B10 ~55000 hrs. at 55°C LED strip temperature)






LED strip RETECHAS 60LED 1m 24V 6W IP20 930

Product code 23197

Brand RETECHAS
Supply voltage 24V
Output 6W
Maximum output 6W/1m
Correlated colour temperature warm white 3000K
CRI 90
Protection class IP20
Height 1.4mm
Width 8.4mm
Length 1000.0mm
Work environment indoor use
Warranty 6 years

Product tested under various conditions by accredited laboratories ¨ Reliable Samsung LEDs ¨ LED lifetime tested according to LM-80 standard ¨ High quality light meets EU photobiological safety requirments for indoor lighting ¨ 6-year manufacturer‘s warranty (L80B10 ~55000 hrs. at 55°C LED strip temperature)



LED strip REVAL BULB 108LED 1m can be cut after each LED 24V 18W 805lm 120° IP20 RGB

Product code 17186

Brand REVAL BULB
Supply voltage 24V
Output 18W
Maximum output 18W/1m
Luminous flux 805lumens
Luminaire’s efficiency 45W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.1mm
Width 10.0mm
Minimum length 9.3mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



High-quality LED strip with a thick circuit board. A unique feature is the ability to cut the strip after each LED, making it ideal for installation in complex situations! LED strips are flexible and can be easily customized to fit various installation needs and surfaces, such as furniture, shelves, stairs, etc. This RGB LED strip allows for a wide range of colours, including various shades that can be adjusted according to user preferences or the situation. The specified price is for 1 meter of the strip. You can trust in our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 120LED 1m 12V 14.4W 1190lm 120° IP20 927

Product code 17850

Brand REVAL BULB
Supply voltage 12V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1190lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 14.4W 1223lm 120° IP20 930

Product code 14587

Brand REVAL BULB
Supply voltage 12V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1223lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 14.4W 1299lm 120° IP20 960

Product code 14984

Brand REVAL BULB
Supply voltage 12V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1299lumens
Luminaire’s efficiency 90W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 14.4W 1383lm 120° IP20 940

Product code 14543

Brand REVAL BULB
Supply voltage 12V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1383lumens
Luminaire’s efficiency 96W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 5W 450lm 120° IP20 930

Product code 23432

Brand REVAL BULB
Supply voltage 12V
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.2mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 1190lm 120° IP20 927

Product code 22329

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1190lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 1244lm CRI90 120° IP20 2700K-6000K warm + cold white

Product code 14449

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1244lumens
Luminaire’s efficiency 86W
Correlated colour temperature warm - cold white 2700K - 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 100.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

LED strip REVAL BULB 120LED 1m 24V 14.4W 1244lm CRI90 120° IP20 3000K-4000K 2CCT

Product code 15560

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1244lumens
Luminaire’s efficiency 86W
Correlated colour temperature 2CCT 3000K-4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 100.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 405lm 120° IP20 RGB

Product code 17520

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 405lumens
Luminaire’s efficiency 28W
Correlated colour temperature RGB
RGB
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.2mm
Width 8.0mm
Minimum length 80.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



This sleek RGB LED strip is a modern addition to any interior, offering versatility and style. With its ability to be cut every 50mm, this LED strip is easy to install, even for first-time users! The strip comes with a self-adhesive backing for quick installation. The specified price is for a 1-meter strip. You can trust in our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll provide you with a quote! Illuminate your world with LED House professionals - check out our project portfolio here!

LED strip REVAL BULB 120LED 1m 24V 2.4W 216lm 120° IP20 930

Product code 17801






Brand REVAL BULB
Supply voltage 24V
Output 2.4W
Maximum output 2.4W/1m
Luminous flux 216lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.2mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 28.8W 1040lm 120° IP20 RGB

Product code 13966

Brand REVAL BULB
Supply voltage 24V
Output 28.8W
Maximum output 28.8W/1m
Luminous flux 1040lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Height 3.4mm
Width 12.0mm
Minimum length 50.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



REVAL BULB 3535 LED strip for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

LED strip REVAL BULB 120LED 1m 24V 5W 430lm 120° IP20 927

Product code 23399



Brand REVAL BULB
Supply voltage 24V
Output 5W
Maximum output 5W/1m
Luminous flux 430lumens
Luminaire’s efficiency 86W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.2mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 5W 450lm 120° IP20 930

Product code 23254

Brand REVAL BULB
Supply voltage 24V
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire’s efficiency 90W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.2mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 5W 470lm 120° IP20 940

Product code 23694

Brand REVAL BULB
Supply voltage 24V
Output 5W
Maximum output 5W/1m
Luminous flux 470lumens
Luminaire’s efficiency 94W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.2mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 120LED 1m 24V 9.6W 270lm 120° IP20 RGB

Product code 17519

Brand REVAL BULB
Supply voltage 24V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 270lumens
Luminaire’s efficiency 28W
Correlated colour temperature RGB
RGB
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.2mm
Width 5.0mm
Minimum length 50.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



This sleek RGB LED strip is a modern addition to any interior, offering versatility and style. With its ability to be cut every 50mm, this LED strip is easy to install, even for first-time users! The strip comes with a self-adhesive backing for quick installation. The specified price is for a 1-meter strip. You can trust in our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll provide you with a quote! Illuminate your world with LED House professionals - check out our project portfolio here!

LED strip REVAL BULB 120LED 1m 24V 9.6W 837lm 120° IP20 930

Product code 16389

Brand REVAL BULB
Supply voltage 24V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 837lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 120LED 1m 8mm wide 24V 14.4W 1223lm 120° IP20 930

Product code 17136






Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1223lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 8mm wide 24V 14.4W 1383lm 120° IP20 940

Product code 17701

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1383lumens
Luminaire’s efficiency 96W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 120LED 1m CC constant current 24V 14.4W 1223lm 120° IP20 930

Product code 15036

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1223lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



State-of-the-art LED strip! What makes constant voltage LED strips special? These LED strips regulate the current of LED diodes to remain constant regardless of fluctuations in the power supply voltage. This means that the LED strip always provides uniform current, ensuring consistent illumination along the entire length of the strip. In addition, constant voltage (CC) LED strips can be connected for longer lengths than regular LED strips. For example, with 4.8w/m, it's possible to connect up to 30m from one power source, but for more powerful LEDs, the length decreases. For 14.4w/m LED strip, the length is already 10m. This LED-light with IP20 protection class is an ideal choice for home or office environments. The specified price is per 1 meter of strip. The total length on the roll is 20-50m, which can be cut according to your needs. If you couldn't find a suitable option from our product range, feel free to send an inquiry!

LED strip REVAL BULB 120LED 1m CC constant current 24V 14.4W 1299lm 120° IP20 960

Product code 15170

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1299lumens
Luminaire’s efficiency 90W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



State-of-the-art LED strip! What makes constant voltage LED strips special? These LED strips regulate the current of LED diodes to remain constant regardless of fluctuations in the power supply voltage. This means that the LED strip always provides uniform current, ensuring consistent illumination along the entire length of the strip. In addition, constant voltage (CC) LED strips can be connected for longer lengths than regular LED strips. For example, with 4.8w/m, it's possible to connect up to 30m from one power source, but for more powerful LEDs, the length decreases. For 14.4w/m LED strip, the length is already 10m. This LED-light with IP20 protection class is an ideal choice for home or office environments. The specified price is per 1 meter of strip. The total length on the roll is 20-50m, which can be cut according to your needs. If you couldn't find a suitable option from our product range, feel free to send an inquiry!

LED strip REVAL BULB 120LED 1m nano 24V 28.8W 1040lm 120° IP66 RGB

Product code 16435

Brand REVAL BULB
Supply voltage 24V
Output 28.8W
Maximum output 28.8W/1m
Luminous flux 1040lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
Height 3.4mm
Width 12.0mm
Minimum length 50.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



REVAL BULB 3535 LED strip for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

LED strip REVAL BULB 120LED 1m narrow 24V 9.6W 1000lm 120° IP20 930

Product code 15264

Brand REVAL BULB
Supply voltage 24V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 1000lumens
Luminaire’s efficiency 104W
Correlated colour temperature warm white 3000K
Lens angle 120
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Height 1.8mm
Width 5.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE
Warranty 5 years



Make your spaces more eyecatching by using these narrow (5mm) LED strips! This IP20 class LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. The light temperature of the LED strip adds a warm white light (3000K) to the room. LED strips are flexible and can be easily adjusted to different installation needs and surfaces, such as furniture, shelves, stairs, etc. Easy to install even for beginners! The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED 5m in silicone 24V 14.4W 1244lm CRI90 120° IP67 2700K-6000K warm + cold white

Product code 17036

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1244lumens
Luminaire’s efficiency 86W
Correlated colour temperature warm - cold white 2700K - 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 12.0mm
Minimum length 166.7mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED 5m silicone 12V 14.4W 1383lm 120° IP67 940

Product code 16170

Brand REVAL BULB
Supply voltage 12V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1383lumens
Luminaire’s efficiency 96W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 25.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED 5m silicone 24V 14.4W 1383lm 120° IP67 940

Product code 16214

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1383lumens
Luminaire’s efficiency 96W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 8.0mm
Minimum length 25.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED 5m silicone 24V 9.6W 837lm 120° IP67 930

Product code 16388

Brand REVAL BULB
Supply voltage 24V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 837lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED Küljele 1m 12V 9.6W 750lm 120° IP20 930

Product code 14701

Brand REVAL BULB
Supply voltage 12V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 750lumens
Luminaire’s efficiency 78W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED Side 1m 12V 9.6W 969lm 120° IP20 840

Product code 14154

Brand REVAL BULB
Supply voltage 12V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 969lumens
Luminaire’s efficiency 101W
Correlated colour temperature pure white 4000K
Lens angle 120
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Height 3.0mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED Side 1m NANO 12V 9.6W 969lm 120° IP66 840

Product code 16183

Brand REVAL BULB
Supply voltage 12V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 969lumens
Luminaire’s efficiency 101W
Correlated colour temperature pure white 4000K
Lens angle 120
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
Height 3.0mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED T 1m 24V 14.4W 1223lm 120° IP20 930

Product code 14678

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1223lumens
Luminaire’s efficiency 85W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



Excellent decorative lighting! This luminaire is suitable for indoor use only, with an IP20 protection rating. It adds warm white light (3000K) to the room. LED strips are flexible and can be easily adapted to various installation needs and surfaces, such as furniture, shelves, stairs, etc. Easy to install even for first-time users! The specified price is per 1 meter of strip. The total length on the roll is 5m, which can be cut according to your needs. Cutting is possible every 5cm. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 140LED 10mm 48V 9.6W 995lm 120° IP65 930

Product code 20697

Brand REVAL BULB
Supply voltage 48V
Output 9.6W
Maximum output 9.6W/1m
Rated current 200mA
Luminous flux 995lumens
Luminaire’s efficiency 104W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP65
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 100.0mm
Length 25000.0mm
Work environment indoor use
Operation temperature -20°C~+45°C°C
Certificates CE,RoHS
Warranty 5 years

LED strip REVAL BULB 140LED 1m 24V 14.4W 1427lm 120° IP20 930

Product code 14420

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1427lumens
Luminaire’s efficiency 99W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m 24V 14.4W 1515lm 120° IP20 960

Product code 14537

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1515lumens
Luminaire’s efficiency 105W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m 24V 14.4W 1614lm 120° IP20 940

Product code 14384

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1614lumens
Luminaire’s efficiency 112W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1427lm 120° IP66 930

Product code 14422

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1427lumens
Luminaire’s efficiency 99W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1614lm 120° IP66 940

Product code 14669

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1614lumens
Luminaire’s efficiency 112W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1795lm 120° IP66 860

Product code 14547

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1795lumens
Luminaire’s efficiency 125W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 5m silicone 24V 14.4W 1427lm 120° IP67 930

Product code 14711

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1427lumens
Luminaire’s efficiency 99W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 12.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 140LED 8mm 48V 10W 995lm 120° IP20 930

Product code 20695

Brand REVAL BULB
Supply voltage 48V
Output 10W
Maximum output 10W/1m
Rated current 200mA
Luminous flux 995lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 100.0mm
Length 10000.0mm
Work environment indoor use
Operation temperature -20°C~+45°C°C
Certificates CE,RoHS
Warranty 5 years



LED strip REVAL BULB 160LED 1m 24V 19.2W 2030lm 120° IP20 927

Product code 20686






Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 2030lumens
Luminaire’s efficiency 106W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 160LED 1m 24V 19.2W 2900lm 120° IP20 930

Product code 17075






Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 2900lumens
Luminaire’s efficiency 151W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 160LED 1m 24V 19.2W 3000lm 120° IP20 940

Product code 17076

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 3000lumens
Luminaire’s efficiency 156W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 160LED 1m nano 24V 14.4W 300lm 120° IP66 blue

Product code 16199



Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 300lumens
Luminaire’s efficiency 21W
Correlated colour temperature blue
blue
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 33.3mm
Length 5000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 160LED 5m in silicone 24V 19.2W 2500lm 120° IP67 930

Product code 18338

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 2500lumens
Luminaire’s efficiency 130W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 5.2mm
Width 12.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates UL, CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 160LED 5m in silicone 24V 19.2W 2500lm 120° IP67 940

Product code 17958

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 2500lumens
Luminaire’s efficiency 130W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 5.2mm
Width 12.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates UL, CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 160LED 5m silicone 24V 14.4W 300lm 120° IP67 blue

Product code 17175

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 300lumens
Luminaire’s efficiency 21W
Correlated colour temperature blue
blue
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
Height 6.0mm
Width 12.5mm
Minimum length 33.3mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 168LED 1m 24V 17.3W 1937lm 120° IP20 940

Product code 14644

Brand REVAL BULB
Supply voltage 24V
Output 17.3W
Maximum output 17.3W/1m
Luminous flux 1937lumens
Luminaire’s efficiency 112W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 40.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 224LED 1m 24V 20.2W 2283lm 120° IP20 930

Product code 14348

Brand REVAL BULB
Supply voltage 24V
Output 20.2W
Maximum output 20.2W/1m
Luminous flux 2283lumens
Luminaire’s efficiency 113W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 35.7mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 224LED 1m 24V 20.2W 2425lm 120° IP20 960

Product code 14947

Brand REVAL BULB
Supply voltage 24V
Output 20.2W
Maximum output 20.2W/1m
Luminous flux 2425lumens
Luminaire’s efficiency 120W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 35.7mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 224LED 1m 24V 20.2W 2582lm 120° IP20 940

Product code 14809

Brand REVAL BULB
Supply voltage 24V
Output 20.2W
Maximum output 20.2W/1m
Luminous flux 2582lumens
Luminaire’s efficiency 128W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 35.7mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 240LED 1m 24V 14W 1260lm CRI90 120° IP20 1800K-2700K warm white

Product code 23006






Brand REVAL BULB
Supply voltage 24V
Output 14W
Maximum output 14W/1m
Luminous flux 1260lumens
Luminaire’s efficiency 90W
Correlated colour temperature lämmin valkoinen 1800K - 2700K
Lens angle 120
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 240LED 1m 24V 23W 3100lm 120° IP20 930

Product code 17077

Brand REVAL BULB
Supply voltage 24V
Output 23W
Maximum output 23W/1m
Luminous flux 3100lumens
Luminaire’s efficiency 135W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 240LED 1m 24V 23W 3200lm 120° IP20 940

Product code 17078

Brand REVAL BULB
Supply voltage 24V
Output 23W
Maximum output 23W/1m
Luminous flux 3200lumens
Luminaire’s efficiency 139W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 240LED 1m Cuttable after each LED 24V 14.4W 1550lm 120° IP20 930

Product code 18276

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1550lumens
Luminaire’s efficiency 108W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 2.5mm
Width 8.0mm
Minimum length 6.3mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



LED strip REVAL BULB 240LED 1m Cuttable after each LED 24V 14.4W 1700lm 120° IP20 940

Product code 18277

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1700lumens
Luminaire’s efficiency 118W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 2.5mm
Width 8.0mm
Minimum length 6.3mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



LED strip REVAL BULB 288LED 1m 24V 40W 5400lm CRI90 120° IP20 warm - cold white

Product code 18236

Brand REVAL BULB
Supply voltage 24V
Power factor 0.90
Output 40W
Maximum output 40W/1m
Luminous flux 5400lumens
Luminaire’s efficiency 135W
Correlated colour temperature warm - cold white 1800K - 6500K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 2.2mm
Width 14.0mm
Minimum length 55.6mm
Length 1000.0mm
In package 1m
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 30LED 1m 12V 7.2W 260lm 120° IP20 RGB

Product code 12666

Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 260lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 2.1mm
Width 10.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years







This colorful LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 30LED 5m roll silicon 12V 7.2W 260lm 120° IP67 RGB

Product code 13009



Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 260lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 5.0mm
Width 12.0mm
Minimum length 100.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years

Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 320LED 1m 24V 24W 3500lm 120° IP20 930

Product code 17347

Brand REVAL BULB
Supply voltage 24V
Output 24W
Maximum output 24W/1m
Luminous flux 3500lumens
Luminaire’s efficiency 146W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.5mm
Width 10.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 320LED 1m 24V 24W 3600lm 120° IP20 940

Product code 17348

Brand REVAL BULB
Supply voltage 24V
Output 24W
Maximum output 24W/1m
Luminous flux 3600lumens
Luminaire’s efficiency 150W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 92
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.5mm
Width 10.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 320LED 1m 24V 31W 3900lm 120° IP20 930

Product code 17797

Brand REVAL BULB
Supply voltage 24V
Output 31W
Maximum output 31W/1m
Luminous flux 3900lumens
Luminaire’s efficiency 126W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.5mm
Width 10.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years






High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 320LED 1m 24V 31W 4000lm 120° IP20 940

Product code 17798

Brand REVAL BULB
Supply voltage 24V
Output 31W
Maximum output 31W/1m
Luminous flux 4000lumens
Luminaire’s efficiency 129W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 2.5mm
Width 10.0mm
Minimum length 25.0mm
Length 1000.0mm
Work environment indoor use
Certificates UL, CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.









LED strip REVAL BULB 320LED 5m in silicone 24V 31W 3900lm 120° IP67 930

Product code 17800

Brand REVAL BULB
Supply voltage 24V
Output 31W
Maximum output 31W/1m
Luminous flux 3900lumens
Luminaire’s efficiency 126W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 5.2mm
Width 12.0mm
Minimum length 25.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates UL, CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 320LED 5m in silicone 24V 31W 4000lm 120° IP67 940

Product code 17799

Brand REVAL BULB
Supply voltage 24V
Output 31W
Maximum output 31W/1m
Luminous flux 4000lumens
Luminaire’s efficiency 129W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 5.2mm
Width 12.0mm
Minimum length 25.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates UL, CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 10m roll silicon 24V 14.4W 520lm 120° IP67 RGB

Product code 16384

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 520lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 100.0mm
Length 10000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 60LED 1m 12V 14.4W 520lm 120° IP20 RGB

Product code 12780

Brand REVAL BULB
Supply voltage 12V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 520lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.1mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years







This colorful LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 60LED 1m 12V 4.8W 315lm 120° IP20 green

Product code 13031

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 315lumens
Luminaire’s efficiency 66W
Correlated colour temperature green
green
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 398lm 120° IP20 927

Product code 16471

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 398lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 418lm 120° IP20 930

Product code 12785

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 418lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 450lm 120° IP20 960

Product code 12786

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 450lumens
Luminaire’s efficiency 94W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 452lm 120° IP20 940

Product code 13629

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 452lumens
Luminaire’s efficiency 94W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 10000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 55lm 120° IP20 red

Product code 13029

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 55lumens
Luminaire’s efficiency 11W
Correlated colour temperature red red
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 80lm 120° IP20 blue

Product code 13030

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 80lumens
Luminaire’s efficiency 17W
Correlated colour temperature blue
blue
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 7.2W 692lm 120° IP20 940

Product code 14324






Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 692lumens
Luminaire’s efficiency 96W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 12V 7.2W 732lm 120° IP20 830

Product code 13868

Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 732lumens
Luminaire’s efficiency 102W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 940

Product code 23246

Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 830lumens
Luminaire’s efficiency 115W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years









High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 960

Product code 14325

Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 830lumens
Luminaire’s efficiency 115W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

Product code 16410

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 520lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 10.0mm
Minimum length 100.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years







This colorful LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

Product code 15186

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 520lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP20
Height 4.0mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



REVAL BULB 3535 LED strip for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

Product code 14588

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 520lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 10.0mm
Minimum length 100.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years







This colorful LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 60LED 1m 24V 19.2W 370lm CRI80 120° IP20 RGB + 3000K RGBW warm

Product code 13447

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 370lumens
Luminaire’s efficiency 19W
Correlated colour temperature RGBW warm RGB + 3000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



LED strips are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 60LED 1m 24V 19.2W 380lm CRI80 120° IP20 RGB+4000K RGBW pure white

Product code 15020

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 380lumens
Luminaire’s efficiency 20W
Correlated colour temperature RGBW pure white RGB+4000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 2.1mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



LED strips are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 60LED 1m 24V 19.2W 390lm CRI80 120° IP20 RGB + 6000K RGBW cold

Product code 13446

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 390lumens
Luminaire’s efficiency 20W
Correlated colour temperature RGBW cold RGB + 6000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



LED strips are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 60LED 1m 24V 4.8W 418lm 120° IP20 930

Product code 17061

Brand REVAL BULB
Supply voltage 24V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 418lumens
Luminaire’s efficiency 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 100.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 24V 7.2W 750lm 120° IP20 927

Product code 16386

Brand REVAL BULB
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 750lumens
Luminaire’s efficiency 104W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 24V 7.2W 830lm 120° IP20 830

Product code 16213

Brand REVAL BULB
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 830lumens
Luminaire’s efficiency 115W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 100.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 24V 7.2W 840lm 120° IP20 940

Product code 17102

Brand REVAL BULB
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 840lumens
Luminaire’s efficiency 117W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m Flexible 12V 7.2W 700lm 120° IP20 830

Product code 13683

Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 700lumens
Luminaire’s efficiency 97W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 80
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



This flexible LED strip is an ideal detail to make rooms more distinctive! The LED strip can be bent at an angle, and thanks to this feature, the installation process is particularly easy - achievable even for a novice! The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 60LED 5m roll silicon 24V 14.4W 520lm 120° IP67 RGB

Product code 15675

Brand REVAL BULB
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 520lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 100.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 60LED 5m roll silicon 24V 19.2W 370lm CRI90 120° IP67 RGB + 3000K RGBW warm

Product code 15503

Brand REVAL BULB
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 370lumens
Luminaire’s efficiency 19W
Correlated colour temperature RGBW warm RGB + 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 5.0mm
Width 15.0mm
Minimum length 100.0mm
Length 5000.0mm
Certificates CE, RoHS, UL
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee

LED strip REVAL BULB 60LED 5m silicone 12V 4.8W 413lm 120° IP67 960

Product code 13074

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 413lumens
Luminaire’s efficiency 86W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 12V 4.8W 438lm 120° IP67 940

Product code 13926

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 438lumens
Luminaire’s efficiency 91W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 12V 7.2W 600lm 120° IP67 930

Product code 13869

Brand REVAL BULB
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 600lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 4.8W 400lm 120° IP67 927

Product code 16963

Brand REVAL BULB
Supply voltage 24V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 400lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 100.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 4.8W 400lm 120° IP67 930

Product code 17173

Brand REVAL BULB
Supply voltage 24V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 400lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 100.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 7.2W 600lm 120° IP67 930

Product code 15226

Brand REVAL BULB
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 600lumens
Luminaire’s efficiency 83W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 25000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 100.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 7.2W 830lm 120° IP67 940

Product code 16861

Brand REVAL BULB
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 830lumens
Luminaire’s efficiency 115W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone coated 12V 4.8W 38lm 120° IP55 yellow

Product code 13397

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 38lumens
Luminaire’s efficiency 8W
Correlated colour temperature yellow
yellow
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP55
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 8.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE
Warranty 5 years



Waterproof silicone-coated LED strip suitable for damp environments. This product is sold in 5-meter rolls. The strip can be cut every 3 LEDs at intervals of 3 cm. It can be extended by soldering. A maximum of 7-8 meters of the strip can be connected to one power supply unit. Installation is made easy with 3M double-sided tape on the back of the LED strip. For best durability and heat dissipation, we recommend installing it with an aluminum profile. A power supply unit is required for operation, which can also be found in the LED House product range.

LED strip REVAL BULB 60LED 5m silicone coated 12V 4.8W 480lm 120° IP55 960

Product code 12645

Brand REVAL BULB
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 480lumens
Luminaire’s efficiency 100W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP55
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 8.0mm
Minimum length 50.0mm
Length 5000.0mm
Warranty 5 years



Waterproof silicone-coated LED strip suitable for damp environments. This product is sold in 5-meter rolls. The strip can be cut every 3 LEDs at intervals of 3 cm. It can be extended by soldering. A maximum of 7-8 meters of the strip can be connected to one power supply unit. Installation is made easy with 3M double-sided tape on the back of the LED strip. For best durability and heat dissipation, we recommend installing it with an aluminum profile. A power supply unit is required for operation, which can also be found in the LED House product range.

LED strip REVAL BULB 60LED CC 10m silicone 24V 7.2W 787lm 120° IP67 930

Product code 16817

Brand REVAL BULB
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 787lumens
Luminaire’s efficiency 109W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L80B10 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 100.0mm
Length 10000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 72LED 1m NANO 24V 17.3W 620lm 120° IP66 RGB

Product code 15021

Brand REVAL BULB
Supply voltage 24V
Output 17.3W
Maximum output 17.3W/1m
Luminous flux 620lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 10.0mm
Minimum length 83.3mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



High-quality and durable nano-coated RGB LED strip with IP66 protection rating, allowing the LED strip to be used both outdoors and indoors. This RGB LED strip offers a wide range of colors, including various shades that can be adjusted according to user preferences or the situation. LED strips are flexible and can be easily adapted to various installation needs and surfaces, such as furniture, shelves, stairs, etc. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 72LED 5m roll silicon 24V 17.3W 620lm 120° IP67 RGB

Product code 15322

Brand REVAL BULB
Supply voltage 24V
Output 17.3W
Maximum output 17.3W/1m
Luminous flux 620lumens
Luminaire’s efficiency 36W
Correlated colour temperature RGB
RGB
Lens angle 120
Source of light SANAN LED
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 83.3mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 98LED 1m 24V 10W 1363lm 120° IP20 940

Product code 15131

Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 1363lumens
Luminaire’s efficiency 136W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 71.4mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.









LED strip REVAL BULB 98LED 1m 24V 10W 1363lm 120° IP20 950

Product code 16536






Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 1363lumens
Luminaire’s efficiency 136W
Correlated colour temperature pure white 5000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 70.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 1m 24V 10W 990lm 120° IP20 927

Product code 16387

Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 990lumens
Luminaire’s efficiency 99W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 71.4mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 98LED 1m 24V 10W 999lm 120° IP20 930

Product code 14153

Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 999lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 71.4mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 98LED 1m nano 24V 10W 1363lm 120° IP66 940

Product code 16676

Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 1363lumens
Luminaire’s efficiency 136W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 71.4mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 1m nano 24V 10W 999lm 120° IP66 930

Product code 16340

Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 999lumens
Luminaire’s efficiency 100W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP66
Lifespan 50000h
LLMF TM21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 71.4mm
Length 1000.0mm
Work environment indoor use
Operation temperature -30 - +45°C
Certificates CE,RoHS
Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 5m silicone 24V 10W 1100lm 120° IP67 930

Product code 15227

Brand REVAL BULB
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 1100lumens
Luminaire’s efficiency 110W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
CRI 90
SDCM - MacAdam Ellipses 3
Protection class IP67
Lifespan 25000h
LLMF TM21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 71.4mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB UVC LED 1m 12leds/m 24V 6.7W 120° IP20 270-280nm UVC

Product code 15614

Brand REVAL BULB
Supply voltage 24V
Output 6.7W
Maximum output 6.7W/1m
Correlated colour temperature UVC 270-280nm
Lens angle 120
SDCM - MacAdam Ellipses 3
Protection class IP20
Lifespan 50000h
LLMF TM21 L70 @25°C 50.000h
Minimum length 250.0mm
Work environment indoor use
Operation temperature -20 ° +45°C
Certificates CE, RoHS
Warranty 5 years



High-quality UVC LED strip for medical facilities, laboratories, water purification systems, and the food industry. UVC LED strips are used for disinfection and sterilization, and their radiation is effective in destroying microorganisms, bacteria, and viruses. The UVC radiation of the LED strip is potentially hazardous to humans and animals, and its use requires careful adherence to safety measures, including eye and skin protection. Do not look directly at the LED strip with the naked eye, and remove pets and houseplants from the room while the UV light is destroying bacteria! The specified price is per meter of the strip.

LED strip SMD2835, 240 LED 24V 19.2W 482lm 120° IP20 blue

Product code 15153

Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 482lumens
Luminaire’s efficiency 25W
Correlated colour temperature blue
blue
Lens angle 120
Protection class IP20
Lifespan 50000h
Width 10.0mm
Length 5000.0mm

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip Trio Lighting Chip 10,5W 750lm IP20 3000K-6500K 2CCT

Product code 22001

Brand Trio Lighting
Output 10,5W
Luminous flux 750lumens
Correlated colour temperature 2CCT
3000K-6500K
Protection class IP20
Lifespan 20000h

The CHIP strip light impresses with the many different ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting in the living room, the CHIP light strip gives the ambience a modern and cosy character. The CHIP LED strip can be shortened at the markings provided, making it ideal for personalising your living space. The light colour and brightness of the LEDs on the three-metre-long strip can be adjusted using the included remote control. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



LED strip Trio Lighting Racer 10W 750lm IP20 RGB + 3000K RGBW warm

Product code 22002

Brand Trio Lighting
Output 10W
Luminous flux 750lumens
Luminaire’s efficiency 75W
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP20
Lifespan 20000h








Feel the light of gaming! The RACER strip light impresses with the many ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting on a TV or PC screen, the RACER light strip lends the ambience a modern and special character. The three metre long LED strip can be shortened at the markings provided, making it ideal for personalised design. The Dynamic Light function creates a fascinating atmosphere with pre-programmed, dynamic lighting scenarios that add fascinating lighting effects to the multi-coloured or monochrome mood lighting. The Stripe is also equipped with the Sound Control function. Using a built-in microphone, the RGB LEDs react to ambient noise in real time and transform music, films and gaming into captivating, rhythmically adapted light effects. All functions and the brightness can be controlled using the included remote control. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

LED strip Trio Lighting Screen 6,5W IP20 RGB + 3000K RGBW warm

Product code 22003

Brand Trio Lighting
Output 6,5W
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP20
Lifespan 20000h
No. of switches 20000pcs



Experience a completely new TV or PC experience by immersing yourself in another dimension with the Ambiente LED Stripe SCREEN! The LED Stripe, perfect for a 21 monitor, opens up a wealth of impressive functions. The Dynamic Light function creates a fascinating atmosphere with pre-programmed, dynamic lighting scenarios that add fascinating lighting effects to the multi-coloured or monochrome mood lighting. The Stripe is also equipped with the Sound Control function. Using a built-in microphone, the RGB LEDs react to ambient noise in real time and transform music, films and gaming into captivating, rhythmically adapted light effects. All functions and the brightness can be conveniently controlled using the remote control supplied. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

LED strip Trio Lighting Stripe Wiz 10W IP20 RGB + 3000K RGBW warm

Product code 20507

Brand Trio Lighting
Output 10W
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP20
Height 2.0mm



LED strip Trio Lighting Stripe Wiz 10W IP20 RGB + 3000K RGBW warm

Product code 24131

Brand Trio Lighting
Output 10W
Correlated colour temperature RGBW warm RGB + 3000K
Protection class IP20
Height 2.0mm



© LED House OÜ, (+372) 56 202 303
Kadaka street 3/3, Tallinn 10621, Estonia, info@ledhouse.ee