

## LED strip 120LED 1m 24V 4W 480lm IP67 930

### Product code 19176

Supply voltage 24V  
 Output 4W  
 Maximum output 4W/1m  
 Luminous flux 480lumens  
 Luminaire's efficiency lm79 120W  
 Correlated colour temperature warm  
 white 3000K  
 Cri 90  
 Protection class IP67  
 Lifespan 55000h  
 Height 1.4mm  
 Width 8.0mm  
 Minimum length 50.0mm  
 Length 1000.0mm  
 Work environment outdoor use  
 Operation temperature -30 - +50°C  
 Certificates CE,RoHS  
 Warranty 5 years

High-quality LED strip. 2835 LED diode  
 with good light efficiency and with  
 excellent qualities.



## LED strip REVAL BULB 108LED 1m can be cut after each LED 24V 18W 805lm 120° IP20 RGB

## Product code 17186

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 18W

Maximum output 18W/1m

Luminous flux 805lumens

Luminaire's efficiency lm79 45W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.1mm

Width 10.0mm

Minimum length 9.3mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip with a thick circuit board. A unique feature is the ability to cut the strip after each LED, making it ideal for installation in complex situations! LED strips are flexible and can be easily customized to fit various installation needs and surfaces, such as furniture, shelves, stairs, etc. This RGB LED strip allows for a wide range of colours, including various shades that can be adjusted according to user preferences or the situation. The specified price is for 1 meter of the strip. You can trust in our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 120LED 1m 12V 14.4W 1400lm 120° IP20 927

**Product code 17850**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 120LED 1m 12V 14.4W 1573lm 120° IP20 930

**Product code 14587**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1573lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 120LED 1m 12V 14.4W 1626lm 120° IP20 960

**Product code 14984**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1626lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 120LED 1m 12V 14.4W 1668lm 120° IP20 940

**Product code 14543**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1668lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## **LED strip REVAL BULB 120LED 1m 24V 14.4W 1344lm CRI90 120° IP20 3000K-4000K 2CCT**

**Product code 15560**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1344lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature 2CCT

3000K-4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 120LED 1m 24V 14.4W 1400lm 120° IP20 927

**Product code 22329**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 120LED 1m 24V 14.4W 1550lm CRI90 120° IP20 2700K-6000K warm + cold white

**Product code 14449**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm  
+ cold white 2700K-6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 120LED 1m 24V 14.4W 405lm 120° IP20 RGB

## Product code 17520

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 405lumens

Luminaire's efficiency lm79 28W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 2.2mm

Width 8.0mm

Minimum length 80.0mm


Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



This sleek RGB LED strip is a modern addition to any interior, offering versatility and style. With its ability to be cut every 50mm, this LED strip is easy to install, even for first-time users! The strip comes with a self-adhesive backing for quick installation. The specified price is for a 1-meter strip. You can trust in our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll provide you with a quote! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED strip REVAL BULB 120LED 1m 24V 2.4W 216lm 120° IP20 930

**Product code 17801**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 2.4W

Maximum output 2.4W/1m

Luminous flux 216lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.2mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 120LED 1m 24V 28.8W 1040lm 120° IP20 RGB

**Product code 13966**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 28.8W

Maximum output 28.8W/1m

Luminous flux 1040lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 3.4mm

Width 12.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years




REVAL BULB 3535 [LED strip](#) for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

## LED strip REVAL BULB 120LED 1m 24V 9.6W 270lm 120° IP20 RGB

## Product code 17519

---

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 9.6W  
Maximum output 9.6W/1m  
Luminous flux 270lumens  
Luminaire's efficiency lm79 28W  
Correlated colour temperature RGB  
RGB  
Lens angle 120  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 2.2mm  
Width 5.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
In package 5m  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



This sleek RGB LED strip is a modern addition to any interior, offering versatility and style. With its ability to be cut every 50mm, this LED strip is easy to install, even for first-time users! The strip comes with a self-adhesive backing for quick installation. The specified price is for a 1-meter strip. You can trust in our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll provide you with a quote! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

## LED strip REVAL BULB 120LED 1m 24V 9.6W 837lm 120° IP20 930

**Product code 16389**

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 837lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## **LED strip REVAL BULB 120LED 1m 8mm wide 24V 14.4W 1500lm 120° IP20 930**

**Product code 17136**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## **LED strip REVAL BULB 120LED 1m 8mm wide 24V 14.4W 1500lm 120° IP20 940**

**Product code 17701**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## **LED strip REVAL BULB 120LED 1m CC constant current 24V 14.4W 1573lm 120° IP20 930**

## Product code 15036

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1573lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



State-of-the-art LED strip! What makes constant voltage LED strips special? These LED strips regulate the current of LED diodes to remain constant regardless of fluctuations in the power supply voltage. This means that the LED strip always provides uniform current, ensuring consistent illumination along the entire length of the strip. In addition, constant voltage (CC) LED strips can be connected for longer lengths than regular LED strips. For example, with 4.8w/m, it's possible to connect up to 30m from one power source, but for more powerful LEDs, the length decreases. For 14.4w/m LED strip, the length is already 10m. This LED-light with IP20 protection class is an ideal choice for home or office environments. The specified price is per 1 meter of strip. The total length on the roll is 20-50m, which can be cut according to your needs. If you couldn't find a suitable option from our product range, feel free to send an inquiry!

## LED strip REVAL BULB 120LED 1m CC constant current 24V 14.4W 1626lm 120° IP20 960

**Product code 15170**

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 14.4W  
 Maximum output 14.4W/1m  
 Luminous flux 1626lumens  
 Luminaire's efficiency lm79 113W  
 Correlated colour temperature cold white 6000K  
 Lens angle 120  
 Source of light SANAN LED  
 Cri 90  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Llmf tm21 L70B50 @25°C 50.000h  
 Height 1.4mm  
 Width 10.0mm  
 Minimum length 50.0mm  
 Length 1000.0mm  
 Work environment indoor use  
 Operation temperature -30 - +45°C  
 Certificates CE,RoHS  
 Warranty 5 years



State-of-the-art LED strip! What makes constant voltage LED strips special? These LED strips regulate the current of LED diodes to remain constant regardless of fluctuations in the power supply voltage. This means that the LED strip always provides uniform current, ensuring consistent illumination along the entire length of the strip. In addition, constant voltage (CC) LED strips can be connected for longer lengths than regular LED strips. For example, with 4.8w/m, it's possible to connect up to 30m from one power source, but for more powerful LEDs, the length decreases. For 14.4w/m LED strip, the length is already 10m. This LED-light with IP20 protection class is an ideal choice for home or office environments. The specified price is per 1 meter of strip. The total length on the roll is 20-50m, which can be cut according to your needs. If you couldn't find a suitable option from our product range, feel free to send an inquiry!

## LED strip REVAL BULB 120LED 1m nano 24V 28.8W 1040lm 120° IP66 RGB

**Product code 16435**

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 28.8W  
 Maximum output 28.8W/1m  
 Luminous flux 1040lumens  
 Luminaire's efficiency lm79 36W  
 Correlated colour temperature RGB  
 RGB  
 Lens angle 120  
 Sdcm - macadam ellipses 3  
 Protection class IP66  
 Lifespan 50000h  
 Height 3.4mm  
 Width 12.0mm  
 Minimum length 50.0mm  
 Length 1000.0mm  
 Certificates CE, RoHS  
 Warranty 5 years



REVAL BULB 3535 [LED strip](#) for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

## LED strip REVAL BULB 120LED 1m narrow 24V 9.6W 1000lm 120° IP20 930

**Product code 15264**

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 1000lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm white 3000K

Beam angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 1.8mm

Width 5.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE

Warranty 5 years



Make your spaces more eye-catching by using these narrow (5mm) LED strips! This IP20 class LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. The light temperature of the LED strip adds a warm white light (3000K) to the room. LED strips are flexible and can be easily adjusted to different installation needs and surfaces, such as furniture, shelves, stairs, etc. Easy to install even for beginners! The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## **LED strip REVAL BULB 120LED 5m in silicone 24V 14.4W 1550lm CRI90 120° IP67 2700K-6000K warm + cold white**

**Product code 17036**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm  
+ cold white 2700K-6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 12.0mm

Minimum length 166.7mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## **LED strip REVAL BULB 120LED 5m silicone 12V 14.4W 1668lm 120° IP67 940**

**Product code 16170**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1668lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature pure  
white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 120LED 5m silicone 24V 14.4W 1668lm 120° IP67 940

**Product code 16214**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1668lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 120LED 5m silicone 24V 9.6W 837lm 120° IP67 930

**Product code 16388**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 9.6W  
Maximum output 9.6W/1m  
Luminous flux 837lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 5.0mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Work environment indoor / outdoor use  
Operation temperature -30°C - 70°C  
Certificates CE  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 120LED Küljele 1m 12V 9.6W 750lm 120° IP20 930

**Product code 14701**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 750lumens

Luminaire's efficiency lm79 78W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 120LED Side 1m 12V 9.6W 969lm 120° IP20 840

**Product code 14154**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 969lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature pure  
white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 120LED Side 1m NANO 12V 9.6W 969lm 120° IP66 840

**Product code 16183**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 969lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 120LED T 1m 24V 14.4W 1573lm 120° IP20 930

**Product code 14678**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 14.4W  
Maximum output 14.4W/1m  
Luminous flux 1573lumens  
Luminaire's efficiency lm79 109W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 1.4mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Operation temperature -20 - +45°C  
Certificates CE, RoHS  
Warranty 5 years



Excellent decorative lighting! This luminaire is suitable for indoor use only, with an IP20 protection rating. It adds warm white light (3000K) to the room. LED strips are flexible and can be easily adapted to various installation needs and surfaces, such as furniture, shelves, stairs, etc. Easy to install even for first-time users! The specified price is per 1 meter of strip. The total length on the roll is 5m, which can be cut according to your needs. Cutting is possible every 5cm. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 140LED 1m 24V 14.4W 1427lm 120° IP20 930

### Product code 14420

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1427lumens

Luminaire's efficiency lm79 99W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 140LED 1m 24V 14.4W 1515lm 120° IP20 960

**Product code 14537**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1515lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 140LED 1m 24V 14.4W 1614lm 120° IP20 940

**Product code 14384**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1614lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## **LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1427lm 120° IP66 930**

**Product code 14422**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1427lumens

Luminaire's efficiency lm79 99W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## **LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1577lm 120° IP66 860**

**Product code 14547**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1577lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature cold  
white 6000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## **LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1614lm 120° IP66 940**

**Product code 14669**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1614lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 140LED 5m silicone 24V 14.4W 1600lm 120° IP67 930

**Product code 14711**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1600lumens

Luminaire's efficiency lm79 111W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 12.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## **LED strip REVAL BULB 140LED 8mm 48V 9.6W 995lm 120° IP20 930**

### **Product code 20695**

---

Brand [REVAL BULB](#)  
Supply voltage 48V  
Output 9.6W  
Maximum output 9.6W/1m  
Rated current 200mA  
Luminous flux 995lumens  
Luminaire's efficiency lm79 104W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 1.4mm  
Width 8.0mm  
Minimum length 100.0mm  
Length 25000.0mm  
Work environment indoor use  
Operation temperature  
-20°C~+45°C°C  
Certificates CE,RoHS  
Warranty 5 years

# LED strip REVAL BULB 140LED 8mm 48V 9.6W 995lm 120° IP65 930

## Product code 20697

---

Brand [REVAL BULB](#)  
Supply voltage 48V  
Output 9.6W  
Maximum output 9.6W/1m  
Rated current 200mA  
Luminous flux 995lumens  
Luminaire's efficiency lm79 104W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 1.4mm  
Width 8.0mm  
Minimum length 100.0mm  
Length 25000.0mm  
Work environment indoor use  
Operation temperature  
-20°C~+45°C°C  
Certificates CE,RoHS  
Warranty 5 years

## LED strip REVAL BULB 160LED 1m 24V 19.2W 2030lm 120° IP20 927

**Product code 20686**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2030lumens

Luminaire's efficiency lm79 106W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 160LED 1m 24V 19.2W 2900lm 120° IP20 930

**Product code 17075**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2900lumens

Luminaire's efficiency lm79 151W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 160LED 1m 24V 19.2W 3000lm 120° IP20 940

**Product code 17076**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 3000lumens

Luminaire's efficiency lm79 156W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 160LED 1m nano 24V 14.4W 300lm 120° IP66 blue

**Product code 16199**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 21W

Correlated colour temperature blue  
blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Lmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 33.3mm

Length 5000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



## LED strip REVAL BULB 160LED 5m in silicone 24V 19.2W 2500lm 120° IP67 930

---

**Product code 18338**

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 130W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 12.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Certificates UL, CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 160LED 5m in silicone 24V 19.2W 2500lm 120° IP67 940

**Product code 17958**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 130W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 12.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Certificates UL, CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 160LED 5m silicone 24V 14.4W 300lm 120° IP67 blue

**Product code 17175**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 21W

Correlated colour temperature blue  
blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Height 6.0mm

Width 12.5mm

Minimum length 33.3mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 168LED 1m 24V 17.3W 2336lm 120° IP20 940

**Product code 14644**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Maximum output 17.3W/1m

Luminous flux 2336lumens

Luminaire's efficiency lm79 135W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 40.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 224LED 1m 24V 20.2W 2900lm 120° IP20 940

**Product code 14809**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Maximum output 20.2W/1m

Luminous flux 2900lumens

Luminaire's efficiency lm79 144W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 224LED 1m 24V 20.2W 2937lm 120° IP20 930

**Product code 14348**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Maximum output 20.2W/1m

Luminous flux 2937lumens

Luminaire's efficiency lm79 145W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 224LED 1m 24V 20.2W 3114lm 120° IP20 960

**Product code 14947**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Maximum output 20.2W/1m

Luminous flux 3114lumens

Luminaire's efficiency lm79 154W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 240LED 1m 24V 14W 1260lm CRI90 120° IP20 1800K-2700K warm white

**Product code 23006**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14W

Maximum output 14W/1m

Luminous flux 1260lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm  
white 1800K-2700K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 240LED 1m 24V 23W 3100lm 120° IP20 930

**Product code 17077**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 23W

Maximum output 23W/1m

Luminous flux 3100lumens

Luminaire's efficiency lm79 135W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

# LED strip REVAL BULB 240LED 1m 24V 23W 3200lm 120° IP20 940

**Product code 17078**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 23W

Maximum output 23W/1m

Luminous flux 3200lumens

Luminaire's efficiency lm79 139W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## **LED strip REVAL BULB 240LED 1m Cuttable after each LED 24V 14.4W 1550lm 120° IP20 930**

**Product code 18276**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 2.5mm

Width 8.0mm

Minimum length 6.3mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



## **LED strip REVAL BULB 240LED 1m Cuttable after each LED 24V 14.4W 1700lm 120° IP20 940**

**Product code 18277**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 118W

Correlated colour temperature pure  
white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 2.5mm

Width 8.0mm

Minimum length 6.3mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



## LED strip REVAL BULB 288LED 1m 24V 40W 5400lm CRI90 120° IP20 warm - cold white

**Product code 18236**

Brand [REVAL BULB](#)

Supply voltage 24V

Power factor 0.90

Output 40W

Maximum output 40W/1m

Luminous flux 5400lumens

Luminaire's efficiency lm79 135W

Correlated colour temperature warm - cold white

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 2.2mm

Width 14.0mm

Minimum length 55.6mm

Length 1000.0mm

In package 1m

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 30LED 1m 12V 7.2W 260lm 120° IP20 RGB

**Product code 12666**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 260lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 2.1mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

## LED strip REVAL BULB 30LED 5m roll silicon 12V 7.2W 260lm 120° IP67 RGB

**Product code 13009**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 260lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 12.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 320LED 1m 24V 24W 3500lm 120° IP20 930

**Product code 17347**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 24W

Maximum output 24W/1m

Luminous flux 3500lumens

Luminaire's efficiency lm79 146W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 320LED 1m 24V 24W 3600lm 120° IP20 940

**Product code 17348**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 24W

Maximum output 24W/1m

Luminous flux 3600lumens

Luminaire's efficiency lm79 150W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 320LED 1m 24V 31W 3900lm 120° IP20 930

**Product code 17797**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 31W

Maximum output 31W/1m

Luminous flux 3900lumens

Luminaire's efficiency lm79 126W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 320LED 1m 24V 31W 4000lm 120° IP20 940

**Product code 17798**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 31W

Maximum output 31W/1m

Luminous flux 4000lumens

Luminaire's efficiency lm79 129W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 320LED 5m in silicone 24V 31W 3900lm 120° IP67 930

**Product code 17800**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 31W  
Maximum output 31W/1m  
Luminous flux 3900lumens  
Luminaire's efficiency lm79 126W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 5.2mm  
Width 10.0mm  
Minimum length 25.0mm  
Length 5000.0mm  
Work environment indoor / outdoor  
use  
Certificates UL, CE, RoHS  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 320LED 5m in silicone 24V 31W 4000lm 120° IP67 940

**Product code 17799**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 31W  
Maximum output 31W/1m  
Luminous flux 4000lumens  
Luminaire's efficiency lm79 129W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 5.2mm  
Width 12.0mm  
Minimum length 25.0mm  
Length 5000.0mm  
Work environment indoor / outdoor use  
Certificates UL, CE, RoHS  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 10m roll silicon 24V 14.4W 520lm 120° IP67 RGB

**Product code 16384**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 10000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 60LED 1m 12V 14.4W 520lm 120° IP20 RGB

**Product code 12780**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 2.1mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 315lm 120° IP20 green

**Product code 13031**

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 315lumens  
Luminaire's efficiency lm79 66W  
Correlated colour temperature green  
green  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 38lm 120° IP20 yellow

**Product code 12857**

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 38lumens  
Luminaire's efficiency lm79 8W  
Correlated colour temperature yellow  
yellow  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 398lm 120° IP20 927

### Product code 16471

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 398lumens  
Luminaire's efficiency lm79 83W  
Correlated colour temperature warm white 2700K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 418lm 120° IP20 930

### Product code 12785

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 418lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 450lm 120° IP20 960

**Product code 12786**

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 450lumens  
Luminaire's efficiency lm79 94W  
Correlated colour temperature cold white 6000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 452lm 120° IP20 940

**Product code 13629**

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 452lumens  
Luminaire's efficiency lm79 94W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 10000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 55lm 120° IP20 red

### Product code 13029

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 55lumens  
Luminaire's efficiency lm79 11W  
Correlated colour temperature red red  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 4.8W 80lm 120° IP20 blue

### Product code 13030

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 80lumens

Luminaire's efficiency lm79 17W

Correlated colour temperature blue  
blue

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 830

**Product code 13868**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 940

**Product code 14324**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 960

**Product code 14325**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature cold  
white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

**Product code 16410**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

## LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

**Product code 15186**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Height 4.0mm

Width 12.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



REVAL BULB 3535 [LED strip](#) for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

## LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

**Product code 14588**

Brand [REVAL BULB](#)  
 Supply voltage 24V  
 Output 14.4W  
 Maximum output 14.4W/1m  
 Luminous flux 520lumens  
 Luminaire's efficiency lm79 36W  
 Correlated colour temperature RGB  
 RGB  
 Lens angle 120  
 Source of light SANAN LED  
 Sdcm - macadam ellipses 3  
 Protection class IP20  
 Lifespan 50000h  
 Llmf tm21 L70 @25°C 50.000h  
 Height 3.0mm  
 Width 10.0mm  
 Minimum length 100.0mm  
 Length 1000.0mm  
 Certificates CE, RoHS  
 Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

**LED strip REVAL BULB 60LED 1m 24V 19.2W 370lm CRI80 120° IP20 RGB + 3000K RGBW warm**

---

**Product code 13447**

---

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 19.2W  
Maximum output 19.2W/1m  
Luminous flux 370lumens  
Luminaire's efficiency lm79 19W  
Correlated colour temperature RGBW  
warm RGB + 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 3.0mm  
Width 12.0mm  
Minimum length 100.0mm  
Length 1000.0mm  
In package 5m  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



[LED strips](#) are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 60LED 1m 24V 19.2W 380lm CRI80 120° IP20 RGB+4000K RGBW pure white

### Product code 15020

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 19.2W  
Maximum output 19.2W/1m  
Luminous flux 380lumens  
Luminaire's efficiency lm79 20W  
Correlated colour temperature RGBW  
pure white RGB+4000K  
Lens angle 120  
Source of light SANAN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 2.1mm  
Width 12.0mm  
Minimum length 100.0mm  
Length 1000.0mm  
In package 5m  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



[LED strips](#) are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 60LED 1m 24V 19.2W 390lm CRI80 120° IP20 RGB + 6000K RGBW cold

**Product code 13446**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 19.2W  
Maximum output 19.2W/1m  
Luminous flux 390lumens  
Luminaire's efficiency lm79 20W  
Correlated colour temperature RGBW cold RGB + 6000K  
Lens angle 120  
Source of light SANAN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 3.0mm  
Width 12.0mm  
Minimum length 100.0mm  
Length 1000.0mm  
In package 5m  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



[LED strips](#) are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 60LED 1m 24V 4.8W 418lm 120° IP20 930

### Product code 17061

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 418lumens  
Luminaire's efficiency lm79 87W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 100.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

## LED strip REVAL BULB 60LED 1m 24V 7.2W 750lm 120° IP20 927

**Product code 16386**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 750lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm  
white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 60LED 1m 24V 7.2W 830lm 120° IP20 830

**Product code 16213**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 60LED 1m 24V 7.2W 840lm 120° IP20 940

**Product code 17102**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 840lumens

Luminaire's efficiency lm79 117W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 60LED 1m Flexible 12V 7.2W 700lm 120° IP20 830

**Product code 13683**

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 7.2W  
Maximum output 7.2W/1m  
Luminous flux 700lumens  
Luminaire's efficiency lm79 97W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 1.4mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Certificates CE, RoHS  
Warranty 5 years



This flexible LED strip is an ideal detail to make rooms more distinctive! The LED strip can be bent at an angle, and thanks to this feature, the installation process is particularly easy - achievable even for a novice! The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 60LED 5m roll silicon 24V 14.4W 520lm 120° IP67 RGB

**Product code 15675**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 60LED 5m roll silicon 24V 19.2W 370lm CRI90 120° IP67 RGB + 3000K RGBW warm

**Product code 15503**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 19.2W  
Maximum output 19.2W/1m  
Luminous flux 370lumens  
Luminaire's efficiency lm79 19W  
Correlated colour temperature RGBW  
warm RGB + 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 5.0mm  
Width 15.0mm  
Minimum length 100.0mm  
Length 5000.0mm  
Certificates CE, RoHS, UL  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 60LED 5m silicone 12V 4.8W 413lm 120° IP67 960

**Product code 13074**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 413lumens

Luminaire's efficiency lm79 86W

Correlated colour temperature cold  
white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone 12V 4.8W 438lm 120° IP67 940

**Product code 13926**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 438lumens

Luminaire's efficiency lm79 91W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone 12V 7.2W 600lm 120° IP67 930

**Product code 13869**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 600lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone 24V 4.8W 400lm 120° IP67 927

**Product code 16963**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone 24V 4.8W 400lm 120° IP67 930

**Product code 17173**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone 24V 7.2W 600lm 120° IP67 930

**Product code 15226**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 7.2W  
Maximum output 7.2W/1m  
Luminous flux 600lumens  
Luminaire's efficiency lm79 83W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 25000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 6.0mm  
Width 10.0mm  
Minimum length 100.0mm  
Length 5000.0mm  
Certificates CE, RoHS  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone 24V 7.2W 830lm 120° IP67 940

**Product code 16861**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 7.2W  
Maximum output 7.2W/1m  
Luminous flux 830lumens  
Luminaire's efficiency lm79 115W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 6.0mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Certificates CE, RoHS  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 60LED 5m silicone coated 12V 4.8W 38lm 120° IP55 yellow

---

**Product code 13397**

---

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 38lumens  
Luminaire's efficiency lm79 8W  
Correlated colour temperature yellow  
yellow  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP55  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 3.0mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Certificates CE  
Warranty 5 years



Waterproof silicone-coated [LED strip](#) suitable for damp environments. This product is sold in 5-meter rolls. The strip can be cut every 3 LEDs at intervals of 3 cm. It can be extended by soldering. A maximum of 7-8 meters of the strip can be connected to one power supply unit. Installation is made easy with 3M double-sided tape on the back of the LED strip. For best durability and heat dissipation, we recommend installing it with an aluminum profile. A power supply unit is required for operation, which can also be found in the LED House product range.

## LED strip REVAL BULB 60LED 5m silicone coated 12V 4.8W 480lm 120° IP55 960

**Product code 12645**

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Maximum output 4.8W/1m  
Luminous flux 480lumens  
Luminaire's efficiency lm79 100W  
Correlated colour temperature cold white 6000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP55  
Lifespan 50000h  
Llmf tm21 L70 @25°C 50.000h  
Height 3.0mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Warranty 5 years



Waterproof silicone-coated [LED strip](#) suitable for damp environments. This product is sold in 5-meter rolls. The strip can be cut every 3 LEDs at intervals of 3 cm. It can be extended by soldering. A maximum of 7-8 meters of the strip can be connected to one power supply unit. Installation is made easy with 3M double-sided tape on the back of the LED strip. For best durability and heat dissipation, we recommend installing it with an aluminum profile. A power supply unit is required for operation, which can also be found in the LED House product range.

## LED strip REVAL BULB 60LED CC 10m silicone 24V 7.2W 787lm 120° IP67 930

**Product code 16817**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 7.2W  
Maximum output 7.2W/1m  
Luminous flux 787lumens  
Luminaire's efficiency lm79 109W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf tm21 L80B10 @25°C 50.000h  
Height 6.0mm  
Width 10.0mm  
Minimum length 100.0mm  
Length 10000.0mm  
Certificates CE, RoHS  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 72LED 1m NANO 24V 17.3W 620lm 120° IP66 RGB

---

**Product code 15021**

---

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Maximum output 17.3W/1m

Luminous flux 620lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 83.3mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



High-quality and durable nano-coated RGB [LED strip](#) with IP66 protection rating, allowing the LED strip to be used both outdoors and indoors. This RGB LED strip offers a wide range of colors, including various shades that can be adjusted according to user preferences or the situation. LED strips are flexible and can be easily adapted to various installation needs and surfaces, such as furniture, shelves, stairs, etc. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 72LED 5m roll silicon 24V 17.3W 620lm 120° IP67 RGB

**Product code 15322**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Maximum output 17.3W/1m

Luminous flux 620lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 83.3mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 98LED 1m 24V 10W 1363lm 120° IP20 940

**Product code 15131**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1363lumens

Luminaire's efficiency lm79 136W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 98LED 1m 24V 10W 1363lm 120° IP20 950

**Product code 16536**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1363lumens

Luminaire's efficiency lm79 136W

Correlated colour temperature pure white 5000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 70.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 98LED 1m 24V 10W 990lm 120° IP20 927

**Product code 16387**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 990lumens

Luminaire's efficiency lm79 99W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 98LED 1m 24V 10W 999lm 120° IP20 930

### Product code 14153

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 999lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 98LED 1m nano 24V 10W 1363lm 120° IP66 940

**Product code 16676**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1363lumens

Luminaire's efficiency lm79 136W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 98LED 1m nano 24V 10W 999lm 120° IP66 930

**Product code 16340**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 999lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode  
with good light efficiency and with  
excellent qualities.

## LED strip REVAL BULB 98LED 5m silicone 24V 10W 1100lm 120° IP67 930

**Product code 15227**

Brand [REVAL BULB](#)  
Supply voltage 24V  
Output 10W  
Maximum output 10W/1m  
Luminous flux 1100lumens  
Luminaire's efficiency lm79 110W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 25000h  
Llmf tm21 L70B50 @25°C 50.000h  
Height 6.0mm  
Width 10.0mm  
Minimum length 71.4mm  
Length 5000.0mm  
Certificates CE, RoHS  
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB UVC LED 1m 12leds/m 24V 6.7W 120° IP20 270-280nm UVC

**Product code 15614**

Brand [REVAL BULB](#)

Supply voltage 24V

Output 6.7W

Maximum output 6.7W/1m

Correlated colour temperature UVC  
270-280nm

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Minimum length 250.0mm

Work environment indoor use

Operation temperature -20 ° +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality UVC [LED strip](#) for medical facilities, laboratories, water purification systems, and the food industry. UVC LED strips are used for disinfection and sterilization, and their radiation is effective in destroying microorganisms, bacteria, and viruses. The UVC radiation of the LED strip is potentially hazardous to humans and animals, and its use requires careful adherence to safety measures, including eye and skin protection. Do not look directly at the LED strip with the naked eye, and remove pets and houseplants from the room while the UV light is destroying bacteria! The specified price is per meter of the strip.

## LED strip SMD2835, 240 LED 24V 19.2W 482lm 120° IP20 blue

### Product code 15153

Supply voltage 24V  
 Output 19.2W  
 Maximum output 19.2W/1m  
 Luminous flux 482lumens  
 Luminaire's efficiency lm79 25W  
 Correlated colour temperature blue  
 blue  
 Lens angle 120  
 Protection class IP20  
 Lifespan 50000h  
 Width 10.0mm  
 Length 5000.0mm

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



## LED strip Trio Lighting Chip 10,5W 750lm IP20 3000K-6500K 2CCT

## Product code 22001

Brand [Trio Lighting](#)

Output 10,5W


Luminous flux 750lumens

Correlated colour temperature 2CCT  
3000K-6500K

Protection class IP20

Lifespan 20000h

The CHIP strip light impresses with the many different ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting in the living room, the CHIP light strip gives the ambience a modern and cosy character. The CHIP LED strip can be shortened at the markings provided, making it ideal for personalising your living space. The light colour and brightness of the LEDs on the three-metre-long strip can be adjusted using the included remote control. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## LED strip Trio Lighting Racer 10W 750lm IP20 RGB + 3000K RGBW warm

**Product code 22002**

Brand [Trio Lighting](#)

Output 10W

Luminous flux 750lumens

Luminaire's efficiency lm79 75W


Correlated colour temperature RGBW

warm RGB + 3000K

Protection class IP20

Lifespan 20000h

Feel the light of gaming! The RACER strip light impresses with the many ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting on a TV or PC screen, the RACER light strip lends the ambience a modern and special character. The three metre long LED strip can be shortened at the markings provided, making it ideal for personalised design. The Dynamic Light function creates a fascinating atmosphere with pre-programmed, dynamic lighting scenarios that add fascinating lighting effects to the multi-coloured or monochrome mood lighting. The Stripe is also equipped with the Sound Control function. Using a built-in microphone, the RGB LEDs react to ambient noise in real time and transform music, films and gaming into captivating, rhythmically adapted light effects. All functions and the brightness can be controlled using the included remote control. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## LED strip Trio Lighting Screen 6,5W IP20 RGB + 3000K RGBW warm

**Product code 22003**

Brand [Trio Lighting](#)

Output 6,5W


Correlated colour temperature RGBW warm RGB + 3000K

Protection class IP20

Lifespan 20000h

No. of switches 20000pcs

Experience a completely new TV or PC experience by immersing yourself in another dimension with the Ambiente LED Stripe SCREEN! The LED Stripe, perfect for a 21 monitor, opens up a wealth of impressive functions. The Dynamic Light function creates a fascinating atmosphere with pre-programmed, dynamic lighting scenarios that add fascinating lighting effects to the multi-coloured or monochrome mood lighting. The Stripe is also equipped with the Sound Control function. Using a built-in microphone, the RGB LEDs react to ambient noise in real time and transform music, films and gaming into captivating, rhythmically adapted light effects. All functions and the brightness can be conveniently controlled using the remote control supplied. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



## **LED strip Trio Lighting Stripe Wiz 10W IP20 RGB + 3000K RGBW warm**

**Product code 20507**

---

Brand [Trio Lighting](#)

Output 10W

Correlated colour temperature RGBW

warm RGB + 3000K

Protection class IP20

Height 2.0mm

