

LED strip 120LED 1m 24V 4W 480lm IP67 930

Product code 19176

Supply voltage 24V
 Output 4W
 Maximum output 4W/1m
 Luminous flux 480lumens
 Luminaire's efficiency lm79 120W
 Correlated colour temperature warm
 white 3000K
 Cri 90
 Protection class IP67
 Lifespan 55000h
 Height 1.4mm
 Width 8.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment outdoor use
 Operation temperature -30 - +50°C
 Certificates CE,RoHS
 Warranty 5 years

High-quality LED strip. 2835 LED diode
 with good light efficiency and with
 excellent qualities.



LED strip REVAL BULB 108LED 1m can be cut after each LED 24V 18W 805lm 120° IP20 RGB

Product code 17186

Brand [REVAL BULB](#)

Supply voltage 24V

Output 18W

Maximum output 18W/1m

Luminous flux 805lumens

Luminaire's efficiency lm79 45W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.1mm

Width 10.0mm

Minimum length 9.3mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip with a thick circuit board. A unique feature is the ability to cut the strip after each LED, making it ideal for installation in complex situations! LED strips are flexible and can be easily customized to fit various installation needs and surfaces, such as furniture, shelves, stairs, etc. This RGB LED strip allows for a wide range of colours, including various shades that can be adjusted according to user preferences or the situation. The specified price is for 1 meter of the strip. You can trust in our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 120LED 1m 12V 14.4W 1400lm 120° IP20 927

Product code 17850

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 14.4W 1573lm 120° IP20 930

Product code 14587

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1573lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 14.4W 1626lm 120° IP20 960

Product code 14984

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1626lumens

Luminaire's efficiency lm79 113W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 12V 14.4W 1668lm 120° IP20 940

Product code 14543

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1668lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 1344lm CRI90 120° IP20 3000K-4000K 2CCT

Product code 15560

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1344lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature 2CCT

3000K-4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 100.0mm


Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 1400lm 120° IP20 927

Product code 22329

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 1550lm CRI90 120° IP20 2700K-6000K warm + cold white

Product code 14449

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm
+ cold white 2700K-6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 14.4W 405lm 120° IP20 RGB

Product code 17520

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 405lumens

Luminaire's efficiency lm79 28W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 2.2mm

Width 8.0mm

Minimum length 80.0mm


Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



This sleek RGB LED strip is a modern addition to any interior, offering versatility and style. With its ability to be cut every 50mm, this LED strip is easy to install, even for first-time users! The strip comes with a self-adhesive backing for quick installation. The specified price is for a 1-meter strip. You can trust in our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll provide you with a quote! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED strip REVAL BULB 120LED 1m 24V 2.4W 216lm 120° IP20 930

Product code 17801

Brand [REVAL BULB](#)

Supply voltage 24V

Output 2.4W

Maximum output 2.4W/1m

Luminous flux 216lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.2mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 120LED 1m 24V 28.8W 1040lm 120° IP20 RGB

Product code 13966

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 28.8W
 Maximum output 28.8W/1m
 Luminous flux 1040lumens
 Luminaire's efficiency lm79 36W
 Correlated colour temperature RGB
 RGB
 Lens angle 120
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Height 3.4mm
 Width 12.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Certificates CE, RoHS
 Warranty 5 years




REVAL BULB 3535 [LED strip](#) for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

LED strip REVAL BULB 120LED 1m 24V 9.6W 270lm 120° IP20 RGB

Product code 17519

Brand [REVAL BULB](#)
Supply voltage 24V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 270lumens
Luminaire's efficiency lm79 28W
Correlated colour temperature RGB
RGB
Lens angle 120
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Height 2.2mm
Width 5.0mm
Minimum length 50.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



This sleek RGB LED strip is a modern addition to any interior, offering versatility and style. With its ability to be cut every 50mm, this LED strip is easy to install, even for first-time users! The strip comes with a self-adhesive backing for quick installation. The specified price is for a 1-meter strip. You can trust in our products, as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll provide you with a quote! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

LED strip REVAL BULB 120LED 1m 24V 9.6W 837lm 120° IP20 930

Product code 16389

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 837lumens

Luminaire's efficiency lm79 87W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 120LED 1m 8mm wide 24V 14.4W 1500lm 120° IP20 930

Product code 17136

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 120LED 1m 8mm wide 24V 14.4W 1500lm 120° IP20 940

Product code 17701

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 120LED 1m CC constant current 24V 14.4W 1573lm 120° IP20 930

Product code 15036

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1573lumens

Luminaire's efficiency lm79 109W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



State-of-the-art LED strip! What makes constant voltage LED strips special? These LED strips regulate the current of LED diodes to remain constant regardless of fluctuations in the power supply voltage. This means that the LED strip always provides uniform current, ensuring consistent illumination along the entire length of the strip. In addition, constant voltage (CC) LED strips can be connected for longer lengths than regular LED strips. For example, with 4.8w/m, it's possible to connect up to 30m from one power source, but for more powerful LEDs, the length decreases. For 14.4w/m LED strip, the length is already 10m. This LED-light with IP20 protection class is an ideal choice for home or office environments. The specified price is per 1 meter of strip. The total length on the roll is 20-50m, which can be cut according to your needs. If you couldn't find a suitable option from our product range, feel free to send an inquiry!

LED strip REVAL BULB 120LED 1m CC constant current 24V 14.4W 1626lm 120° IP20 960

Product code 15170

Brand [REVAL BULB](#)
 Supply voltage 24V
 Output 14.4W
 Maximum output 14.4W/1m
 Luminous flux 1626lumens
 Luminaire's efficiency lm79 113W
 Correlated colour temperature cold white 6000K
 Lens angle 120
 Source of light SANAN LED
 Cri 90
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L70B50 @25°C 50.000h
 Height 1.4mm
 Width 10.0mm
 Minimum length 50.0mm
 Length 1000.0mm
 Work environment indoor use
 Operation temperature -30 - +45°C
 Certificates CE,RoHS
 Warranty 5 years



State-of-the-art LED strip! What makes constant voltage LED strips special? These LED strips regulate the current of LED diodes to remain constant regardless of fluctuations in the power supply voltage. This means that the LED strip always provides uniform current, ensuring consistent illumination along the entire length of the strip. In addition, constant voltage (CC) LED strips can be connected for longer lengths than regular LED strips. For example, with 4.8w/m, it's possible to connect up to 30m from one power source, but for more powerful LEDs, the length decreases. For 14.4w/m LED strip, the length is already 10m. This LED-light with IP20 protection class is an ideal choice for home or office environments. The specified price is per 1 meter of strip. The total length on the roll is 20-50m, which can be cut according to your needs. If you couldn't find a suitable option from our product range, feel free to send an inquiry!

LED strip REVAL BULB 120LED 1m nano 24V 28.8W 1040lm 120° IP66 RGB

Product code 16435

Brand [REVAL BULB](#)

Supply voltage 24V

Output 28.8W

Maximum output 28.8W/1m

Luminous flux 1040lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 3.4mm

Width 12.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



REVAL BULB 3535 [LED strip](#) for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

LED strip REVAL BULB 120LED 1m narrow 24V 9.6W 1000lm 120° IP20 930

Product code 15264

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 1000lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 1.8mm

Width 5.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE

Warranty 5 years



Make your spaces more eye-catching by using these narrow (5mm) LED strips! This IP20 class LED strip is suitable for creating a cozy atmosphere in dry indoor spaces. The light temperature of the LED strip adds a warm white light (3000K) to the room. LED strips are flexible and can be easily adjusted to different installation needs and surfaces, such as furniture, shelves, stairs, etc. Easy to install even for beginners! The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED 5m in silicone 24V 14.4W 1550lm CRI90 120° IP67 2700K-6000K warm + cold white

Product code 17036

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm
+ cold white 2700K-6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 12.0mm

Minimum length 166.7mm

Length 5000.0mm

Work environment indoor / outdoor
use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED 5m silicone 12V 14.4W 1668lm 120° IP67 940

Product code 16170

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1668lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature pure
white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED 5m silicone 24V 14.4W 1668lm 120° IP67 940

Product code 16214

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1668lumens

Luminaire's efficiency lm79 116W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED 5m silicone 24V 9.6W 837lm 120° IP67 930

Product code 16388

Brand [REVAL BULB](#)
Supply voltage 24V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 837lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 5.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Operation temperature -30°C - 70°C
Certificates CE
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 120LED Küljele 1m 12V 9.6W 750lm 120° IP20 930

Product code 14701

Brand [REVAL BULB](#)
Supply voltage 12V
Output 9.6W
Maximum output 9.6W/1m
Luminous flux 750lumens
Luminaire's efficiency lm79 78W
Correlated colour temperature warm
white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 3.0mm
Width 8.0mm
Minimum length 25.0mm
Length 1000.0mm
Certificates CE, RoHS
Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED Side 1m 12V 9.6W 969lm 120° IP20 840

Product code 14154

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 969lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED Side 1m NANO 12V 9.6W 969lm 120° IP66 840

Product code 16183

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Maximum output 9.6W/1m

Luminous flux 969lumens

Luminaire's efficiency lm79 101W

Correlated colour temperature pure
white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Make your spaces more effective by using these LED strips with directional light! This LED strip with IP20 protection class is suitable for creating a cozy atmosphere in dry indoor spaces. LED strips are flexible and can be easily customized to different installation needs and surfaces, such as furniture, shelves, stairs, etc. The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED T 1m 24V 14.4W 1573lm 120° IP20 930

Product code 14678

Brand [REVAL BULB](#)
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1573lumens
Luminaire's efficiency lm79 109W
Correlated colour temperature warm
white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 1.4mm
Width 10.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Operation temperature -20 - +45°C
Certificates CE, RoHS
Warranty 5 years



Excellent decorative lighting! This luminaire is suitable for indoor use only, with an IP20 protection rating. It adds warm white light (3000K) to the room. LED strips are flexible and can be easily adapted to various installation needs and surfaces, such as furniture, shelves, stairs, etc. Easy to install even for first-time users! The specified price is per 1 meter of strip. The total length on the roll is 5m, which can be cut according to your needs. Cutting is possible every 5cm. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 140LED 1m 24V 14.4W 1427lm 120° IP20 930

Product code 14420

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1427lumens

Luminaire's efficiency lm79 99W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m 24V 14.4W 1515lm 120° IP20 960

Product code 14537

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1515lumens

Luminaire's efficiency lm79 105W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm


Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m 24V 14.4W 1614lm 120° IP20 940

Product code 14384

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1614lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1427lm 120° IP66 930

Product code 14422

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1427lumens

Luminaire's efficiency lm79 99W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1577lm 120° IP66 860

Product code 14547

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1577lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature cold
white 6000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 140LED 1m nano 24V 14.4W 1614lm 120° IP66 940

Product code 14669

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1614lumens

Luminaire's efficiency lm79 112W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 140LED 5m silicone 24V 14.4W 1600lm 120° IP67 930

Product code 14711

Brand [REVAL BULB](#)
Supply voltage 24V
Output 14.4W
Maximum output 14.4W/1m
Luminous flux 1600lumens
Luminaire's efficiency lm79 111W
Correlated colour temperature warm
white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 6.0mm
Width 12.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 140LED 8mm 48V 9.6W 995lm 120° IP20 930

Product code 20695

Brand [REVAL BULB](#)
Supply voltage 48V
Output 9.6W
Maximum output 9.6W/1m
Rated current 200mA
Luminous flux 995lumens
Luminaire's efficiency lm79 104W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 100.0mm
Length 25000.0mm
Work environment indoor use
Operation temperature
-20°C~+45°C°C
Certificates CE,RoHS
Warranty 5 years

LED strip REVAL BULB 140LED 8mm 48V 9.6W 995lm 120° IP65 930

Product code 20697

Brand [REVAL BULB](#)
Supply voltage 48V
Output 9.6W
Maximum output 9.6W/1m
Rated current 200mA
Luminous flux 995lumens
Luminaire's efficiency lm79 104W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 1.4mm
Width 8.0mm
Minimum length 100.0mm
Length 25000.0mm
Work environment indoor use
Operation temperature
-20°C~+45°C°C
Certificates CE,RoHS
Warranty 5 years

LED strip REVAL BULB 160LED 1m 24V 19.2W 2030lm 120° IP20 927

Product code 20686

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2030lumens

Luminaire's efficiency lm79 106W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 160LED 1m 24V 19.2W 2900lm 120° IP20 930

Product code 17075

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2900lumens

Luminaire's efficiency lm79 151W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 160LED 1m 24V 19.2W 3000lm 120° IP20 940

Product code 17076

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 3000lumens

Luminaire's efficiency lm79 156W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 160LED 1m nano 24V 14.4W 300lm 120° IP66 blue

Product code 16199

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 21W

Correlated colour temperature blue
blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Lmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 33.3mm

Length 5000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 160LED 5m in silicone 24V 19.2W 2500lm 120° IP67 930

Product code 18338

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 130W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 12.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor
use

Certificates UL, CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 160LED 5m in silicone 24V 19.2W 2500lm 120° IP67 940

Product code 17958

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 2500lumens

Luminaire's efficiency lm79 130W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.2mm

Width 12.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Certificates UL, CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 160LED 5m silicone 24V 14.4W 300lm 120° IP67 blue

Product code 17175

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 300lumens

Luminaire's efficiency lm79 21W

Correlated colour temperature blue
blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Height 6.0mm

Width 12.5mm

Minimum length 33.3mm

Length 5000.0mm

Work environment indoor / outdoor
use

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 168LED 1m 24V 17.3W 2336lm 120° IP20 940

Product code 14644

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Maximum output 17.3W/1m

Luminous flux 2336lumens

Luminaire's efficiency lm79 135W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 40.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 224LED 1m 24V 20.2W 2900lm 120° IP20 940

Product code 14809

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Maximum output 20.2W/1m

Luminous flux 2900lumens

Luminaire's efficiency lm79 144W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 224LED 1m 24V 20.2W 2937lm 120° IP20 930

Product code 14348

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Maximum output 20.2W/1m

Luminous flux 2937lumens

Luminaire's efficiency lm79 145W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 224LED 1m 24V 20.2W 3114lm 120° IP20 960

Product code 14947

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Maximum output 20.2W/1m

Luminous flux 3114lumens

Luminaire's efficiency lm79 154W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 240LED 1m 24V 19.2W 482lm 120° IP20 blue

Product code 15153

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Maximum output 19.2W/1m

Luminous flux 482lumens

Luminaire's efficiency lm79 25W

Correlated colour temperature blue
blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years

High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.



LED strip REVAL BULB 240LED 1m 24V 23W 3100lm 120° IP20 930

Product code 17077

Brand [REVAL BULB](#)

Supply voltage 24V

Output 23W

Maximum output 23W/1m

Luminous flux 3100lumens

Luminaire's efficiency lm79 135W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 240LED 1m 24V 23W 3200lm 120° IP20 940

Product code 17078

Brand [REVAL BULB](#)

Supply voltage 24V

Output 23W

Maximum output 23W/1m

Luminous flux 3200lumens

Luminaire's efficiency lm79 139W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 240LED 1m Cuttable after each LED 24V 14.4W 1550lm 120° IP20 930

Product code 18276

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1550lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 2.5mm

Width 8.0mm

Minimum length 6.3mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



LED strip REVAL BULB 240LED 1m Cuttable after each LED 24V 14.4W 1700lm 120° IP20 940

Product code 18277

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 118W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 2.5mm

Width 8.0mm

Minimum length 6.3mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



LED strip REVAL BULB 288LED 1m 24V 40W 5400lm CRI90 120° IP20 warm - cold white

Product code 18236

Brand [REVAL BULB](#)

Supply voltage 24V

Power factor 0.90

Output 40W

Maximum output 40W/1m

Luminous flux 5400lumens

Luminaire's efficiency lm79 135W

Correlated colour temperature warm - cold white

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 2.2mm

Width 14.0mm

Minimum length 55.6mm

Length 1000.0mm

In package 1m

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 30LED 1m 12V 7.2W 260lm 120° IP20 RGB

Product code 12666

Brand [REVAL BULB](#)
 Supply voltage 12V
 Output 7.2W
 Maximum output 7.2W/1m
 Luminous flux 260lumens
 Luminaire's efficiency lm79 36W
 Correlated colour temperature RGB
 RGB
 Lens angle 120
 Source of light SANAN LED
 Sdcm - macadam ellipses 3
 Protection class IP20
 Lifespan 50000h
 Llmf tm21 L70 @25°C 50.000h
 Height 2.1mm
 Width 10.0mm
 Minimum length 100.0mm
 Length 1000.0mm
 In package 5m
 Work environment indoor use
 Certificates CE, RoHS
 Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 30LED 5m roll silicon 12V 7.2W 260lm 120° IP67 RGB

Product code 13009

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 260lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 12.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 320LED 1m 24V 24W 3500lm 120° IP20 930

Product code 17347

Brand [REVAL BULB](#)

Supply voltage 24V

Output 24W

Maximum output 24W/1m

Luminous flux 3500lumens

Luminaire's efficiency lm79 146W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 320LED 1m 24V 24W 3600lm 120° IP20 940

Product code 17348

Brand [REVAL BULB](#)

Supply voltage 24V

Output 24W

Maximum output 24W/1m

Luminous flux 3600lumens

Luminaire's efficiency lm79 150W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 92

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 320LED 1m 24V 31W 3900lm 120° IP20 930

Product code 17797

Brand [REVAL BULB](#)

Supply voltage 24V

Output 31W

Maximum output 31W/1m

Luminous flux 3900lumens

Luminaire's efficiency lm79 126W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm


Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 320LED 1m 24V 31W 4000lm 120° IP20 940

Product code 17798

Brand [REVAL BULB](#)

Supply voltage 24V

Output 31W

Maximum output 31W/1m

Luminous flux 4000lumens

Luminaire's efficiency lm79 129W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates UL, CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 320LED 5m in silicone 24V 31W 3900lm 120° IP67 930

Product code 17800

Brand [REVAL BULB](#)
Supply voltage 24V
Output 31W
Maximum output 31W/1m
Luminous flux 3900lumens
Luminaire's efficiency lm79 126W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 5.2mm
Width 10.0mm
Minimum length 25.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates UL, CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 320LED 5m in silicone 24V 31W 4000lm 120° IP67 940

Product code 17799

Brand [REVAL BULB](#)
Supply voltage 24V
Output 31W
Maximum output 31W/1m
Luminous flux 4000lumens
Luminaire's efficiency lm79 129W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 5.2mm
Width 10.0mm
Minimum length 25.0mm
Length 5000.0mm
Work environment indoor / outdoor use
Certificates UL, CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 10m roll silicon 24V 14.4W 520lm 120° IP67 RGB

Product code 16384

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 10000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 60LED 1m 12V 14.4W 520lm 120° IP20 RGB

Product code 12780

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 2.1mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 60LED 1m 12V 4.8W 315lm 120° IP20 green

Product code 13031

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 315lumens
Luminaire's efficiency lm79 66W
Correlated colour temperature green
green
Lens angle 120
Source of light SANAN LED
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 38lm 120° IP20 yellow

Product code 12857

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 38lumens
Luminaire's efficiency lm79 8W
Correlated colour temperature yellow
yellow
Lens angle 120
Source of light SANAN LED
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 398lm 120° IP20 927

Product code 16471

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 398lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm white 2700K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 418lm 120° IP20 930

Product code 12785

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 418lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 450lm 120° IP20 960

Product code 12786

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 450lumens

Luminaire's efficiency lm79 94W

Correlated colour temperature cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 452lm 120° IP20 940

Product code 13629

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 452lumens
Luminaire's efficiency lm79 94W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 10000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 55lm 120° IP20 red

Product code 13029

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 55lumens
Luminaire's efficiency lm79 11W
Correlated colour temperature red red
Lens angle 120
Source of light SANAN LED
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 50.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 4.8W 80lm 120° IP20 blue

Product code 13030

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 80lumens

Luminaire's efficiency lm79 17W

Correlated colour temperature blue
blue

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 830

Product code 13868

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 940

Product code 14324

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m 12V 7.2W 830lm 120° IP20 960

Product code 14325

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature cold
white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

Product code 16410

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

Product code 15186

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Height 4.0mm

Width 12.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



REVAL BULB 3535 [LED strip](#) for creating ambiance in dry indoor spaces! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent bulb changes. This LED strip adds RGB (red, green, blue) light to the room, making it the perfect tool for creating light effects! The specified price is per meter of the strip.

LED strip REVAL BULB 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

Product code 14588

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



This colorful [LED strip](#) is perfect for creating a cozy atmosphere in dry indoor spaces. The strip can be extended by soldering. You can connect a maximum of 7-8 meters to one power supply unit. The back side of the strip has 3M double-sided tape, making installation particularly convenient. For best durability and heat dissipation, we recommend installing it with an aluminum profile. The specified price is per meter of the strip. This product requires a power supply unit to operate. You can also find it in the LED house product range!

LED strip REVAL BULB 60LED 1m 24V 19.2W 370lm CRI80 120° IP20 RGB + 3000K RGBW warm

Product code 13447

Brand [REVAL BULB](#)
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 370lumens
Luminaire's efficiency lm79 19W
Correlated colour temperature RGBW
warm RGB + 3000K
Lens angle 120
Source of light SANAN LED
Cri 80
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



[LED strips](#) are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 60LED 1m 24V 19.2W 380lm CRI80 120° IP20 RGB+4000K RGBW pure white

Product code 15020

Brand [REVAL BULB](#)
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 380lumens
Luminaire's efficiency lm79 20W
Correlated colour temperature RGBW
pure white RGB+4000K
Lens angle 120
Source of light SANAN LED
Cri 80
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 2.1mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



[LED strips](#) are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 60LED 1m 24V 19.2W 390lm CRI80 120° IP20 RGB + 6000K RGBW cold

Product code 13446

Brand [REVAL BULB](#)
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 390lumens
Luminaire's efficiency lm79 20W
Correlated colour temperature RGBW cold RGB + 6000K
Lens angle 120
Source of light SANAN LED
Cri 80
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 3.0mm
Width 12.0mm
Minimum length 100.0mm
Length 1000.0mm
In package 5m
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



[LED strips](#) are a great choice for decorative lighting! REVAL BULB LED strips are flexible and can be easily adapted to various installation needs and surfaces. For example, on furniture, shelves, and stairs. This IP20 rated LED strip is perfect for creating a cozy atmosphere in dry indoor spaces. This RGB digital strip contains red, green, and blue LEDs, allowing you to illuminate spaces with different colors and create various light effects. In addition to colors, the strip also has a white LED diode. The specified price is per meter of the strip. Feel confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 60LED 1m 24V 4.8W 418lm 120° IP20 930

Product code 17061

Brand [REVAL BULB](#)
Supply voltage 24V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 418lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP20
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 1.8mm
Width 8.0mm
Minimum length 100.0mm
Length 1000.0mm
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



Quality LED strip with 3528 LEDs. An ideal choice for decorative lighting! LED diodes have a long lifespan compared to other light sources, reducing maintenance costs and frequent lamp replacements. This luminaire is suitable for indoor use only, with an IP20 protection rating. The specified price is per 1 meter of strip. There are more meters on the roll, which can be cut according to your needs. You can trust our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will provide you with an offer!

LED strip REVAL BULB 60LED 1m 24V 7.2W 750lm 120° IP20 927

Product code 16386

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 750lumens

Luminaire's efficiency lm79 104W

Correlated colour temperature warm
white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 60LED 1m 24V 7.2W 830lm 120° IP20 830

Product code 16213

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 830lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 60LED 1m 24V 7.2W 840lm 120° IP20 940

Product code 17102

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 840lumens

Luminaire's efficiency lm79 117W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 60LED 1m Flexible 12V 7.2W 700lm 120° IP20 830

Product code 13683

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Maximum output 7.2W/1m

Luminous flux 700lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



This flexible LED strip is an ideal detail to make rooms more distinctive! The LED strip can be bent at an angle, and thanks to this feature, the installation process is particularly easy - achievable even for a novice! The specified price is for 1 meter of strip. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 60LED 5m roll silicon 24V 14.4W 520lm 120° IP67 RGB

Product code 15675

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Maximum output 14.4W/1m

Luminous flux 520lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 60LED 5m roll silicon 24V 19.2W 370lm CRI90 120° IP67 RGB + 3000K RGBW warm

Product code 15503

Brand [REVAL BULB](#)
Supply voltage 24V
Output 19.2W
Maximum output 19.2W/1m
Luminous flux 370lumens
Luminaire's efficiency lm79 19W
Correlated colour temperature RGBW
warm RGB + 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 5.0mm
Width 15.0mm
Minimum length 100.0mm
Length 5000.0mm
Certificates CE, RoHS, UL
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 60LED 5m silicone 12V 4.8W 413lm 120° IP67 960

Product code 13074

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 413lumens

Luminaire's efficiency lm79 86W

Correlated colour temperature cold
white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 12V 4.8W 438lm 120° IP67 940

Product code 13926

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 438lumens

Luminaire's efficiency lm79 91W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 12V 7.2W 600lm 120° IP67 930

Product code 13869

Brand [REVAL BULB](#)
Supply voltage 12V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 4.8W 400lm 120° IP67 927

Product code 16963

Brand [REVAL BULB](#)

Supply voltage 24V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 4.8W 400lm 120° IP67 930

Product code 17173

Brand [REVAL BULB](#)

Supply voltage 24V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 400lumens

Luminaire's efficiency lm79 83W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Work environment indoor / outdoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 7.2W 600lm 120° IP67 930

Product code 15226

Brand [REVAL BULB](#)
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 83W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 25000h
Llmf tm21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 100.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone 24V 7.2W 830lm 120° IP67 940

Product code 16861

Brand [REVAL BULB](#)
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 830lumens
Luminaire's efficiency lm79 115W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 50.0mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 60LED 5m silicone coated 12V 4.8W 38lm 120° IP55 yellow

Product code 13397

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Maximum output 4.8W/1m

Luminous flux 38lumens

Luminaire's efficiency lm79 8W

Correlated colour temperature yellow
yellow

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP55

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE

Warranty 5 years



Waterproof silicone-coated [LED strip](#) suitable for damp environments. This product is sold in 5-meter rolls. The strip can be cut every 3 LEDs at intervals of 3 cm. It can be extended by soldering. A maximum of 7-8 meters of the strip can be connected to one power supply unit. Installation is made easy with 3M double-sided tape on the back of the LED strip. For best durability and heat dissipation, we recommend installing it with an aluminum profile. A power supply unit is required for operation, which can also be found in the LED House product range.

LED strip REVAL BULB 60LED 5m silicone coated 12V 4.8W 480lm 120° IP55 960

Product code 12645

Brand [REVAL BULB](#)
Supply voltage 12V
Output 4.8W
Maximum output 4.8W/1m
Luminous flux 480lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature cold white 6000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP55
Lifespan 50000h
Llmf tm21 L70 @25°C 50.000h
Height 3.0mm
Width 8.0mm
Minimum length 50.0mm
Length 5000.0mm
Warranty 5 years



Waterproof silicone-coated [LED strip](#) suitable for damp environments. This product is sold in 5-meter rolls. The strip can be cut every 3 LEDs at intervals of 3 cm. It can be extended by soldering. A maximum of 7-8 meters of the strip can be connected to one power supply unit. Installation is made easy with 3M double-sided tape on the back of the LED strip. For best durability and heat dissipation, we recommend installing it with an aluminum profile. A power supply unit is required for operation, which can also be found in the LED House product range.

LED strip REVAL BULB 60LED CC 10m silicone 24V 7.2W 787lm 120° IP67 930

Product code 16817

Brand [REVAL BULB](#)
Supply voltage 24V
Output 7.2W
Maximum output 7.2W/1m
Luminous flux 787lumens
Luminaire's efficiency lm79 109W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 100.0mm
Length 10000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB 72LED 1m NANO 24V 17.3W 620lm 120° IP66 RGB

Product code 15021

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Maximum output 17.3W/1m

Luminous flux 620lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 83.3mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 5 years



High-quality and durable nano-coated RGB [LED strip](#) with IP66 protection rating, allowing the LED strip to be used both outdoors and indoors. This RGB LED strip offers a wide range of colors, including various shades that can be adjusted according to user preferences or the situation. LED strips are flexible and can be easily adapted to various installation needs and surfaces, such as furniture, shelves, stairs, etc. You can be confident in our products as we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 72LED 5m roll silicon 24V 17.3W 620lm 120° IP67 RGB

Product code 15322

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Maximum output 17.3W/1m

Luminous flux 620lumens

Luminaire's efficiency lm79 36W

Correlated colour temperature RGB

RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 83.3mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

LED strip REVAL BULB 98LED 1m 24V 10W 1199lm 120° IP20 927

Product code 16387

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1199lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature warm
white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 98LED 1m 24V 10W 1363lm 120° IP20 940

Product code 15131

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1363lumens

Luminaire's efficiency lm79 136W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 1m 24V 10W 1363lm 120° IP20 950

Product code 16536

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1363lumens

Luminaire's efficiency lm79 136W

Correlated colour temperature pure white 5000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 70.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 1m 24V 10W 999lm 120° IP20 930

Product code 14153

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 999lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 1m nano 24V 10W 1285lm 120° IP66 930

Product code 16340

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1285lumens

Luminaire's efficiency lm79 129W

Correlated colour temperature warm
white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode
with good light efficiency and with
excellent qualities.

LED strip REVAL BULB 98LED 1m nano 24V 10W 1363lm 120° IP66 940

Product code 16676

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Maximum output 10W/1m

Luminous flux 1363lumens

Luminaire's efficiency lm79 136W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf tm21 L70B50 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 5 years



High-quality LED strip. 2835 LED diode with good light efficiency and with excellent qualities.

LED strip REVAL BULB 98LED 5m silicone 24V 10W 1100lm 120° IP67 930

Product code 15227

Brand [REVAL BULB](#)
Supply voltage 24V
Output 10W
Maximum output 10W/1m
Luminous flux 1100lumens
Luminaire's efficiency lm79 110W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light SANAN LED
Cri 90
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 25000h
Llmf tm21 L70B50 @25°C 50.000h
Height 6.0mm
Width 10.0mm
Minimum length 71.4mm
Length 5000.0mm
Certificates CE, RoHS
Warranty 5 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

LED strip REVAL BULB UVC LED 1m 12leds/m 24V 6.7W 120° IP20 270-280nm UVC

Product code 15614

Brand [REVAL BULB](#)

Supply voltage 24V

Output 6.7W

Maximum output 6.7W/1m

Correlated colour temperature UVC
270-280nm

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf tm21 L70 @25°C 50.000h

Minimum length 250.0mm

Work environment indoor use

Operation temperature -20 ° +45°C

Certificates CE, RoHS

Warranty 5 years



High-quality UVC [LED strip](#) for medical facilities, laboratories, water purification systems, and the food industry. UVC LED strips are used for disinfection and sterilization, and their radiation is effective in destroying microorganisms, bacteria, and viruses. The UVC radiation of the LED strip is potentially hazardous to humans and animals, and its use requires careful adherence to safety measures, including eye and skin protection. Do not look directly at the LED strip with the naked eye, and remove pets and houseplants from the room while the UV light is destroying bacteria! The specified price is per meter of the strip.

LED strip Trio Lighting Chip 10,5W 750lm IP20 3000K-6500K 2CCT

Product code 22001

Brand [Trio Lighting](#)

Output 10,5W

Luminous flux 750lumens


Correlated colour temperature 2CCT

3000K-6500K

Protection class IP20

Lifespan 20000h

The CHIP strip light impresses with the many different ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting in the living room, the CHIP light strip gives the ambience a modern and cosy character. The CHIP LED strip can be shortened at the markings provided, making it ideal for personalising your living space. The light colour and brightness of the LEDs on the three-metre-long strip can be adjusted using the included remote control. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



LED strip Trio Lighting Racer 10W 750lm IP20 RGB + 3000K RGBW warm

Product code 22002

Brand [Trio Lighting](#)

Output 10W

Luminous flux 750lumens

Luminaire's efficiency lm79 75W



Correlated colour temperature RGBW

warm RGB + 3000K

Protection class IP20

Lifespan 20000h

Feel the light of gaming! The RACER strip light impresses with the many ways in which it can be used. As a light accent on individual pieces of furniture or as indirect, glare-free lighting on a TV or PC screen, the RACER light strip lends the ambience a modern and special character. The three metre long LED strip can be shortened at the markings provided, making it ideal for personalised design. The Dynamic Light function creates a fascinating atmosphere with pre-programmed, dynamic lighting scenarios that add fascinating lighting effects to the multi-coloured or monochrome mood lighting. The Stripe is also equipped with the Sound Control function. Using a built-in microphone, the RGB LEDs react to ambient noise in real time and transform music, films and gaming into captivating, rhythmically adapted light effects. All functions and the brightness can be controlled using the included remote control. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



LED strip Trio Lighting Screen 6,5W IP20 RGB + 3000K RGBW warm

Product code 22003

Brand [Trio Lighting](#)

Output 6,5W


Correlated colour temperature RGBW warm RGB + 3000K

Protection class IP20

Lifespan 20000h

No. of switches 20000pcs

Experience a completely new TV or PC experience by immersing yourself in another dimension with the Ambiente LED Stripe SCREEN! The LED Stripe, perfect for a 21 monitor, opens up a wealth of impressive functions. The Dynamic Light function creates a fascinating atmosphere with pre-programmed, dynamic lighting scenarios that add fascinating lighting effects to the multi-coloured or monochrome mood lighting. The Stripe is also equipped with the Sound Control function. Using a built-in microphone, the RGB LEDs react to ambient noise in real time and transform music, films and gaming into captivating, rhythmically adapted light effects. All functions and the brightness can be conveniently controlled using the remote control supplied. The Stripe is kept in a plain black colour so that it blends unobtrusively into any furnishing style, especially when switched off. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



LED strip Trio Lighting Stripe Wiz 10W IP20 RGB + 3000K RGBW warm

Product code 20507

Brand [Trio Lighting](#)

Output 10W

Correlated colour temperature RGBW
warm RGB + 3000K

Protection class IP20

Height 2.0mm

