

## LED strip REVAL BULB 2835 120LED 1m 12V 14.4W 1573lm CRI90 120° IP20 3000K warm white

**Product code 14587**

Price 9,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Luminous flux 1573lumens

Luminaire's efficiency 109W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 120LED 1m 12V 14.4W 1626lm CRI90 120° IP20 6000K cold white

**Product code 14984**

Price 9,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Luminous flux 1626lumens

Luminaire's efficiency 113W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 120LED 1m 12V 14.4W 1668lm CRI90 120° IP20 4000K pure white

**Product code 14543**

Price 9,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Luminous flux 1668lumens

Luminaire's efficiency 116W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 120LED 1m 24V 14.4W 1344lm CRI90 120° IP20 2700K + 6000K warm + cold white

**Product code 14449**

Price 11,11+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1344lumens

Luminaire's efficiency 93W

Correlated colour temperature (cct)

warm + cold white 2700K + 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 120LED 1m 24V 14.4W 1344lm CRI90 120° IP20 3000K + 4000K warm + day white

**Product code 15560**

Price 11,09+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1344lumens

Luminaire's efficiency 93W

Correlated colour temperature (cct)

warm + day white 3000K + 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 120LED 1m can be cut after each LED 12V 12W 1152lm CRI90 120° IP20 3000K warm white

**Product code 16316**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 12W

Luminous flux 1152lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L80B10 @25°C 50.000h

Height 3.5mm

Width 8.0mm

Minimum length 10.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature 35°C ~ +65°C

Certificates CE

Warranty 3 years



Can be cut after each LED. You can order 2700K, 3000K, 4000K, 6000K light temperatures.

## LED strip REVAL BULB 2835 120LED 1m can be cut after each LED 12V 12W 1152lm CRI90 120° IP20 4000K pure white

**Product code 16317**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 12W

Luminous flux 1152lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L80B10 @25°C 50.000h

Height 3.5mm

Width 8.0mm

Minimum length 10.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature 35°C ~ +65°C

Certificates CE

Warranty 3 years



Can be cut after each LED. You can order 2700K, 3000K, 4000K, 6000K light temperatures.

## LED strip REVAL BULB 2835 120LED 1m can be cut after each LED 12V 14W 1344lm CRI90 120° IP20 3000K warm white

**Product code 16318**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14W

Luminous flux 1344lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L80B10 @25°C 50.000h

Height 3.5mm

Width 8.0mm

Minimum length 10.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature 35°C ~ +65°C

Certificates CE

Warranty 3 years



Can be cut after each LED. You can order 2700K, 3000K, 4000K, 6000K light temperatures.



## LED strip REVAL BULB 2835 120LED 1m can be cut after each LED 12V 14W 1344lm CRI90 120° IP20 4000K pure white

**Product code 16319**

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14W

Luminous flux 1344lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L80B10 @25°C 50.000h

Height 3.5mm

Width 8.0mm

Minimum length 10.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature 35°C ~ +65°C

Certificates CE

Warranty 3 years



Can be cut after each LED. You can order 2700K, 3000K, 4000K, 6000K light temperatures.

## LED strip REVAL BULB 2835 120LED 1m can be cut after each LED 12V 9.6W 920lm CRI90 120° IP20 3000K warm white

**Product code 16198**

Price 7,74+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Luminous flux 920lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L80B10 @25°C 50.000h

Height 3.5mm

Width 8.0mm

Minimum length 10.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature 35°C ~ +65°C

Certificates CE

Warranty 3 years



Can be cut after each LED. You can order 2700K, 3000K, 4000K, 6000K light temperatures.

## LED strip REVAL BULB 2835 120LED 1m CC constant current 24V 14.4W 1573lm CRI90 120° IP20 3000K warm white

**Product code 15036**

Price 14,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1573lumens

Luminaire's efficiency 109W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

In package 30m

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



## LED strip REVAL BULB 2835 120LED 1m CC constant current 24V 14.4W 1626lm CRI90 120° IP20 6000K cold white

**Product code 15170**

Price 14,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1626lumens

Luminaire's efficiency 113W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



## LED strip REVAL BULB 2835 120LED 5m silicone 12V 14.4W 1573lm CRI90 120° IP67 3000K warm white

**Product code 15184**

Price 56,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Luminous flux 1573lumens

Luminaire's efficiency 109W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 120LED 5m silicone 12V 14.4W 1668lm CRI90 120° IP67 4000K pure white

**Product code 16170**

Price 59,42+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Luminous flux 1668lumens

Luminaire's efficiency 116W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 120LED 5m silicone 24V 14.4W 1668lm CRI90 120° IP67 4000K pure white

**Product code 16214**

Price 59,42+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1668lumens

Luminaire's efficiency 116W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 120LED T 1m 24V 14.4W 1573lm CRI90 120° IP20 3000K warm white

**Product code 14678**

Price 10,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1573lumens

Luminaire's efficiency 109W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 3 years





## LED strip REVAL BULB 2835 140LED 1m 24V 14.4W 1840lm CRI90 120° IP20 3000K warm white

**Product code 14420**

Price 9,70+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1840lumens

Luminaire's efficiency 128W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 140LED 1m 24V 14.4W 1950lm CRI90 120° IP20 4000K pure white

**Product code 14384**

Price 9,70+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1950lumens

Luminaire's efficiency 135W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 140LED 1m 24V 14.4W 1950lm CRI90 120° IP20 6000K cold white

**Product code 14537**

Price 10,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1950lumens

Luminaire's efficiency 135W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 140LED 1m nano 24V 14.4W 1840lm CRI90 120° IP66 3000K warm white

**Product code 14422**

Price 12,95+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1840lumens

Luminaire's efficiency 128W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 140LED 1m nano 24V 14.4W 1950lm CRI80 120° IP66 6000K cold white

**Product code 14547**

Price 12,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1950lumens

Luminaire's efficiency 135W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 140LED 1m nano 24V 14.4W 1950lm CRI90 120° IP66 4000K pure white

**Product code 14669**

Price 12,50+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1950lumens

Luminaire's efficiency 135W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 140LED 5m silicone 24V 14.4W 1600lm CRI90 120° IP67 3000K warm white

**Product code 14711**

Price 66,53+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 1600lumens

Luminaire's efficiency 111W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 12.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 160LED 1m nano 24V 14.4W 300lm 120° IP66 blue

**Product code 16199**

Price 13,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 300lumens

Luminaire's efficiency 21W

Correlated colour temperature (cct)

blue blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 1.4mm

Width 10.0mm

Minimum length 33.3mm

Length 5000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.



## LED strip REVAL BULB 2835 168LED 1m 24V 17.3W 2336lm CRI90 120° IP20 4000K pure white

**Product code 14644**

Price 11,30+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Luminous flux 2336lumens

Luminaire's efficiency 135W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 40.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 224LED 1m 24V 20.2W 2937lm CRI90 120° IP20 3000K warm white

**Product code 14348**

Price 14,21+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Luminous flux 2937lumens

Luminaire's efficiency 145W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.7mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 224LED 1m 24V 20.2W 3114lm CRI90 120° IP20 4000K pure white

**Product code 14809**

Price 14,64+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Luminous flux 3114lumens

Luminaire's efficiency 154W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 224LED 1m 24V 20.2W 3114lm CRI90 120° IP20 6000K cold white

**Product code 14947**

Price 13,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 20.2W

Luminous flux 3114lumens

Luminaire's efficiency 154W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 10.0mm

Minimum length 35.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 240LED 1m 24V 19.2W 482lm 120° IP20 blue

**Product code 15153**

Price 13,00+VAT

Promotional price 11,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 482lumens

Luminaire's efficiency 25W

Correlated colour temperature (cct)

blue blue

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 1.4mm

Width 10.0mm

Minimum length 33.3mm

Length 5000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 60LED 1m 12V 7.2W 830lm CRI80 120° IP20 3000K warm white

**Product code 13868**

Price 5,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 830lumens

Luminaire's efficiency 115W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 2 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 60LED 1m 12V 7.2W 830lm CRI90 120° IP20 4000K pure white

**Product code 14324**

Price 5,44+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 830lumens

Luminaire's efficiency 115W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 60LED 1m 12V 7.2W 830lm CRI90 120° IP20 6000K cold white

**Product code 14325**

Price 5,40+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 830lumens

Luminaire's efficiency 115W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 2 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.



## LED strip REVAL BULB 2835 60LED 1m 24V 7.2W 750lm CRI90 120° IP20 2700K warm white

**Product code 16386**

Price 5,25+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Luminous flux 750lumens

Luminaire's efficiency 104W

Correlated colour temperature (cct)

warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 2 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 60LED 1m 24V 7.2W 830lm CRI80 120° IP20 3000K warm white

**Product code 16213**

Price 5,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Luminous flux 830lumens

Luminaire's efficiency 115W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -20 - +45°C

Certificates CE, RoHS

Warranty 2 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 60LED 1m Flexible 12V 7.2W 700lm CRI80 120° IP20 3000K warm white

**Product code 13683**

Price 5,20+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 700lumens

Luminaire's efficiency 97W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 2 years



## LED strip REVAL BULB 2835 60LED 1m Flexible 12V 7.2W 750lm CRI80 120° IP20 6000K cold white

**Product code 14802**

Price 5,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 750lumens

Luminaire's efficiency 104W

Correlated colour temperature (cct)

cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 1.4mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 2 years



## LED strip REVAL BULB 2835 60LED 5m silicone 12V 7.2W 600lm CRI90 120° IP67 3000K warm white

**Product code 13869**

Price 41,33+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 600lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

In package 5 reels

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 60LED 5m silicone 12V 7.2W 730lm CRI90 120° IP67 6000K cold white

**Product code 13871**

Price 37,00+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 7.2W  
Luminous flux 730lumens  
Luminaire's efficiency 101W  
Correlated colour temperature (cct)  
cold white 6000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 6.0mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
In package 5 reels  
Certificates CE, RoHS  
Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 60LED 5m silicone 24V 7.2W 600lm CRI90 120° IP67 3000K warm white

**Product code 15226**

Price 42,58+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Luminous flux 600lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 25000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 2835 98LED 1m 24V 10W 1199lm CRI85 120° IP20 2700K warm white

**Product code 16387**

Price 6,50+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Luminous flux 1199lumens

Luminaire's efficiency 120W

Correlated colour temperature (cct)

warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 85

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 98LED 1m 24V 10W 1285lm CRI90 120° IP20 3000K warm white

**Product code 14153**

Price 7,10+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Luminous flux 1285lumens

Luminaire's efficiency 129W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 70.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.



## LED strip REVAL BULB 2835 98LED 1m 24V 10W 1363lm CRI90 120° IP20 4000K pure white

**Product code 15131**

Price 6,95+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Luminous flux 1363lumens

Luminaire's efficiency 136W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 70.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 98LED 1m nano 24V 10W 1285lm CRI90 120° IP66 3000K warm white

**Product code 16340**

Price 9,70+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Luminous flux 1285lumens

Luminaire's efficiency 129W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.4mm

Width 8.0mm

Minimum length 71.4mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30 - +45°C

Certificates CE,RoHS

Warranty 3 years



High-quality LED strip with a thick printed circuit board. 2835 LED diode with good light efficiency and with excellent qualities.

## LED strip REVAL BULB 2835 98LED 5m silicone 24V 10W 1100lm CRI90 120° IP67 3000K warm white

**Product code 15227**

Price 49,60+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 10W

Luminous flux 1100lumens

Luminaire's efficiency 110W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 25000h

Llmf L70 @25°C 50.000h

Height 6.0mm

Width 10.0mm

Minimum length 70.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 3014 120LED Küljele 1m 12V 9.6W 750lm CRI90 120° IP20 3000K warm white

**Product code 14701**

Price 13,40+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Luminous flux 750lumens

Luminaire's efficiency 78W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3014 120LED Side 1m 12V 9.6W 969lm CRI80 120° IP20 4000K pure white

**Product code 14154**

Price 11,50+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Luminous flux 969lumens

Luminaire's efficiency 101W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3014 120LED Side 1m NANO 12V 9.6W 969lm CRI80 120° IP66 4000K pure white

**Product code 16183**

Price 12,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Luminous flux 969lumens

Luminaire's efficiency 101W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 3.0mm

Width 8.0mm

Minimum length 25.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3528 120LED 1m 24V 9.6W 837lm CRI90 120° IP20 3000K warm white

**Product code 16389**

Price 8,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Luminous flux 837lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Lmf L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 3 years



## LED strip REVAL BULB 3528 120LED 1m narrow 24V 9.6W 1000lm CRI90 120° IP20 3000K warm white

**Product code 15264**

Price 6,80+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Luminous flux 1000lumens

Luminaire's efficiency 104W

Correlated colour temperature (cct)  
warm white 3000K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 1.8mm

Width 5.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE

Warranty 3 years



## LED strip REVAL BULB 3528 120LED 5m silicone 12V 9.6W 877lm CRI90 120° IP67 4000K pure white

**Product code 16133**

Price 45,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 9.6W

Luminous flux 877lumens

Luminaire's efficiency 91W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 25.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 3528 120LED 5m silicone 24V 9.6W 837lm CRI90 120° IP67 3000K warm white

**Product code 16388**

Price 48,30+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 9.6W

Luminous flux 837lumens

Luminaire's efficiency 87W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 315lm 120° IP20 green

**Product code 13031**

Price 4,50+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Luminous flux 315lumens  
Luminaire's efficiency 66W  
Correlated colour temperature (cct)  
green green  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 38lm 120° IP20 yellow

**Product code 12857**

Price 4,50+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Luminous flux 38lumens  
Luminaire's efficiency 8W  
Correlated colour temperature (cct)  
yellow yellow  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 398lm CRI90 120° IP20 2700K warm white

**Product code 16471**

Price 5,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 398lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)

warm white 2700K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 428lm CRI90 120° IP20 3000K warm white

**Product code 12785**

Price 5,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 428lumens

Luminaire's efficiency 89W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 450lm CRI90 120° IP20 6000K cold white

**Product code 12786**

Price 5,06+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 450lumens

Luminaire's efficiency 94W

Correlated colour temperature (cct)

cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 452lm CRI90 120° IP20 4000K pure white

**Product code 13629**

Price 4,91+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 452lumens

Luminaire's efficiency 94W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 1.8mm

Width 8.0mm

Minimum length 50.0mm

Length 10000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 55lm 120° IP20 red

**Product code 13029**

Price 4,50+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Luminous flux 55lumens  
Luminaire's efficiency 11W  
Correlated colour temperature (cct)  
red red  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED strip REVAL BULB 3528 60LED 1m 12V 4.8W 80lm 120° IP20 blue

**Product code 13030**

Price 4,50+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Luminous flux 80lumens  
Luminaire's efficiency 17W  
Correlated colour temperature (cct)  
blue blue  
Lens angle 120  
Source of light SANAN LED  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 1.8mm  
Width 8.0mm  
Minimum length 50.0mm  
Length 1000.0mm  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED strip REVAL BULB 3528 60LED 5m silicone 12V 4.8W 400lm CRI90 120° IP67 3000K warm white

**Product code 13055**

Price 38,52+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Luminous flux 400lumens  
Luminaire's efficiency 83W  
Correlated colour temperature (cct)  
warm white 3000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 5.0mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Work environment indoor / outdoor  
use  
Operation temperature -30°C - 70°C  
Certificates CE  
Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 3528 60LED 5m silicone 12V 4.8W 413lm CRI90 120° IP67 6000K cold white

**Product code 13074**

Price 36,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 413lumens

Luminaire's efficiency 86W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 3528 60LED 5m silicone 12V 4.8W 438lm CRI90 120° IP67 4000K pure white

**Product code 13926**

Price 38,68+VAT

Brand [REVAL BULB](#)  
Supply voltage 12V  
Output 4.8W  
Luminous flux 438lumens  
Luminaire's efficiency 91W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 120  
Source of light SANAN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP67  
Lifespan 50000h  
Llmf L70 @25°C 50.000h  
Height 5.0mm  
Width 10.0mm  
Minimum length 50.0mm  
Length 5000.0mm  
Work environment indoor / outdoor  
use  
Operation temperature -30°C - 70°C  
Certificates CE  
Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 3528 60LED 5m silicone coated 12V 4.8W 315lm 120° IP55 green

**Product code 13398**

Price 26,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 315lumens

Luminaire's efficiency 66W

Correlated colour temperature (cct)  
green green

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP55

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 5m silicone coated 12V 4.8W 38lm 120° IP55 yellow

**Product code 13397**

Price 26,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 38lumens

Luminaire's efficiency 8W

Correlated colour temperature (cct)  
yellow yellow

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP55

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 50.0mm

Length 5000.0mm

Certificates CE

Warranty 3 years





## LED strip REVAL BULB 3528 60LED 5m silicone coated 12V 4.8W 428lm CRI90 120° IP55 3000K warm white

**Product code 12781**

Price 33,52+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 428lumens

Luminaire's efficiency 89W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP55

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 50.0mm

Length 5000.0mm

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 5m silicone coated 12V 4.8W 480lm CRI90 120° IP55 6000K cold white

**Product code 12645**

Price 32,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 480lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

cold white 6000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP55

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 8.0mm

Minimum length 50.0mm

Length 5000.0mm

Warranty 3 years



## LED strip REVAL BULB 3528 60LED 5m silicone tube 12V 4.8W 400lm 120° IP67 yellow

**Product code 13056**

Price 26,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 4.8W

Luminous flux 400lumens

Luminaire's efficiency 83W

Correlated colour temperature (cct)  
yellow yellow

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 5.0mm

Width 10.0mm

Minimum length 50.0mm

Length 5000.0mm

Work environment indoor / outdoor  
use

Operation temperature -30°C - 70°C

Certificates CE

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 3535 120LED 1m 24V 28.8W 1040lm 120° IP20 RGB

**Product code 13966**

Price 16,90+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 28.8W

Luminous flux 1040lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 3.4mm

Width 12.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3535 120LED 1m nano 24V 28.8W 1040lm 120° IP66 RGB

**Product code 16435**

Price 20,30+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 28.8W

Luminous flux 1040lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 3.4mm

Width 12.0mm

Minimum length 50.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 3535 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

**Product code 15186**

Price 10,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 520lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Height 4.0mm

Width 12.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 360 Tube D25 5m silicone 24V 19,2W 1824lm CRI80 360° IP20 3000K warm white

**Product code 16382**

Price 277,73+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19,2W

Luminous flux 1824lumens

Correlated colour temperature (cct)

warm white 3000K

Lens angle 360

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 25000h

Llmf L70 @25°C 50.000h

Length 5015.0mm

Diameter 25.0mm

Weight 2650g

Impact resistance IK08

Work environment indoor / outdoor  
use

Operation temperature -20 ~ 45°C

Certificates CE

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use (IP67 and IP20 model). Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by roll.

## LED strip REVAL BULB 5050 30LED 1m 12V 7.2W 260lm 120° IP20 RGB

**Product code 12666**

Price 5,75+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 260lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 2.1mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 30LED 5m roll silicon 12V 7.2W 260lm 120° IP67 RGB

**Product code 13009**

Price 42,55+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 260lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 5.0mm

Width 12.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 5050 30LED 5m silicone coated 12V 7.2W 680lm 120° IP55 RGB

**Product code 12667**

Price 36,00+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 7.2W

Luminous flux 680lumens

Luminaire's efficiency 94W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP55

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 60LED 1m 12V 14.4W 520lm 120° IP20 RGB

**Product code 12780**

Price 8,90+VAT

Brand [REVAL BULB](#)

Supply voltage 12V

Output 14.4W

Luminous flux 520lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 2.1mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years





## LED strip REVAL BULB 5050 60LED 1m 24V 14.4W 520lm 120° IP20 RGB

**Product code 14588**

Price 8,27+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 520lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 100.0mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 60LED 1m 24V 19.2W 370lm CRI80 120° IP20 RGB + 3000K RGBW warm

**Product code 13447**

Price 11,91+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 370lumens

Luminaire's efficiency 19W

Correlated colour temperature (cct)

RGBW warm RGB + 3000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 60LED 1m 24V 19.2W 380lm CRI80 120° IP20 RGB+4000K RGBW pure white

**Product code 15020**

Price 11,78+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 380lumens

Luminaire's efficiency 20W

Correlated colour temperature (cct)

RGBW pure white RGB+4000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 2.1mm

Width 12.0mm

Minimum length 100.0mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 60LED 1m 24V 19.2W 390lm CRI80 120° IP20 RGB + 6000K RGBW cold

**Product code 13446**

Price 11,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 390lumens

Luminaire's efficiency 20W

Correlated colour temperature (cct)

RGBW cold RGB + 6000K

Lens angle 120

Source of light SANAN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 1000.0mm

In package 5m

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 60LED 5m CC 24V 7.2W 270lm 120° IP65 RGB

**Product code 15335**

Price 55,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 7.2W

Luminous flux 270lumens

Luminaire's efficiency 38W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Height 1.5mm

Width 10.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE

Warranty 3 years



## LED strip REVAL BULB 5050 60LED 5m roll silicon 24V 14.4W 520lm 120° IP67 RGB

**Product code 15675**

Price 55,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14.4W

Luminous flux 520lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 5050 60LED 5m roll silicon 24V 19.2W 370lm CRI90 120° IP67 RGB + 3000K RGBW warm

**Product code 15503**

Price 67,08+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 19.2W

Luminous flux 370lumens

Luminaire's efficiency 19W

Correlated colour temperature (cct)

RGBW warm RGB + 3000K

Lens angle 120

Source of light SANAN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 5.0mm

Width 15.0mm

Minimum length 100.0mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB 5050 72LED 1m NANO 24V 17.3W 620lm 120° IP66 RGB

**Product code 15021**

Price 12,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Luminous flux 620lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 10.0mm

Minimum length 83.3mm

Length 1000.0mm

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB 5050 72LED 5m roll silicon 24V 17.3W 620lm 120° IP67 RGB

**Product code 15322**

Price 60,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 17.3W

Luminous flux 620lumens

Luminaire's efficiency 36W

Correlated colour temperature (cct)

RGB RGB

Lens angle 120

Source of light SANAN LED

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf L70 @25°C 50.000h

Height 3.0mm

Width 12.0mm

Minimum length 83.3mm

Length 5000.0mm

Certificates CE, RoHS

Warranty 3 years



Waterproof LED strip suitable for outdoor and indoor use. Also suitable for use in the sauna, but not higher than behind the backrest. The life of the LED is reduced if the strip is used in temperatures higher than 70 ° C. We sell by 5m roll.

## LED strip REVAL BULB COB 1m 24V 14W 1300lm CRI90 170° IP20 3000K warm white

### Product code 15191

Price 15,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14W

Maximum output 14W/1m

Luminous flux 1300lumens

Luminaire's efficiency 93W

Correlated colour temperature (cct)  
warm white 3000K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Llmf L70B50 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 60.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -25 ~ +60°C

Certificates CE

Warranty 3 years



Spot-Free - no need for diffuser. 170 degree beam angle. CRI 90. Efficiency ~100lm/W. Price is for 1m. 5m is on one roll.



## LED strip REVAL BULB COB 1m 24V 14W 1350lm CRI90 170° IP20 4000K pure white

### Product code 15190

Price 15,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14W

Maximum output 14W/1m

Luminous flux 1350lumens

Luminaire's efficiency 96W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Llmf L70B50 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -25 ~ +60°C

Certificates CE

Warranty 3 years



Spot-Free - no need for diffuser. 170 degree beam angle. CRI 90. Efficiency ~100lm/W. Price is for 1m. 5m is on one roll.

## LED strip REVAL BULB COB 1m 24V 14W 1400lm CRI90 170° IP20 6000K cold white

### Product code 15192

Price 15,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14W

Maximum output 14W/1m

Luminous flux 1400lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)  
cold white 6000K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Llmf L70B50 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 47.5mm

Length 1000.0mm

Work environment indoor use

Operation temperature -25 ~ +60°C

Certificates CE

Warranty 3 years



Spot-Free - no need for diffuser. 170 degree beam angle. CRI 90. Efficiency ~100lm/W. Price is for 1m. 5m is on one roll.

## LED strip REVAL BULB COB LED 1m 24V 14W 1250lm CRI90 170° IP20 2700K warm white

### Product code 15189

Price 15,88+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 14W

Maximum output 14W/1m

Luminous flux 1250lumens

Luminaire's efficiency 89W

Correlated colour temperature (cct)

warm white 2700K

Lens angle 170

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 40000h

Llmf L70B50 @25°C 50.000h

Height 2.5mm

Width 10.0mm

Minimum length 50.0mm

Length 1000.0mm

Work environment indoor use

Operation temperature -25 ~ +60°C

Certificates CE

Warranty 3 years



Spot-Free - no need for diffuser. 170 degree beam angle. CRI 90. Efficiency ~100lm/W. Price is for 1m. 5m is on one roll.

## LED strip REVAL BULB UVC LED 1m 12leds/m 24V 6.7W 120° IP20 270-280nm UVC

**Product code 15614**

Price 41,67+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 6.7W

Correlated colour temperature (cct)

UVC 270-280nm

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Minimum length 250.0mm

Work environment indoor use

Operation temperature -20 ° +45°C

Certificates CE, RoHS

Warranty 3 years



## LED strip REVAL BULB UVC LED 1m 6leds/m 24V 3.4W 120° IP20 270-280nm UVC

**Product code 15612**

Price 25,00+VAT

Brand [REVAL BULB](#)

Supply voltage 24V

Output 3.4W

Correlated colour temperature (cct)

UVC 270-280nm

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Llmf L70 @25°C 50.000h

Minimum length 500.0mm

Work environment indoor use

Operation temperature -20 ° +45°C

Certificates CE, RoHS

Warranty 3 years



## LED strip SAMSUNG 2835 140LED 1m 24V 15W 1575lm CRI90 120° IP20 3000K warm white

### Product code 15552

Price 9,00+VAT

Supply voltage 24V  
Output 15W  
Luminous flux 1575lumens  
Luminaire's efficiency 105W  
Correlated colour temperature (cct)  
warm white 3000K  
Lens angle 120  
Cri 90  
Protection class IP20  
Lifespan 25000h  
Height 3.0mm  
Width 10.0mm  
Length 5000.0mm  
Installation opening diameter 50mm  
Certificates CE  
Warranty 2 years

