



### Pendant lamp black E27 IP20





### **Product code 19669**

Socket E27 Protection class IP20 Height 300.0mm Diameter 330.0mm Casing colour black



# Pendant lamp Deko-Light Elaro 400 silver 15W 766lm 120° IP20 3000K warm white

### **Product code 20204**

Brand Deko-Light
Output 15W
Luminous flux 766lumens
Luminaire's efficiency Im79 51W
Correlated colour temperature warm
white 3000K
Lens angle 120
Protection class IP20
Height 1200.0mm
Diameter 40.0mm
Weight 1300g
Casing colour silver
Casing material aluminium
Work environment indoor use
Warranty 2 years





## Pendant lamp Deko-Light Elaro 600 silver 16,5W IP20 3000K warm white

### **Product code 20178**

Brand Deko-Light
Output 16,5W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 1250.0mm
Diameter 600.0mm
Casing colour silver
Casing material aluminium



### Pendant lamp Deko-Light Osane white E27 IP20

#### Product code 20177

Brand Deko-Light
Output voltage 220-240V
Socket E27
Protection class IP20
Height 1000.0mm
Diameter 220.0mm
Casing colour white
Casing material gypsum




# Pendant lamp Halo gold 40W 2100lm CRI80 120° IP20 2700K-4000K warm + day white

#### **Product code 20148**

Warranty 3 years

Output 40W
Luminous flux 2100lumens
Luminaire's efficiency Im79 53W
Correlated colour temperature warm
+ day white 2700K-4000K
Lens angle 120
Cri 80
Protection class IP20
Lifespan 50000h
Height 3640.0mm
Width 1430.0mm
Weight 1600g
Package weight 2700g
Casing colour gold








### **Chandelier Maxlight Puntes 4 gold E14 IP20**

### **Product code 20447**

Brand Maxlight
Socket E14
Protection class IP20
Height 668.0mm
Diameter 380.0mm
Weight 5300g
Package weight 6350g
Casing colour gold
Casing material metal + glass
Warranty 2 years

assive crystals serve as the centerpiece of the Puntes collection's design. The series includes pendant chandeliers of various diameters, as well as wall, table, and floor lamps. Each model is available in two timeless finishes: gold and chrome. The height of the chandeliers can be adjusted via the chain length. The cohesive color scheme and repeating decorative elements allow for easy combination of different models, enabling creative lighting arrangements and accent lighting across various zones within the interior.





### Pendant lamp Maxlight Seda gold 8W 480lm 3000K warm white

### **Product code 20466**

Brand Maxlight
Output 8W
Luminous flux 480lumens
Luminaire's efficiency Im79 60W
Correlated colour temperature warm
white 3000K
Height 45.0mm
Diameter 31.0mm
Casing colour gold
Casing material metal + plastic









### Pendant lamp Maytoni Cabaret brass 8W 850lm 120° IP20 830

### Product code 20166

Brand Maytoni Output 8W Luminous flux 850lumens Luminaire's efficiency Im79 106W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Height 3290.0mm Width 250.0mm Length 127.0mm Weight 1600g Package weight 2000g Casing colour brass Casing material aluminium + glass Work environment indoor use Warranty 3 years





### Pendant lamp Maytoni Calipso white GU10 IP20

### **Product code 19708**

Brand Maytoni Socket GU10 Protection class IP20 Height 330.0mm Length 1330.0mm Diameter 56.0mm Casing colour white





# Pendant lamp Maytoni Collar 35W 1521lm IP20 3000K warm white

### **Product code 20030**

Brand Maytoni
Output 35W
Luminous flux 1521lumens
Luminaire's efficiency Im79 43W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 1893.0mm
Diameter 147.0mm
Casing material metal + glass





### Pendant lamp Maytoni Erda white 30W E27 IP54

### **Product code 19782**

Brand Maytoni
Output 30W
Socket E27
Protection class IP54
Casing colour white
Casing material plastic




### Pendant lamp Maytoni Fortano 6 brass E27

### Product code 20442

Brand Maytoni Socket E27 Height 524.0mm Diameter 670.0mm Weight 4710g Package weight 5580g Casing colour brass Casing material metal + glass Warranty 2 years









# Pendant lamp Maytoni Freccia gold 30W 2500lm IP20 3000K warm white

### **Product code 20025**

Brand Maytoni
Output 30W
Luminous flux 2500lumens
Luminaire's efficiency Im79 83W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 1200.0mm
Width 280.0mm
Length 910.0mm
Casing colour gold
Casing material metal + glass



### Pendant lamp Maytoni Freeflow white E27 IP20

#### **Product code 20023**

Brand Maytoni Socket E27 Protection class IP20 Height 1320.0mm Diameter 230.0mm Casing colour white Casing material metal



### Pendant lamp Maytoni Fusion Blues 3 X E14 nickel E14 IP20

### **Product code 20002**

Brand Maytoni Socket E14 Protection class IP20 Height 1000.0mm Width 520.0mm Casing colour nickel







### Pendant lamp Maytoni Fusion Blues 3 X E14 nickel E14 IP20

#### **Product code 20450**

Brand Maytoni
Socket E14
Protection class IP20
Height 1000.0mm
Width 520.0mm
Weight 1600g
Package weight 2200g
Casing colour nickel
Warranty 2 years



# Pendant lamp Maytoni Gerhard black 230V 26W 1400lm G9 120° IP20

### **Product code 19676**

Brand Maytoni
Supply voltage 230V
Output 26W
Maximum output 26W/1m
Luminous flux 1400lumens
Luminaire's efficiency Im79 54W
Lens angle 120
Socket G9
Protection class IP20
Casing colour black
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years







### Pendant lamp Maytoni Ligero brass E27 IP20



Brand Maytoni
Output voltage 220-240V
Socket E27
Protection class IP20
Height 1500.0mm
Diameter 150.0mm
Weight 1430g
Package weight 1900g
Casing colour brass
Casing material metal + glass







Pendant lamp Maytoni Light stick black 46W 3350lm 80° IP20 3000K warm white



9/87 8.12.2025

#### **Product code 20383**

Brand Maytoni Output voltage 220-240V Output 46W Luminous flux 3350lumens Luminaire's efficiency Im79 73W Correlated colour temperature warm white 3000K Lens angle 80 Protection class IP20 Lifespan 50000h Height 3525.0mm Diameter 350.0mm Weight 3250g Package weight 3820g Casing colour black Casing material aluminium Warranty 3 years

The Light Stick collection features minimalist luminaires that fill spaces with soft, reflected light. The slender metal frames with galvanic finish are offered in two colors: satin brass and textured black. An acrylic diffuser covers the LED light source, providing glare-free, comfortable illumination. The wall-mounted fixtures feature simple, understated shapes that blend effortlessly into any interior. Pendant compositions can serve as supplemental or secondary lighting. The integrated LED source delivers warm light at 3000K. The suspension height of the pendants is adjustable, with a maximum cord length of 3.5 meters, making them ideal for rooms with high ceilings.



### Pendant lamp Maytoni Modern Erich brass E14 IP20

#### **Product code 20444**

Brand Maytoni
Socket E14
Protection class IP20
Lifespan 2h
Height 1530.0mm
Diameter 150.0mm
Casing colour brass
Casing material aluminium + glass
Warranty 2 years







# Pendant lamp Maytoni Nastro nickel 38W 1525lm IP20 3000K warm white

### **Product code 20024**

Brand Maytoni
Output 38W
Luminous flux 1525lumens
Luminaire's efficiency Im79 40W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 525.0mm
Width 525.0mm
Casing colour nickel



### Pendant lamp Maytoni Nevil black GU10

### **Product code 20452**

Brand Maytoni
Socket GU10
Height 3200.0mm
Diameter 80.0mm
Weight 670g
Package weight 750g
Casing colour black
Casing material metal
Warranty 2 years







### Pendant lamp Maytoni Pro Extra black 6W 500lm 24° IP20 940

### **Product code 20180**

**Brand Maytoni** Output 6W Luminous flux 500lumens Luminaire's efficiency Im79 83W Correlated colour temperature pure white 4000K Lens angle 24 Cri 90 Protection class IP20 Lifespan 500000h Height 3800.0mm Diameter 30.0mm Weight 2500g Package weight 3200g In package 1pc Casing colour black Casing material aluminium Work environment indoor use Warranty 3 years



# Pendant lamp Maytoni Radiance gold 50W 2150lm 120° IP20 830

#### Product code 20124

Warranty 3 years

Brand Maytoni Output 50W Luminous flux 2150lumens Luminaire's efficiency Im79 43W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 1000.0mm Width 1214.0mm Length 543.0mm Weight 2300g Package weight 4300g Casing colour gold Casing material aluminium Work environment indoor use







### Pendant lamp Maytoni Ring 4 brass G9

#### **Product code 20441**

Brand Maytoni
Socket G9
Height 1560.0mm
Diameter 400.0mm
Weight 1790g
Package weight 2230g
Casing colour brass
Casing material metal + glass
Warranty 2 years



### Pendant lamp Maytoni Ring 6 white G9

### **Product code 20481**

Brand Maytoni Socket G9 Height 1560.0mm Diameter 580.0mm Casing colour white

An exclusive designed pendant lamp with a black metal body and six frosted glass domes.



### Pendant lamp Maytoni Ring black G9

### Product code 19601

Brand Maytoni Socket G9 Height 1560.0mm Diameter 580.0mm Casing colour black





### Pendant lamp Maytoni Spirito black 12W 1600lm 120° IP20 830

### **Product code 19941**

Brand Maytoni Output 12W Luminous flux 1600lumens Luminaire's efficiency Im79 133W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 495.0mm Width 260.0mm Diameter 260.0mm Weight 1700g Package weight 2400g In package 1pc Casing colour black Casing material glass Work environment indoor use Warranty 3 years

Spirito is a highly acclaimed series, honored with multiple international design awards, including repeated Platinum recognitions. Its legendary concept, boundary-pushing form, and technological ingenuity make it not just a lighting solution, but a centerpiece for contemporary interiors. Single pendant models also create the illusion of levitation and work beautifully as standalone accents or as part of a layered arrangement with varying heights. Whether used alone or grouped, each piece contributes to a captivating spatial narrative.







# Pendant lamp Maytoni Spirito gold 12W 1600lm 120° IP20 Lüliti dimmer 830

Product code 20101 switch dimmeriga. dimmable

Brand Maytoni Dimmable switch dimmeriga. Output 12W Luminous flux 1600lumens Luminaire's efficiency Im79 133W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 495.0mm Width 260.0mm Diameter 260.0mm Weight 2500g Package weight 3200g In package 1pc Casing colour gold Casing material glass Work environment indoor use Warranty 3 years

Single pendant models also create the illusion of levitation and work beautifully as standalone accents or as part of a layered arrangement with varying heights. Whether used alone or grouped, each piece contributes to a captivating spatial narrative. Spirito is a highly acclaimed series, honored with multiple international design awards, including repeated Platinum recognitions. Its legendary concept, boundary-pushing form, and technological ingenuity make it not just a lighting solution, but a centerpiece for contemporary interiors.







# Pendant lamp Maytoni Splash gold / amber 7W 280lm 360° IP20 830

### **Product code 20122**

Brand Maytoni Output 7W Luminous flux 280lumens Luminaire's efficiency Im79 40W Correlated colour temperature warm white 3000K Lens angle 360 Cri 80 Protection class IP20 Lifespan 50000h Height 431.0mm Diameter 200.0mm Weight 1380g Package weight 2100g Casing colour gold / amber Casing material glass Warranty 3 years



### Pendant lamp Miraggio white E14 IP20

### **Product code 19986**

Brand Maytoni Socket E14 Protection class IP20 Height 330.0mm Diameter 140.0mm Casing colour white







### Pendant lamp PASTELO 1 black 230V G9 IP20

#### **Product code 17082**

Supply voltage 230V
Maximum output 8W/1m
Socket G9
Protection class IP20
Height 500.0mm
Diameter 25.0mm
Casing colour black
Casing material steel
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

The LED pendant light PASTELO is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. We recommend choosing LED light bulbs from the LED house range, various Star Trading G9 bulbs that are suitable for this light fixture! Come and take a look at our showroom in Tallinn!



Pendant lamp PROLUMEN AL99 Pendant D1000 black 230V 100W 9000lm CRI90 120° IP40 DALI 3000K, 4000K, 5700K 3CCT





#### Product code 15863 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 100W Maximum output 100W/1m Luminous flux 9000lumens Luminaire's efficiency Im79 90W Correlated colour temperature 3CCT 3000K, 4000K, 5700K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 1000.0mm In box 6pcs Casing colour black Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. You can choose from different colour temperatures: Warm white 3000K Daylight 4000K Cool white 5700K This luminaire is available with various suspension methods. Come visit our showroom in Tallinn to see the different pendant lights in person!







# Pendant lamp PROLUMEN AL99 Pendant D800 black 230V 75W 6700lm CRI90 120° IP40 DALI 3000K, 4000K, 5700K 3CCT

#### Product code 15901 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 75W Maximum output 75W/1m Luminous flux 6700lumens Luminaire's efficiency Im79 89W Correlated colour temperature 3CCT 3000K, 4000K, 5700K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 800.0mm In box 6pcs Casing colour black Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. You can choose from different colour temperatures: Warm white 3000K Daylight 4000K Cool white 5700K This luminaire is available with various suspension methods. Come visit our showroom in Tallinn to see the different pendant lights in person!





19/87 8.12.2025



### Pendant lamp PROLUMEN AL99 Pendant 400 black 230V 40W 3600lm CRI90 120° IP40 3000K, 4000K, 5700K 3CCT

#### Product code 15648

**Brand PROLUMEN** Supply voltage 230V Output 40W Maximum output 40W/1m Luminous flux 3600lumens Luminaire's efficiency Im79 90W Correlated colour temperature 3CCT 3000K, 4000K, 5700K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 400.0mm In box 6pcs Casing colour black Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. You can choose from different colour temperatures: Warm white 3000K Daylight 4000K Cool white 5700K This luminaire is available with various suspension methods. Come visit our showroom in Tallinn to see the different pendant lights in person!



### Pendant lamp PROLUMEN AL99 Surface 400 white 230V 40W 4000lm 120° IP40 DALI 940





#### Product code 16900 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 40W Maximum output 40W/1m Luminous flux 4000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 400.0mm In box 2pcs Casing colour white Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With DALI dimming technology, the LED luminaire can be smoothly adjusted to become brighter or darker. Various suspension methods are available for this pendant light! Feel free to contact our sales team for more information. 4000K LED lights provide clear and sharp illumination, perfect for illuminating shops and other commercial spaces. Come visit our showroom in Tallinn to see the different pendant lights in person!







## Pendant lamp PROLUMEN AL99 Surface 600 white 230V 60W 6200lm 120° IP40 DALI 940

#### Product code 16899 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 60W Maximum output 60W/1m Luminous flux 6200lumens Luminaire's efficiency Im79 103W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 600.0mm In box 2pcs Casing colour white Power supply OSRAM Work environment indoor use Certificates CE. RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With DALI dimming technology, the LED luminaire can be smoothly adjusted to become brighter or darker. Various suspension methods are available for this pendant light! Feel free to contact our sales team for more information. 4000K LED lights provide clear and sharp illumination, perfect for illuminating shops and other commercial spaces. Come visit our showroom in Tallinn to see the different pendant lights in person!







### Pendant lamp PROLUMEN AL99 Surface 800 white 230V 100W 10000lm 120° IP40 DALI 940

#### Product code 16901 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 100W Maximum output 100W/1m Luminous flux 10000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 800.0mm In box 2pcs Casing colour white Power supply OSRAM Work environment indoor use Certificates CE. RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With DALI dimming technology, the LED luminaire can be smoothly adjusted to become brighter or darker. Various suspension methods are available for this pendant light! Feel free to contact our sales team for more information. 4000K LED lights provide clear and sharp illumination, perfect for illuminating shops and other commercial spaces. Come visit our showroom in Tallinn to see the different pendant lights in person!







# Pendant lamp PROLUMEN Jesmond D91 with 1m cable black 230V 15W 1600lm 24° IP20 TRIAC 930

### Product code 18050 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1600lumens Luminaire's efficiency Im79 107W Correlated colour temperature warm white 3000K Lens angle 24 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 112.0mm Diameter 91.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Jesmond D91 with 1m cable black 230V 15W 1600lm 50° IP20 TRIAC 930

### Product code 18049 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 15W Maximum output 15W/1m Luminous flux 1600lumens Luminaire's efficiency Im79 107W Correlated colour temperature warm white 3000K Lens angle 50 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 112.0mm Diameter 91.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Jesmond with 1m cable black 230V 25W 2600lm 24° IP20 TRIAC 830

### Product code 17973 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2600lumens Luminaire's efficiency Im79 104W Correlated colour temperature warm white 3000K Lens angle 24 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 137.0mm Diameter 128.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Jesmond with 1m cable black 230V 25W 2600lm 50° IP20 TRIAC 830

### Product code 17972 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2600lumens Luminaire's efficiency Im79 104W Correlated colour temperature warm white 3000K Lens angle 50 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 137.0mm Diameter 128.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







# Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable white 230V 20W 2000lm 40° IP20 DALI 830

#### Product code 16158 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Newcastle black 230V 25W 2500lm 40° IP20 930

#### **Product code 15923**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 25W Maximum output 25W/1m Luminous flux 2500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminium + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years







## Pendant lamp PROLUMEN Newcastle black 230V 25W 2600lm 40° IP20 940

### **Product code 15889**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 25W Maximum output 25W/1m Luminous flux 2600lumens Luminaire's efficiency Im79 104W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminium + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years







## Pendant lamp PROLUMEN Newcastle gold black 230V 12W 1050lm 40° IP20 930

#### **Product code 16110**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 12W Maximum output 12W/1m Luminous flux 1050lumens Luminaire's efficiency Im79 88W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 75.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS

The LED pendant light Newcastle is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!

Warranty 5 years







# Pendant lamp PROLUMEN Newcastle with golden ring with 1m cable white 230V 20W 1900lm 40° IP20 DALI 930

#### Product code 16969 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 1900lumens Luminaire's efficiency Im79 95W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







# Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable black 230V 20W 2000lm 40° IP20 DALI 830

#### Product code 17306 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable black 230V 20W 2000lm 40° IP20 DALI 840

### Product code 16289 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







# Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable black 230V 20W 2200lm 40° IP20 DALI 940

#### Product code 15544 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Maximum output 20W/1m Luminous flux 2200lumens Luminaire's efficiency Im79 110W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminium + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years







# Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable white 230V 20W 1900lm 40° IP20 830

#### Product code 15955

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 20W Maximum output 20W/1m Luminous flux 1900lumens Luminaire's efficiency Im79 95W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminium Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years







# Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable white 230V 25W 2500lm 40° IP20 830

#### Product code 15956

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 25W Maximum output 25W/1m Luminous flux 2500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminium Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Newcastle with silver ring with 1m cable white 230V 30W 3000lm 40° IP20 830

#### Product code 15957

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 30W Maximum output 30W/1m Luminous flux 3000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 115.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminium Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years

The LED pendant light Newcastle is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. The pendant light comes with a 1m cable, perfect for hanging above a kitchen island or dining table. External housings are available in black and white, with internal rims in gold and silver - explore more in the LED house product range! Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 20°/40°. Come and take a look at our showroom in Tallinn!








## Pendant lamp PROLUMEN PD02A black 230V 25W 2100lm 24° IP20 TRIAC 930

#### Product code 14452 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2100lumens Luminaire's efficiency Im79 84W Correlated colour temperature warm white 3000K Lens angle 24 Source of light **CREE LED** Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 1000.0mm Diameter 112.5mm In package 1pc In box 24pcs Casing colour black Casing material aluminium + plastic Polishing matt Work environment indoor use Operation temperature -20o C~65o  $C^{\circ}C$ Certificates CE. RoHS Warranty 5 years

PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. Integrated DALI Dim technology allows you to adjust the brightness of the light according to your needs. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn!







## Pendant lamp PROLUMEN PD02A black 230V 25W 2300lm 36° IP20 TRIAC 940

#### Product code 15521 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2300lumens Luminaire's efficiency Im79 92W Correlated colour temperature pure white 4000K Lens angle 36 Source of light **CREE LED** Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 1000.0mm Diameter 112.5mm In package 1pc In box 24pcs Casing colour black Casing material aluminium + plastic Polishing matt Work environment indoor use Operation temperature -20o C~65o  $C^{\circ}C$ Certificates CE. RoHS Warranty 5 years

PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. Integrated DALI Dim technology allows you to adjust the brightness of the light according to your needs. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn!








## Pendant lamp PROLUMEN PD02A white 230V 18W 1520lm 24° IP20 TRIAC 940

### Product code 15467 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 18W Maximum output 18W/1m Luminous flux 1520lumens Luminaire's efficiency Im79 84W Correlated colour temperature pure white 4000K Lens angle 24 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 160.0mm Length 1000.0mm Diameter 80.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminium + plastic Polishing matt Work environment indoor use Operation temperature -20o C~65o  $C^{\circ}C$ Certificates CE. RoHS Warranty 5 years

The dimmable PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. With TRIAC technology, the LED light can be easily adjusted for different lighting scenes, creating cozy lighting for a relaxing dinner or brighter light for working. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in **Tallinn** 







# Pendant lamp PROLUMEN PD05 black 230V 25W 2450lm 90° IP20 930

### **Product code 15496**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 25W Maximum output 25W/1m Luminous flux 2450lumens Luminaire's efficiency Im79 98W Correlated colour temperature warm white 3000K Lens angle 90 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 127.0mm Diameter 213.0mm Casing colour black Casing material aluminium Work environment indoor use Certificates CE Warranty 5 years

A pendant LED luminaire with a minimalist design. This luminaire is intended for indoor use only, with an IP20 protection class. This luminaire has an ideal colour rendering index of CRI90 and a colour temperature of 3000K, making it perfect for workspaces and offices. Come and take a look at our showroom in Tallinn!







# Pendant lamp PROLUMEN PD12 black 230V 10W 1000lm 36° IP20 930

### **Product code 15954**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 10W Maximum output 10W/1m Luminous flux 1000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 180.0mm Diameter 58.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminium + plastic Certificates CE, RoHS

Modern lighting solution for home and office! Elegant and functional - this minimalist pendant light is an excellent choice for those who appreciate simplicity and modernity in their home or workspace design. This light fixture is intended for indoor use only, with IP20 protection class. Option to order with different light temperatures LED 2700K, 3000K, 4000K, 5000K. Option to order with different lens optics 15°/24°/36°/60°.

Warranty 5 years







# Pendant lamp PROLUMEN PD12 black 230V 5W 500lm 36° IP20 930

### **Product code 16413**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 5W Maximum output 5W/1m Luminous flux 500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 500.0mm Diameter 39.0mm In package 1pc In box 18pcs Casing colour black Casing material aluminium + plastic Certificates CE, RoHS Warranty 5 years

Modern lighting solution for home and office! Elegant and functional - this minimalist pendant light is an excellent choice for those who appreciate simplicity and modernity in their home or workspace design. This light fixture is intended for indoor use only, with IP20 protection class. Option to order with different light temperatures LED 2700K, 3000K, 4000K, 5000K. Option to order with different lens optics 15°/24°/36°/60°.







# Pendant lamp PROLUMEN PD12 white 230V 5W 500lm 36° IP20 830

#### **Product code 15135**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 5W Maximum output 5W/1m Luminous flux 500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 500.0mm Diameter 39.0mm In package 1pc In box 18pcs Casing colour white Casing material aluminium + plastic Certificates CE, RoHS Warranty 5 years

Modern lighting solution for home and office! Elegant and functional - this minimalist pendant light is an excellent choice for those who appreciate simplicity and modernity in their home or workspace design. This light fixture is intended for indoor use only, with IP20 protection class. Option to order with different light temperatures LED 2700K, 3000K, 4000K, 5000K. Option to order with different lens optics 15°/24°/36°/60°.





## Pendant lamp PROLUMEN PD228 black 230V 25W 2200lm 60° IP20 TRIAC 940

### Product code 15571 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Maximum output 25W/1m Luminous flux 2200lumens Luminaire's efficiency Im79 88W Correlated colour temperature pure white 4000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 178.0mm Diameter 85.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminium + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years

Modern lighting solution for home and office! Elegant and functional - this minimalist pendant light is an excellent choice for those who appreciate simplicity and modernity in their home or workspace design. This light fixture is intended for indoor use only, with IP20 protection class. Option to order with different light temperatures LED 2700K, 3000K, 4000K, 5000K. Option to order with different lens optics 15°/24°/36°/60°.









## Pendant lamp PROLUMEN PD322 black 230V 14W 1446lm 36° IP20 930

#### **Product code 16513**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 14W Maximum output 14W/1m Luminous flux 1446lumens Luminaire's efficiency Im79 103W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 96.0mm Diameter 120.0mm Weight 980g Package weight 1120g In package 1pc In box 12pcs Casing colour black Casing material aluminium Polishing matt Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years

Modern lighting solution for home and office! Elegant and functional - this round pendant light is an excellent choice for those who appreciate simplicity and modernity in their home or workspace design. This light fixture is intended for indoor use only, with IP20 protection class. Option to order with different light temperatures LED 2700K, 3000K, 4000K, 5000K. Option to order with different lens optics 36°/60°. Cable length 1200mm.







## Panel light PROLUMEN PL3012 D300 Pendant white round 230V 18W 1330lm 120° IP40 TRIAC 940

### Product code 15618 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 18W Maximum output 18W/1m Luminous flux 1330lumens Luminaire's efficiency Im79 74W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Protection class IP40 Lifespan 40000h Height 12.0mm Diameter 300.0mm Casing colour white Shape round Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With TRIAC dimming technology, the LED light can be smoothly adjusted to brighter or dimmer levels. 4000K LED lights offer clear and sharp illumination, perfect for lighting shops and other commercial spaces. Come visit our showroom in Tallinn to see the various pendant lights in person!



Pendant lamp PROLUMEN Round 1,2m black round 230V 60W





### 6000lm 120° IP20 TRIAC 830

### Product code 17696 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.95 Dimmable TRIAC Output 60W Maximum output 60W/1m Luminous flux 6000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 60.0mm Width 60.0mm Diameter 1260.0mm Casing colour black Casing material aluminium Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS

Modern circular pendant light for home, office or hotel. Its striking appearance fits into many different atmospheres. Luxurious detail to enhance the character of any space! A modern and eye-catching appearance that complements any interior. Made of high-quality and durable materials, ensuring a long-term use. The luminaire has an IP20 protection class, making it ideal for indoor use only. Custom orders are available from 0.45m to 5m in diameter. TRIAC dimming technology options are also available. Come visit our showroom in Tallinn to see this pendant light in person!

Warranty 5 years









## Pendant lamp PROLUMEN Round 1,5m black 230V 80W 8000lm 120° IP20 TRIAC 840

#### Product code 16338 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Power factor 0.95 Dimmable TRIAC Output 80W Maximum output 80W/1m Luminous flux 8000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour black Casing material aluminium Polishing matt Power supply LIFUD Work environment indoor use Certificates CE, RoHS Warranty 5 years









# Pendant lamp PROLUMEN Round 1,5m black round 230V 80W 8000lm 120° IP20 840

#### **Product code 15486**

**Brand PROLUMEN** Supply voltage 230V Output 80W Maximum output 80W/1m Luminous flux 8000lumens Luminaire's efficiency lm79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour black Casing material aluminium Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









# Pendant lamp PROLUMEN Round 1,5m white round 230V 80W 8000lm 120° IP20 840

#### **Product code 16191**

**Brand PROLUMEN** Supply voltage 230V Output 80W Maximum output 80W/1m Luminous flux 8000lumens Luminaire's efficiency lm79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour white Casing material aluminium Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years







## Pendant lamp PROLUMEN Round 1,5m white round 230V 80W 8000lm 120° IP20 DALI 840

#### Product code 20393 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 80W Maximum output 80W/1m Luminous flux 8000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour white Casing material aluminium Polishing matt Shape round Power supply LIFUD Work environment indoor use Certificates CE, RoHS Warranty 5 years







### Pendant lamp PROLUMEN Round 1m black 230V 50W 4800lm 120° IP20 TRIAC 830

### Product code 17033 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 50W Maximum output 50W/1m Luminous flux 4800lumens Luminaire's efficiency Im79 96W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1060.0mm Casing colour black Casing material aluminium Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









### Pendant lamp PROLUMEN Round 1m black 230V 50W 5000lm 120° IP20 TRIAC 840

### Product code 15485 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 50W Maximum output 50W/1m Luminous flux 5000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1060.0mm Casing colour black Casing material aluminium Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









### Pendant lamp PROLUMEN Round 1m white 230V 50W 4800lm 120° IP20 TRIAC 830

#### Product code 17034 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 50W Maximum output 50W/1m Luminous flux 4800lumens Luminaire's efficiency Im79 96W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1060.0mm Casing colour white Casing material aluminium Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years







## Pendant lamp PROLUMEN Round 2,5m black 230V 150W 12000lm 90° IP20 TRIAC 830

#### Product code 17168 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 150W Maximum output 150W/1m Luminous flux 12000lumens Luminaire's efficiency Im79 80W Correlated colour temperature warm white 3000K Lens angle 90 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminium Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









### Pendant lamp PROLUMEN Round 2,5m black 230V 150W 12000lm 90° IP20 TRIAC 840

#### Product code 16185 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 150W Maximum output 150W/1m Luminous flux 12000lumens Luminaire's efficiency Im79 80W Correlated colour temperature pure white 4000K Lens angle 90 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminium Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









## Pendant lamp PROLUMEN Round 3m black round 230V 180W 18000lm 90° IP20 TRIAC 830

#### Product code 15077 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 180W Maximum output 180W/1m Luminous flux 18000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 90 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 3060.0mm Casing colour black Casing material aluminium Polishing matt Shape round Power supply LIFUD Work environment indoor use Certificates CE, RoHS Warranty 5 years









## Pendant lamp PROLUMEN Round PD26 600 black round 230V 54W 4900lm 105° IP20 840

#### **Product code 15950**

**Brand PROLUMEN** Supply voltage 230V Power factor 0.90 Output 54W Maximum output 54W/1m Luminous flux 4900lumens Luminaire's efficiency Im79 91W Correlated colour temperature pure white 4000K Lens angle 105 Cri 80 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 75.0mm Diameter 600.0mm In box 2pcs Casing colour black Casing material aluminium Polishing matt Shape round Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years












## Pendant lamp PROLUMEN Round, Up and down light 1,2m black 230V 75W 6750lm 120° IP20 840

### **Product code 15540**

**Brand PROLUMEN** Supply voltage 230V Output 75W Maximum output 75W/1m Luminous flux 6750lumens Luminaire's efficiency Im79 90W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Diameter 1200.0mm Casing colour black Casing material aluminium Polishing matt Power supply LIFUD Work environment indoor use Certificates CE, RoHS Warranty 5 years









# Pendant lamp PROLUMEN Round, Up and down light 75/25 1,2m black 230V 60W 5100lm 120° IP20 TRIAC 830

#### Product code 17148 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 60W Maximum output 60W/1m Luminous flux 5100lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1200.0mm Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









# Pendant lamp PROLUMEN Round, Up and down light 75/25 2,5m black 230V 200W 17000lm 120° IP20 DALI 830

#### Product code 17137 DALI dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable DALI Output 200W Maximum output 200W/1m Luminous flux 17000lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









# Pendant lamp PROLUMEN Round, Up and down light 75/25 2,5m black 230V 200W 17000lm 120° IP20 TRIAC 830

#### Product code 17147 TRIAC dimmable

**Brand PROLUMEN** Supply voltage 230V Dimmable TRIAC Output 200W Maximum output 200W/1m Luminous flux 17000lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminium Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









### Pendant lamp Retro Camden black E27 IP20

### **Product code 15279**

Socket E27 Protection class IP20 Diameter 460.0mm Casing colour black

Retro-style pendant light for those who appreciate nostalgic charm and unique design in their home or office interior. This pendant light adds personality to any room! The beautiful retro style of this pendant light fits perfectly with various interiors, whether modern, industrial, or bohemian. The unique appearance of the light attracts attention and creates a pleasant atmosphere in the room. This pendant light is suitable for indoor use only, with IP20 protection class. Chain and cable length: 95cm. The light bulb is not included, but you can find a suitable one from the LED house product range! Come visit our showroom in Tallinn and see a wide range of pendant lights for yourself!



# Pendant lamp Round 0,6m black round 230V 30W 3000lm 105° IP20 TRIAC 840





#### Product code 15484 TRIAC dimmable

Supply voltage 230V Dimmable TRIAC Output 30W Maximum output 30W/1m Luminous flux 3000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 105 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 660.0mm Casing colour black Casing material aluminium Polishing matt Shape round Power supply LIFUD Work environment indoor use Certificates CE, RoHS Warranty 5 years









## Pendant lamp Round 1m black 230V 30W 2400lm CRI80 120° IP22 RGBW

### **Product code 18258**

Supply voltage 230V Power factor 0.90 Output 30W Maximum output 30W/1m Luminous flux 2400lumens Luminaire's efficiency Im79 80W Correlated colour temperature RGBW **RGBW** Lens angle 120 Cri 80 Sdcm - macadam ellipses 3 Protection class IP22 Lifespan 50000h Llmf tm21 L70B50 @25°C 50.000h Height 60.0mm Diameter 1060.0mm Casing colour black Casing material aluminium Polishing matt Impact resistance IK06 Work environment indoor use Certificates CE, RoHS Warranty 5 years







### Pendant lamp Spiderlight 5 lamp holders E27

### **Product code 17154**

Socket E27 In package 1pc In box 12pcs Work environment indoor use Certificates CE Warranty 2 years

Stylish and functional 5-lamp spider chandelier, perfect for example as lighting detail for a restaurant or dining room! Modern and eyecatching appearance, which complements any interior. Made of high-quality and durable materials, ensuring a long service life. We recommend choosing LED lamps from the LED House range for this luminaire, suitable for the E27 socket! Also, come and visit our showroom in Tallinn!



### Pendant lamp Spiderlight 7 lamp holders E27

### **Product code 17155**

Socket E27
In package 1pc
In box 12pcs
Work environment indoor use
Certificates CE
Warranty 2 years

Stylish and functional 7-lamp spider chandelier, perfect for example as a lighting detail for a restaurant or dining room! Modern and eyecatching appearance, which complements any interior. Made of high-quality and durable materials, ensuring a long service life. We recommend choosing LED lamps from the LED House range for this luminaire, various efficient Star Trading E27 lamps. Come and take a look at our showroom in Tallinn as well!







# Pendant lamp Trio Lighting Brad wood 27W 3000lm IP20 switch dimmeriga. 3000K warm white

Product code 19474 switch dimmeriga. dimmable

Brand Trio Lighting
Dimmable switch dimmeriga.
Output 27W
Luminous flux 3000lumens
Luminaire's efficiency Im79 111W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 1500.0mm
Width 1000.0mm
Length 200.0mm
Casing colour wood
Casing material wood

The BRAD pendant light is the right choice for a cosy home! The modern light impresses with its combination of real wood and metal, creating a cosy atmosphere. The light cuts a particularly fine figure above the dining table, where it is shown to its best advantage as a central element. The pendant light has a height of 150 cm and a width of 100 cm. With the great combination of wood and metal in antique nickel, the light fits perfectly into modern furnishing concepts and is also a real highlight for vintage fans. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









### Pendant lamp Trio Lighting Chiron matte brass E27 IP20

### **Product code 19475**

Brand <u>Trio Lighting</u>
Socket E27
Protection class IP20
Height 1500.0mm
Diameter 450.0mm
Casing colour matte brass



### Pendant lamp Trio Lighting Cork 3 X E27 E27 IP20

### **Product code 20437**

Brand Trio Lighting
Socket E27
Protection class IP20
Height 1500.0mm
Diameter 300.0mm
Weight 2800g
Package weight 3600g
Casing material aluminium + glass
Work environment indoor use
Warranty 3 years











### Pendant lamp Trio Lighting Cork 4 X E27 E27 IP20

### **Product code 19476**

Brand Trio Lighting
Socket E27
Protection class IP20
Height 1500.0mm
Width 900.0mm
Length 150.0mm
Weight 3800g
Package weight 4900g
Casing material aluminium + glass
Work environment indoor use
Warranty 3 years



Pendant lamp Trio Lighting Course black 27W 3150lm IP20 switch dimmeriga. 830



8.12.2025

### Product code 19477 switch dimmeriga. dimmable

Brand Trio Lighting Dimmable switch dimmeriga. Output 27W Luminous flux 3150lumens Luminaire's efficiency Im79 117W Correlated colour temperature warm white 3000K Cri 80 Protection class IP20 Lifespan 25000h Height 1500.0mm Diameter 600.0mm Casing colour black Casing material aluminium No. of switches 15000pcs Warranty 5 years

The COURSE pendant light can set stylish accents in your living room and bedroom. Cleverly designed and perfectly positioned, the light is a real eye-catcher in your living space. The COURSE consists of two rings that emit a pleasantly soft light. The integrated SWITCH dimmer allows you to choose between three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be used to create different lighting moods. The matt black surface gives the light a modern design that can be found in numerous furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









# Pendant lamp Trio Lighting Darvin golden round 52W 6700lm IP20 2300K, 3000K, 4000K 3CCT

### **Product code 19929**

Brand Trio Lighting
Output 52W
Luminous flux 6700lumens
Luminaire's efficiency Im79 129W
Correlated colour temperature 3CCT
2300K, 3000K, 4000K
Protection class IP20
Height 150.0mm
Width 84.0mm
Length 66.0mm
Casing colour gold
Shape round

The DARVIN pendant light is a real eye-catcher for any living or dining room. Its unique design creates an artfully curved strand and sets new standards. The high-quality LED strip not only enhances the aesthetic effect, but also provides efficient and pleasant lighting. The light colour and brightness can be conveniently and infinitely adjusted using a conventional light switch to create the optimum room lighting according to requirements or the time of day. This successful combination of creative design and modern lighting technology makes DARVIN a versatile element that both sets visual accents and fulfils the highest functional requirements. With its elegant goldcoloured appearance, the luminaire blends timelessly and modernly into any environment and also contributes to energy efficiency. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







# Pendant lamp Trio Lighting Darwin gold 34W 4500lm CRI80 IP20 2300K, 3000K, 4000K 3CCT

#### **Product code 20435**

**Brand Trio Lighting** Output 34W Luminous flux 4500lumens Luminaire's efficiency Im79 132W Correlated colour temperature 3CCT 2300K, 3000K, 4000K Cri 80 Protection class IP20 Lifespan 25000h Height 1500.0mm Width 640.0mm Length 490.0mm Weight 1700g Package weight 2600g Casing colour gold Casing material aluminium No. of switches 15000pcs Warranty 5 years

The DARVIN pendant light is a real eye-catcher for any living or dining room. Its unique design creates an artfully curved strand and sets new standards. The high-quality LED strip not only enhances the aesthetic effect, but also provides efficient and pleasant lighting. The light colour and brightness can be conveniently and infinitely adjusted using a conventional light switch to create the optimum room lighting according to requirements or the time of day. This successful combination of creative design and modern lighting technology makes DARVIN a versatile element that both sets visual accents and fulfils the highest functional requirements. With its elegant goldcoloured appearance, the luminaire blends timelessly and modernly into any environment and also contributes to energy efficiency. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









## Pendant lamp Trio Lighting Delhi 3 E27 IP20

#### **Product code 19478**

Brand <u>Trio Lighting</u>
Socket E27
Protection class IP20
Height 2150.0mm
Width 1075.0mm
Length 255.0mm
Weight 3400g
Package weight 4600g





## Pendant lamp Trio Lighting Delhi E27 IP20

#### **Product code 19444**

Brand Trio Lighting
Socket E27
Protection class IP20
Height 1500.0mm
Diameter 450.0mm
Weight 2100g
Package weight 3100g
Casing material metal
Warranty 2 years





75/87 8.12.2025

### Pendant lamp Trio Lighting Diva 3 black E27 IP20

#### **Product code 19479**

Brand Trio Lighting
Socket E27
Protection class IP20
Height 1500.0mm
Width 385.0mm
Diameter 300.0mm
Weight 2200g
Package weight 3100g
Casing colour black
Casing material aluminium + glass

The versatile glass shades of the pendant lights in the DIVA range lend your interior a special charm. Floating above dining tables, coffee tables or kitchen counters, they are an impressive eye-catcher that attracts everyone's attention. The special shape and design of the glass diffuses the light softly and the reflection creates a cosy play of light. This warm lighting atmosphere, coupled with the timeless design, will quickly make DIVA a favourite in your home. The glamorous combination of matt black and chrome-plated glass gives the three-lamp luminaire an elegant and discreet look. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







## Pendant lamp Trio Lighting Edison II nickel E27 IP20

#### Product code 20000

Brand <u>Trio Lighting</u> Socket E27 Protection class IP20 Height 120.0mm Diameter 200.0mm Casing colour nickel







### Pendant lamp Trio Lighting Filo black E27 IP20

#### **Product code 19445**

Brand <u>Trio Lighting</u> Socket E27 Protection class IP20 Diameter 400.0mm Casing colour black



# Pendant lamp Trio Lighting Francis black 48W 5600lm IP20 3000K warm white

#### **Product code 19480**

Brand Trio Lighting
Output 48W
Luminous flux 5600lumens
Luminaire's efficiency Im79 117W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 1620.0mm
Diameter 400.0mm
Weight 2400g
Package weight 4100g
Casing colour black
Casing material wood
Warranty 2 years

A highlight in any living room! The FRANCIS pendant light creates atmospheric lighting effects. With its modern and unusual design, the light lends your room an individual charm that will impress. In the living room, hallway or above the dining table, no matter where, FRANCIS provides that certain something everywhere! The luminaire also has a SWITCH dimmer, allowing the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The pendant light has a height of 150 cm and a width of 68 cm. Thanks to the anthracite colour scheme, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.









### Pendant lamp Trio Lighting Furry E27 IP20

#### Product code 19611

Brand <u>Trio Lighting</u> Socket E27 Protection class IP20 Height 1500.0mm Diameter 350.0mm



# Pendant lamp Trio Lighting Galway black 35W 4200lm CRI80 IP20 2700K-6000K warm + cold white

#### Product code 20384

Brand Trio Lighting Output voltage 230V Output 35W Maximum output 35W/1m Luminous flux 4200lumens Luminaire's efficiency Im79 120W Correlated colour temperature warm + cold white 2700K-6000K Cri 80 Protection class IP20 Height 150.0mm Width 150.0mm Length 8.5mm Diameter 120.0mm Casing colour black Casing material aluminium Work environment indoor use Warranty 5 years

The GALWAY pendant light epitomises the fusion of minimalist design and maximum functionality. Its striking shape not only offers an aesthetic touch, but also practical benefits. The special up-and-down lighting ensures uniform illumination of the room. In addition, the Lift Me function allows you to flexibly adjust the height of the GALWAY to optimise the positioning of the light in the living room, dining area or office. You can also adjust the brightness and light colour continuously using a dimmer. In matt black, the pendant light blends elegantly into existing colour schemes. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







# Pendant lamp Trio Lighting GARDA - 4xE14 nickel / white 230V E14 IP20

#### **Product code 19949**

Brand Trio Lighting
Supply voltage 230V
Socket E14
Protection class IP20
Casing colour nickel / white
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years



## Pendant lamp Trio Lighting Hood gray E27 IP20

#### **Product code 19987**

Brand <u>Trio Lighting</u>
Socket E27
Protection class IP20
Height 1500.0mm
Diameter 360.0mm
Casing colour gray



## Pendant lamp Trio Lighting Hood white E27 IP20

#### **Product code 19991**

Brand <u>Trio Lighting</u>
Socket E27
Protection class IP20
Height 1500.0mm
Diameter 360.0mm
Casing colour white





79/87 8.12.2025

# Pendant lamp Trio Lighting Ilex chrome 24W 2250lm IP20 3000K warm white

#### **Product code 19989**

Brand Trio Lighting
Output 24W
Maximum output 24W/1m
Luminous flux 2250lumens
Luminaire's efficiency Im79 94W
Correlated colour temperature warm
white 3000K
Protection class IP20
Height 1500.0mm
Diameter 630.0mm
Casing colour chrome



# Pendant lamp Trio Lighting Kerala DIM wood 25W 3000lm IP20 3000K warm white

#### Product code 19481

Brand Trio Lighting
Output 25W
Luminous flux 3000lumens
Luminaire's efficiency Im79 120W
Correlated colour temperature warm
white 3000K
Protection class IP20
Lifespan 30000h
Height 1500.0mm
Width 900.0mm
Length 85.0mm
Weight 2000g
Package weight 2500g
Casing colour wood
Casing material wood

Thanks to its straight lines, the KERALA ceiling light can be integrated into a variety of living spaces with ease. Due to the high-quality workmanship of wood and metal, the luminaire convinces all along the line and sets decorative light accents with its eye-catching design. The brightness can be easily adjusted by means of a 4-fold touch on the luminaire. The colour design in matt black in combination with the natural wood creates a cosy ambience in your home. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







### Pendant lamp Trio Lighting Leavy black E14 IP20


#### **Product code 19482**

Brand <u>Trio Lighting</u>
Socket E14
Protection class IP20
Height 1500.0mm
Diameter 700.0mm
Casing colour black

Welcome to the jungle! The unusual LEAVY ceiling light impresses with its multitude of plastic leaves. This makes the light a highlight on your ceiling. An enchanting lighting object for living areas whose style can be categorised as young living. The green plastic leaves and the black matt canopy can be harmoniously combined with different colour schemes to create an eye-catching feature in your home. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



## Pendant lamp Trio Lighting Lumina 3 black / amber E14 IP20





#### **Product code 20179**

Brand Trio Lighting
Socket E14
Protection class IP20
Height 1500.0mm
Width 688.0mm
Length 195.0mm
Weight 2100g
Package weight 2900g
Casing colour black / amber
Casing material aluminium + glass
Warranty 3 years

The LUMINA pendant luminaire is a special eye-catcher in your living area thanks to the noble glass shades! The different shapes of the three shades and the composition of metal and glass create a beautiful and unique light atmosphere and breathe a modern touch into your dining area. Thanks to the colour design in matt black and the glass shades in steamed chrome, there is plenty of scope for other colour shades, making it wonderfully easy to integrate into existing living concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







## Pendant lamp Trio Lighting Lumina 3 black E14 IP20

#### Product code 19484

Brand Trio Lighting
Socket E14
Protection class IP20
Height 1500.0mm
Width 688.0mm
Length 195.0mm
Weight 2200g
Package weight 3100g
Casing colour black
Casing material aluminum + glass









82/87 8.12.2025

### Pendant lamp Trio Lighting Lumina 6 black E14 IP20

#### **Product code 19483**

Brand Trio Lighting
Socket E14
Protection class IP20
Height 1500.0mm
Width 938.0mm
Length 345.0mm
Weight 5100g
Package weight 6700g
Casing colour black
Casing material aluminium + glass
Warranty 3 years

The LUMINA pendant luminaire is a special eye-catcher in your living area thanks to the noble glass shades! The different shapes of the six shades and the composition of metal and glass create a beautiful and unique light atmosphere and breathe a modern touch into your dining area. Thanks to the colour design in matt black and the glass shades in steamed chrome, there is plenty of scope for other colour shades, making it wonderfully easy to integrate into existing living concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







## Pendant lamp Trio Lighting Marley black GU10 IP20

#### Product code 19485

Brand Trio Lighting Socket GU10 Protection class IP20 Height 1500.0mm Width 120.0mm Diameter 120.0mm Casing colour black









## Pendant lamp Trio Lighting Marley white GU10 IP20

#### Product code 19973

Brand Trio Lighting
Maximum output 35W/1m
Socket GU10
Protection class IP20
Height 1500.0mm
Width 120.0mm
Diameter 120.0mm
Casing colour white



### Pendant lamp Trio Lighting Minsk 7 x E14 chrome 1521lm IP20

#### **Product code 20031**

Brand Trio Lighting
Luminous flux 1521lumens
Protection class IP20
Height 1500.0mm
Diameter 500.0mm
Casing colour chrome
Casing material metal + glass





## **Pendant lamp Trio Lighting Petty E27 IP20**

#### **Product code 19486**

Brand <u>Trio Lighting</u>
Socket E27
Protection class IP20
Height 1600.0mm
Diameter 350.0mm
Casing material aluminium + acrylic
Warranty 2 years







### Pendant lamp Trio Lighting Sprout 3 x E14 wood IP20

#### **Product code 20032**

Brand <u>Trio Lighting</u> Protection class IP20 Height 1500.0mm Diameter 300.0mm Casing colour wood





### Pendant lamp Trio Lighting Svea round E27 IP20

#### Product code 19930

Brand <u>Trio Lighting</u> Socket E27 Protection class IP20 Height 150.0mm Diameter 61.0mm Shape round

The SVEA pendant light combines the boho look with natural lightness and brings a stylish flair to your rooms. Its carefully woven cotton design not only provides an elegant look, but also creates a fascinating interplay of light and shadow that bathes any room in a cosy and lively atmosphere. Ideal for lovers of natural materials and timeless designs, the SVEA pendant light impresses with its rattan look and soft beige and sand colours. This light blends harmoniously into any interior and creates a warm, inviting environment - perfect for a stylish, modern living space. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.







# Pendant lamp Trio Lighting Trajan nickel 45W 5300lm CRI80 IP20 2700K-5000K WARM TO COLD

#### **Product code 19452**

**Brand Trio Lighting** Output 45W Luminous flux 5300lumens Luminaire's efficiency Im79 118W Correlated colour temperature WARM TO COLD 2700K-5000K Cri 80 Protection class IP20 Lifespan 30000h Height 950.0mm Width 1500.0mm Length 60.0mm Casing colour nickel Casing material aluminium Work environment indoor use Warranty 5 years

Simple design - many functions! The TRAJAN pendant light impresses with its practical functions and classic design. The luminaire is extendable and height-adjustable, allowing it to be adapted to different situations with complete flexibility. The light colour and light intensity can also be individually adjusted. Whether for work, games evenings with friends or dining - the different settings provide the optimum conditions for a suitable lighting mood. With up and down lighting, the luminaire also creates cosy and harmonious lighting effects. The design in matt nickel gives it a modern appearance and makes it easy to integrate into existing furnishing concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







# Pendant lamp Trio Lighting Tubular black 30.8W 3850lm IP20 3000K warm white

#### **Product code 19487**

Brand Trio Lighting
Output 30.8W
Luminous flux 3850lumens
Luminaire's efficiency Im79 125W
Correlated colour temperature warm
white 3000K
Protection class IP20
Lifespan 30000h
Height 1500.0mm
Diameter 400.0mm
Casing colour black
Casing material aluminium
Warranty 5 years

The stylish design of the pendant light makes the TUBULAR an absolute eyecatcher. As targeted lighting above the dining table, the luminaire is particularly effective and ensures optimum lighting conditions. An integrated SWITCH dimmer allows the brightness to be adjusted from 100% to 50% and 25% using a conventional light switch. The 11-light pendant luminaire has a maximum height of 150cm. The individual light sources vary in length from 22 to 36 cm and can be shortened independently of each other to create a customised look. The pendant in matt black can be wonderfully integrated into modern living spaces and creates a pleasant atmosphere. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.







## **Pendant lamp Trio Lighting Vapore G9 IP20**

#### **Product code 19488**

Brand <u>Trio Lighting</u> Socket G9 Protection class IP20 Height 1500.0mm Diameter 400.0mm

