

## LED luminaire PROLUMEN AL24B Pendant TRIAC silvery 230V 35W 2835lm CRI80 120° IP40 3000K warm white

**Product code 15541 TRIAC dimmable**

Price 110,66+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 35W

Luminous flux 2835lumens

Luminaire's efficiency 81W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 120

Cri 80

Protection class IP40

Lifespan 40000h

Height 68.0mm

Diameter 400.0mm

In box 6pcs

Casing colour silvery

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED luminaire PROLUMEN AL99 DALI Pendant D1000 black 230V 100W 9000lm CRI80 120° IP40 3000K, 4000K, 5700K WW/DW/CW

**Product code 15863 DALI dimmable**

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 100W

Luminous flux 9000lumens

Luminaire's efficiency 90W

Correlated colour temperature (cct)

WW/DW/CW 3000K, 4000K, 5700K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 6

Protection class IP40

Lifespan 50000h

Height 86.0mm

Diameter 1000.0mm

In box 6pcs

Casing colour black

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED luminaire PROLUMEN AL99 DALI Pendant D800 black 230V 75W 6700lm CRI80 120° IP40 3000K, 4000K, 5700K WW/DW/CW

**Product code 15901 DALI dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Dimmable DALI  
Output 75W  
Luminous flux 6700lumens  
Luminaire's efficiency 89W  
Correlated colour temperature (cct)  
WW/DW/CW 3000K, 4000K, 5700K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP40  
Lifespan 50000h  
Height 86.0mm  
Diameter 800.0mm  
In box 6pcs  
Casing colour black  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED luminaire PROLUMEN AL99 Pendant 400 black 230V 40W 3600lm CRI80 120° IP40 3000K, 4000K, 5700K WW/DW/CW

**Product code 15648**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 40W  
Luminous flux 3600lumens  
Luminaire's efficiency 90W  
Correlated colour temperature (cct)  
WW/DW/CW 3000K, 4000K, 5700K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP40  
Lifespan 50000h  
Height 86.0mm  
Diameter 400.0mm  
In box 6pcs  
Casing colour black  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED ceiling light PROLUMEN Newcastle (with nickel ring) surface mounted black 230V 15W 1500lm CRI90 40° IP20 4000K pure white

### Product code 16207

Price 45,00+VAT

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 15W  
Luminous flux 1500lumens  
Luminaire's efficiency 100W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 40  
Source of light CITIZEN LED  
Cri 90  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 152.0mm  
Diameter 75.0mm  
In package 1pc  
In box 24pcs  
Casing colour black  
Casing material aluminum  
Polishing matt  
Power supply [LIFUD](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



Possibility to order LED 2700K, 3000K,  
4000K with different light  
temperatures. Possibility to order 20°  
/ 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle (with silver ring) (with 1m cable) DALI black 230V 20W 2000lm CRI80 40° IP20 4000K pure white

**Product code 16289 DALI dimmable**

Price 85,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 95.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum

Polishing matt

Work environment indoor use

Certificates CE, RoHS

Warranty 5 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle (with silver ring) (with 1m cable) DALI black 230V 20W 2200lm CRI90 40° IP20 4000K pure white

**Product code 15544 DALI dimmable**

Price 65,16+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 20W

Luminous flux 2200lumens

Luminaire's efficiency 110W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 95.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Certificates CE

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle (with silver ring) (with 1m cable) white 230V 20W 1900lm CRI80 40° IP20 3000K warm white

### Product code 15955

Price 58,85+VAT

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 20W  
Luminous flux 1900lumens  
Luminaire's efficiency 95W  
Correlated colour temperature (cct) warm white 3000K  
Lens angle 40  
Source of light CITIZEN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 152.0mm  
Diameter 95.0mm  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Power supply [TRIDONIC](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle (with silver ring) (with 1m cable) white 230V 25W 2500lm CRI80 40° IP20 3000K warm white

**Product code 15956**

Price 50,60+VAT

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 25W  
Luminous flux 2500lumens  
Luminaire's efficiency 100W  
Correlated colour temperature (cct) warm white 3000K  
Lens angle 40  
Source of light CITIZEN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 152.0mm  
Diameter 95.0mm  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Power supply [TRIDONIC](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle (with silver ring) (with 1m cable) white 230V 30W 3000lm CRI80 40° IP20 3000K warm white

### Product code 15957

Price 61,60+VAT

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 30W  
Luminous flux 3000lumens  
Luminaire's efficiency 100W  
Correlated colour temperature (cct) warm white 3000K  
Lens angle 40  
Source of light CITIZEN LED  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP20  
Lifespan 50000h  
Height 152.0mm  
Diameter 115.0mm  
In package 1pc  
In box 24pcs  
Casing colour white  
Casing material aluminum  
Polishing matt  
Power supply [TRIDONIC](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses



## LED ceiling light PROLUMEN Newcastle black 230V 25W 2500lm CRI90 40° IP20 3000K warm white

### Product code 15923

Price 68,27+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 25W

Luminous flux 2500lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 95.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Certificates CE

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle black 230V 25W 2600lm CRI90 40° IP20 4000K pure white

**Product code 15889**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 25W

Luminous flux 2600lumens

Luminaire's efficiency 104W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 95.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Certificates CE

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle DALI (with silver ring) (with 1m cable) white 230V 20W 2000lm CRI80 40° IP20 3000K warm white

**Product code 16158 DALI dimmable**

Price 80,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable DALI

Output 20W

Luminous flux 2000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 40

Source of light CITIZEN LED

Cri 80

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 95.0mm

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum

Polishing matt

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K with different light temperatures. Possibility to order 20° / 40° optics with different lenses

## LED ceiling light PROLUMEN Newcastle gold black 230V 12W 1050lm CRI90 40° IP20 3000K warm white

**Product code 16110**

Price 37,95+VAT

Promotional price 27,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 12W

Luminous flux 1050lumens

Luminaire's efficiency 88W

Correlated colour temperature (cct)  
warm white 3000K

Lens angle 40

Source of light CITIZEN LED

Cri 90

Sdcm - macadam ellipses 3

Protection class IP20

Lifespan 50000h

Height 152.0mm

Diameter 75.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum

Polishing matt

Power supply [TRIDONIC](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



Possibility to order LED 2700K, 3000K,  
4000K with different light  
temperatures. Possibility to order 20°  
/ 40° optics with different lenses

## LED ceiling light PROLUMEN PD02A TRIAC black 230V 25W 2100lm CRI80 24° IP20 3000K warm white

**Product code 14452 TRIAC dimmable**

Price 60,58+VAT

Promotional price 42,41+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2100lumens

Luminaire's efficiency 84W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 24

Source of light [CREE LED](#)

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 1000.0mm

Diameter 112.5mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Operation temperature -20o C~65o  
C°C

Certificates CE, RoHS

Warranty 3 years

Possibility to order LED 2700K, 3000K,  
4000K, 5000K with different light  
temperatures. Possibility to order 10 °  
/ 24 ° / 36 ° optics with different  
lenses Black is in fashion!



## LED ceiling light PROLUMEN PD02A TRIAC black 230V 25W 2300lm CRI80 36° IP20 4000K pure white

**Product code 15521 TRIAC dimmable**

Price 66,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2300lumens

Luminaire's efficiency 92W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 36

Source of light [CREE LED](#)

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 1000.0mm

Diameter 112.5mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Operation temperature -20o C~65o  
C°C

Certificates CE, RoHS

Warranty 3 years

Possibility to order LED 2700K, 3000K,  
4000K, 5000K with different light  
temperatures. Possibility to order 10 °  
/ 24 ° / 36 ° optics with different  
lenses Black is in fashion!



## LED ceiling light PROLUMEN PD02A TRIAC white 230V 18W 1520lm CRI80 24° IP20 4000K pure white

**Product code 15467 TRIAC dimmable**

Price 66,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 18W

Luminous flux 1520lumens

Luminaire's efficiency 84W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 24

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 160.0mm

Length 1000.0mm

Diameter 80.0mm

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Operation temperature -20o C~65o  
C°C

Certificates CE, RoHS

Warranty 3 years

Possibility to order LED 2700K, 3000K,  
4000K, 5000K with different light  
temperatures. Possibility to order 10 °  
/ 24 ° / 36 ° optics with different  
lenses Black is in fashion!



## LED ceiling light PROLUMEN PD05 black 230V 25W 2450lm CRI80 90° IP20 3000K warm white

**Product code 15496**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 25W  
Luminous flux 2450lumens  
Luminaire's efficiency 98W  
Correlated colour temperature (cct)  
warm white 3000K  
Lens angle 90  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Height 127.0mm  
Diameter 213.0mm  
Casing colour black  
Casing material aluminum  
Work environment indoor use  
Certificates CE



## LED ceiling light PROLUMEN PD12 black 230V 10W 1000lm CRI80 36° IP20 3000K warm white

**Product code 15954**

Price 48,40+VAT

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 10W  
Luminous flux 1000lumens  
Luminaire's efficiency 100W  
Correlated colour temperature (cct)  
warm white 3000K  
Lens angle 36  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Height 180.0mm  
Diameter 58.0mm  
In package 1pc  
In box 12pcs  
Casing colour black  
Casing material aluminum + plastic  
Certificates CE, RoHS  
Warranty 3 years



Possibility to order LED 2700K, 3000K,  
4000K, 5000K with different light  
temperatures. Possibility to order  
optics with different lens at 15 ° / 24 °  
/ 36 ° / 60 °



## LED ceiling light PROLUMEN PD12 black 230V 5W 500lm CRI80 36° IP20 3000K warm white

**Product code 16413**

Brand [PROLUMEN](#)

Supply voltage 230V

Output 5W

Luminous flux 500lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 500.0mm

Diameter 39.0mm

In package 1pc

In box 24pcs

Casing colour black

Casing material aluminum + plastic

Certificates CE, RoHS

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K, 5000K with different light temperatures. Possibility to order optics with different lens at 15 ° / 24 ° / 36 ° / 60 °

## LED ceiling light PROLUMEN PD12 white 230V 5W 500lm CRI80 36° IP20 3000K warm white

**Product code 15135**

Price 48,31+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 5W

Luminous flux 500lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 500.0mm

Diameter 39.0mm

In package 1pc

In box 24pcs

Casing colour white

Casing material aluminum + plastic

Certificates CE, RoHS

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K, 5000K with different light temperatures. Possibility to order optics with different lens at 15 ° / 24 ° / 36 ° / 60 °

## LED ceiling light PROLUMEN PD228 black 230V 25W 2200lm CRI80 60° IP20 4000K pure white

**Product code 15571 TRIAC dimmable**

Price 40,37+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 25W

Luminous flux 2200lumens

Luminaire's efficiency 88W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 60

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 178.0mm

Diameter 85.0mm

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum + plastic

Polishing matt

Work environment indoor use

Certificates CE

Warranty 3 years



## LED ceiling light PROLUMEN PD322 black 230V 14W 1446lm CRI80 36° IP20 3000K warm white

**Product code 16513**

Price 53,90+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 14W

Luminous flux 1446lumens

Luminaire's efficiency 103W

Correlated colour temperature (cct)

warm white 3000K

Lens angle 36

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 96.0mm

Diameter 120.0mm

Weight 980g

Package weight 1120g

In package 1pc

In box 12pcs

Casing colour black

Casing material aluminum

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Certificates CE, RoHS

Warranty 3 years



Possibility to order LED 2700K, 3000K, 4000K, 5000K with different light temperatures. Possibility to order 36° / 60° optics with different lenses

## LED panel PROLUMEN PL3012 D300 TRIAC Pendant white round 230V 18W 1330lm CRI80 120° IP40 4000K pure white

**Product code 15618 TRIAC dimmable**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Dimmable TRIAC  
Output 18W  
Luminous flux 1330lumens  
Luminaire's efficiency 74W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 120  
Cri 80  
Protection class IP40  
Lifespan 40000h  
Height 12.0mm  
Diameter 300.0mm  
Casing colour white  
Shape round  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED ceiling light PROLUMEN Round 0,6m black round 230V 30W 3000lm CRI80 105° IP20 4000K pure white

**Product code 15484**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 30W  
Luminous flux 3000lumens  
Luminaire's efficiency 100W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 105  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 60.0mm  
Diameter 660.0mm  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Power supply [LIFUD](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED ceiling light PROLUMEN Round 1,5m black round 230V 80W 8000lm CRI80 120° IP20 4000K pure white

**Product code 15486**

Price 800,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 80W

Luminous flux 8000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP20

Lifespan 50000h

Height 60.0mm

Diameter 1560.0mm

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED ceiling light PROLUMEN Round 1,5m TRIAC black round 230V 80W 8000lm CRI80 120° IP20 4000K pure white

**Product code 16338 TRIAC dimmable**

Price 1 000,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Dimmable TRIAC

Output 80W

Luminous flux 8000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP20

Lifespan 50000h

Height 60.0mm

Diameter 1560.0mm

Casing colour black

Casing material aluminum

Polishing matt


Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED ceiling light PROLUMEN Round 1,5m white round 230V 80W 8000lm CRI80 120° IP20 4000K pure white

**Product code 16191**

Price 800,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 80W

Luminous flux 8000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP20

Lifespan 50000h

Height 60.0mm

Diameter 1560.0mm

Casing colour white

Casing material aluminum

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED ceiling light PROLUMEN Round 1m black round 230V 50W 5000lm CRI80 120° IP20 4000K pure white

**Product code 15485**

Price 450,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 50W

Luminous flux 5000lumens

Luminaire's efficiency 100W

Correlated colour temperature (cct)

pure white 4000K

Lens angle 120

Cri 80

Protection class IP20

Lifespan 50000h

Height 60.0mm

Diameter 1060.0mm

Casing colour black

Casing material aluminum

Polishing matt

Shape round

Power supply [LIFUD](#)

Work environment indoor use

Certificates CE, RoHS

Warranty 3 years



## LED ceiling light PROLUMEN Round 2,5m black round 230V 150W 12000lm CRI80 90° IP20 4000K pure white

**Product code 16185**


Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 150W  
Luminous flux 12000lumens  
Luminaire's efficiency 80W  
Correlated colour temperature (cct)  
pure white 4000K  
Lens angle 90  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 60.0mm  
Diameter 2460.0mm  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Power supply [LIFUD](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED ceiling light PROLUMEN Round 3m black round 230V 180W 18000lm CRI80 90° IP20 3000K warm white

**Product code 15077**

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 180W  
Luminous flux 18000lumens  
Luminaire's efficiency 100W  
Correlated colour temperature (cct)  
warm white 3000K  
Lens angle 90  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Height 60.0mm  
Diameter 3060.0mm  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Power supply [LIFUD](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years






## LED ceiling light PROLUMEN Round PD26 1000 black round 230V 84W 8000lm CRI80 105° IP20 4000K pure white

**Product code 15953**


Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Output 84W  
 Luminous flux 8000lumens  
 Luminaire's efficiency 95W  
 Correlated colour temperature (cct) pure white 4000K  
 Lens angle 105  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP20  
 Lifespan 50000h  
 Height 75.0mm  
 Diameter 1000.0mm  
 Casing colour black  
 Casing material aluminum  
 Polishing matt  
 Shape round  
 Power supply OSRAM  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 3 years



## LED ceiling light PROLUMEN Round PD26 400 black round 230V 35W 3400lm CRI80 90° IP20 4000K pure white

**Product code 15951**

Brand [PROLUMEN](#)  
 Supply voltage 230V  
 Output 35W  
 Luminous flux 3400lumens  
 Luminaire's efficiency 97W  
 Correlated colour temperature (cct) pure white 4000K  
 Lens angle 90  
 Cri 80  
 Sdcm - macadam ellipses 6  
 Protection class IP20  
 Lifespan 50000h  
 Height 75.0mm  
 Diameter 400.0mm  
 Casing colour black  
 Casing material aluminum  
 Polishing matt  
 Shape round  
 Power supply OSRAM  
 Work environment indoor use  
 Certificates CE, RoHS  
 Warranty 3 years



## LED ceiling light PROLUMEN Round PD26 600 black round 230V 54W 4900lm CRI80 105° IP20 4000K pure white

### Product code 15950

Price 363,99+VAT

Promotional price 275,00+VAT

Brand [PROLUMEN](#)

Supply voltage 230V

Output 54W

Luminous flux 4900lumens

Luminaire's efficiency 91W

Correlated colour temperature (cct)  
pure white 4000K

Lens angle 105

Cri 80

Sdcm - macadam ellipses 6

Protection class IP20

Lifespan 50000h

Height 75.0mm

Diameter 600.0mm

In box 2pcs

Casing colour black

Casing material aluminum

Polishing matt


Shape round

Power supply OSRAM

Work environment indoor use

Certificates CE, RoHS


Warranty 3 years



## LED ceiling light PROLUMEN Round PD26 800 black round 230V 70W 6500lm CRI80 105° IP20 4000K pure white

Product code 15952


Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 70W  
Luminous flux 6500lumens  
Luminaire's efficiency 93W  
Correlated colour temperature (cct) pure white 4000K  
Lens angle 105  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP20  
Lifespan 50000h  
Height 75.0mm  
Diameter 800.0mm  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Power supply OSRAM  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## LED ceiling light PROLUMEN Round, Up and down light 1,2m black round 230V 75W 6750lm CRI80 120° IP20 4000K pure white

Product code 15540

Brand [PROLUMEN](#)  
Supply voltage 230V  
Output 75W  
Luminous flux 6750lumens  
Luminaire's efficiency 90W  
Correlated colour temperature (cct) pure white 4000K  
Lens angle 120  
Cri 80  
Protection class IP20  
Lifespan 50000h  
Diameter 1200.0mm  
Casing colour black  
Casing material aluminum  
Polishing matt  
Shape round  
Power supply [LIFUD](#)  
Work environment indoor use  
Certificates CE, RoHS  
Warranty 3 years



## Luminaire Retro Camden black E27 IP20

**Product code 15279**

Price 97,00+VAT

Promotional price 65,00+VAT

Socket E27

Protection class IP20

Diameter 460.0mm

Casing colour black

