



Pendant light PASTELO 1 black 230V G9 IP20

Product code 17082

Supply voltage 230V
Maximum output 8W/1m
Socket G9
Protection class IP20
Height 500.0mm
Diameter 25.0mm
Casing colour black
Casing material steel
Polishing matt
Work environment indoor use
Certificates CE, RoHS
Warranty 5 years

The LED pendant light PASTELO is a stylish and functional hanging light suitable for modern interiors. It has a modern and eye-catching appearance, made of high-quality and durable materials, ensuring a long lifespan. We recommend choosing LED light bulbs from the LED house range, various Star Trading G9 bulbs that are suitable for this light fixture! Come and take a look at our showroom in Tallinn!

WW/DW/CW







Product code 15863 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 100W Luminous flux 9000lumens Luminaire's efficiency Im79 90W Correlated colour temperature WW/DW/CW 3000K, 4000K, 5700K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 1000.0mm In box 6pcs Casing colour black Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. You can choose from different colour temperatures: Warm white 3000K Daylight 4000K Cool white 5700K This luminaire is available with various suspension methods. Come visit our showroom in Tallinn to see the different pendant lights in person!







Pendant light PROLUMEN AL99 DALI Pendant D800 black 230V 75W 6700lm CRI90 120° IP40 3000K, 4000K, 5700K WW/DW/CW

Product code 15901 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 75W Luminous flux 6700lumens Luminaire's efficiency Im79 89W Correlated colour temperature WW/DW/CW 3000K, 4000K, 5700K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 800.0mm In box 6pcs Casing colour black Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. You can choose from different colour temperatures: Warm white 3000K Daylight 4000K Cool white 5700K This luminaire is available with various suspension methods. Come visit our showroom in Tallinn to see the different pendant lights in person!







Pendant light PROLUMEN AL99 Pendant 400 black 230V 40W 3600lm CRI90 120° IP40 3000K, 4000K, 5700K WW/DW/CW

Product code 15648

Brand PROLUMEN Supply voltage 230V Output 40W Luminous flux 3600lumens Luminaire's efficiency Im79 90W Correlated colour temperature WW/DW/CW 3000K, 4000K, 5700K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 400.0mm In box 6pcs Casing colour black Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. You can choose from different colour temperatures: Warm white 3000K Daylight 4000K Cool white 5700K This luminaire is available with various suspension methods. Come visit our showroom in Tallinn to see the different pendant lights in person!



Pendant light PROLUMEN AL99 Surface 400 DALI white 230V 40W 4000lm 120° IP40 940





Product code 16900 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 40W Luminous flux 4000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 400.0mm In box 2pcs Casing colour white Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With DALI dimming technology, the LED luminaire can be smoothly adjusted to become brighter or darker. Various suspension methods are available for this pendant light! Feel free to contact our sales team for more information. 4000K LED lights provide clear and sharp illumination, perfect for illuminating shops and other commercial spaces. Come visit our showroom in Tallinn to see the different pendant lights in person!







Pendant light PROLUMEN AL99 Surface 600 DALI white 230V 60W 6200lm 120° IP40 940

Product code 16899 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 60W Luminous flux 6200lumens Luminaire's efficiency Im79 103W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 600.0mm In box 2pcs Casing colour white Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With DALI dimming technology, the LED luminaire can be smoothly adjusted to become brighter or darker. Various suspension methods are available for this pendant light! Feel free to contact our sales team for more information. 4000K LED lights provide clear and sharp illumination, perfect for illuminating shops and other commercial spaces. Come visit our showroom in Tallinn to see the different pendant lights in person!







Pendant light PROLUMEN AL99 Surface 800 DALI white 230V 100W 10000lm 120° IP40 940

Product code 16901 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 100W Luminous flux 10000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Sdcm - macadam ellipses 6 Protection class IP40 Lifespan 50000h Height 86.0mm Diameter 800.0mm In box 2pcs Casing colour white Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With DALI dimming technology, the LED luminaire can be smoothly adjusted to become brighter or darker. Various suspension methods are available for this pendant light! Feel free to contact our sales team for more information. 4000K LED lights provide clear and sharp illumination, perfect for illuminating shops and other commercial spaces. Come visit our showroom in Tallinn to see the different pendant lights in person!







Pendant light PROLUMEN Newcastle (with golden ring) (with 1m cable) DALI white 230V 20W 1900lm 40° IP20 930

Product code 16969 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Luminous flux 1900lumens Luminaire's efficiency Im79 95W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN Newcastle (with silver ring) (with 1m cable) DALI black 230V 20W 2000lm 40° IP20 830

Product code 17306 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years










Pendant light PROLUMEN Newcastle (with silver ring) (with 1m cable) DALI black 230V 20W 2000lm 40° IP20 840

Product code 16289 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Newcastle (with silver ring) (with 1m cable) DALI black 230V 20W 2200lm 40° IP20 940

Product code 15544 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Luminous flux 2200lumens Luminaire's efficiency Im79 110W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminum + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years







Pendant light PROLUMEN Newcastle (with silver ring) (with 1m cable) white 230V 20W 1900lm 40° IP20 830

Product code 15955

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 20W Luminous flux 1900lumens Luminaire's efficiency Im79 95W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminum Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN Newcastle (with silver ring) (with 1m cable) white 230V 25W 2500lm 40° IP20 830

Product code 15956

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 25W Luminous flux 2500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminum Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN Newcastle (with silver ring) (with 1m cable) white 230V 30W 3000lm 40° IP20 830

Product code 15957

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 30W Luminous flux 3000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 115.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminum Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN Newcastle black 230V 25W 2500lm 40° IP20 930

Product code 15923

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 25W Luminous flux 2500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminum + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years







Pendant light PROLUMEN Newcastle black 230V 25W 2600lm 40° IP20 940

Product code 15889

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 25W Luminous flux 2600lumens Luminaire's efficiency Im79 104W Correlated colour temperature pure white 4000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminum + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years







Pendant light PROLUMEN Newcastle DALI (with silver ring) (with 1m cable) white 230V 20W 2000lm 40° IP20 830

Product code 16158 DALI dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable DALI Output 20W Luminous flux 2000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 80 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 95.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN Newcastle gold black 230V 12W 1050lm 40° IP20 930

Product code 16110

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 12W Luminous flux 1050lumens Luminaire's efficiency Im79 88W Correlated colour temperature warm white 3000K Lens angle 40 Source of light CITIZEN LED Cri 90 Sdcm - macadam ellipses 3 Protection class IP20 Lifespan 50000h Height 152.0mm Diameter 75.0mm In package 1pc In box 24pcs Casing colour black Casing material aluminum Polishing matt Power supply TRIDONIC Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN PD02A TRIAC black 230V 25W 2100lm 24° IP20 930

Product code 14452 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Luminous flux 2100lumens Luminaire's efficiency Im79 84W Correlated colour temperature warm white 3000K Lens angle 24 Source of light **CREE LED** Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 1000.0mm Diameter 112.5mm In package 1pc In box 24pcs Casing colour black Casing material aluminum + plastic Polishing matt Work environment indoor use Operation temperature -20o C~65o $C^{\circ}C$ Certificates CE, RoHS Warranty 5 years

PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. Integrated DALI Dim technology allows you to adjust the brightness of the light according to your needs. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn!







Pendant light PROLUMEN PD02A TRIAC black 230V 25W 2300lm 36° IP20 940

Product code 15521 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Luminous flux 2300lumens Luminaire's efficiency Im79 92W Correlated colour temperature pure white 4000K Lens angle 36 Source of light **CREE LED** Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 1000.0mm Diameter 112.5mm In package 1pc In box 24pcs Casing colour black Casing material aluminum + plastic Polishing matt Work environment indoor use Operation temperature -20o C~65o $C^{\circ}C$ Certificates CE, RoHS Warranty 5 years

PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. Integrated DALI Dim technology allows you to adjust the brightness of the light according to your needs. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn!







Pendant light PROLUMEN PD02A TRIAC white 230V 18W 1520lm 24° IP20 940

Product code 15467 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 18W Luminous flux 1520lumens Luminaire's efficiency Im79 84W Correlated colour temperature pure white 4000K Lens angle 24 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 160.0mm Length 1000.0mm Diameter 80.0mm In package 1pc In box 24pcs Casing colour white Casing material aluminum + plastic Polishing matt Work environment indoor use Operation temperature -20o C~65o $C^{\circ}C$ Certificates CE, RoHS Warranty 5 years

The dimmable PROLUMEN LED pendant light is a stylish and functional hanging light that fits into modern interiors. With TRIAC technology, the LED light can be easily adjusted for different lighting scenes, creating cozy lighting for a relaxing dinner or brighter light for working. This light fixture is suitable for indoor use only, with an IP20 protection rating. Option to order with different light temperatures: Very warm white 2700K Warm white 3000K Daylight 4000K Option to order with different lens optics 10°/24°/36° Come and take a look at our showroom in Tallinn







Pendant light PROLUMEN PD05 black 230V 25W 2450lm 90° IP20 930

Product code 15496

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 25W Luminous flux 2450lumens Luminaire's efficiency Im79 98W Correlated colour temperature warm white 3000K Lens angle 90 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 127.0mm Diameter 213.0mm Casing colour black Casing material aluminum Work environment indoor use Certificates CE Warranty 5 years

A pendant LED luminaire with a minimalist design. This luminaire is intended for indoor use only, with an IP20 protection class. This luminaire has an ideal colour rendering index of CRI90 and a colour temperature of 3000K, making it perfect for workspaces and offices. Come and take a look at our showroom in Tallinn!







Pendant light PROLUMEN PD12 black 230V 10W 1000lm 36° IP20 930

Product code 15954

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 10W Luminous flux 1000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 180.0mm Diameter 58.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminum + plastic Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN PD12 black 230V 5W 500lm 36° IP20 930

Product code 16413

Brand PROLUMEN Supply voltage 230V Power factor 0.90 **Output 5W** Luminous flux 500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 500.0mm Diameter 39.0mm In package 1pc In box 18pcs Casing colour black Casing material aluminum + plastic Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN PD12 white 230V 5W 500lm 36° IP20 830

Product code 15135

Brand PROLUMEN Supply voltage 230V Power factor 0.90 **Output 5W** Luminous flux 500lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 36 Cri 80 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 500.0mm Diameter 39.0mm In package 1pc In box 18pcs Casing colour white Casing material aluminum + plastic Certificates CE, RoHS Warranty 5 years





Pendant light PROLUMEN PD228 black 230V 25W 2200lm 60° IP20 940

Product code 15571 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Dimmable TRIAC Output 25W Luminous flux 2200lumens Luminaire's efficiency Im79 88W Correlated colour temperature pure white 4000K Lens angle 60 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 178.0mm Diameter 85.0mm In package 1pc In box 12pcs Casing colour black Casing material aluminum + plastic Polishing matt Work environment indoor use Certificates CE Warranty 5 years









Pendant light PROLUMEN PD322 black 230V 14W 1446lm 36° IP20 930

Product code 16513

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 14W Luminous flux 1446lumens Luminaire's efficiency Im79 103W Correlated colour temperature warm white 3000K Lens angle 36 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 96.0mm Diameter 120.0mm Weight 980g Package weight 1120g In package 1pc In box 12pcs Casing colour black Casing material aluminum Polishing matt Work environment indoor use Operation temperature -20 ~ 45°C Certificates CE, RoHS Warranty 5 years







LED panel PROLUMEN PL3012 D300 TRIAC Pendant white round 230V 18W 1330lm 120° IP40 940

Product code 15618 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 18W Luminous flux 1330lumens Luminaire's efficiency Im79 74W Correlated colour temperature pure white 4000K Lens angle 120 Cri 90 Protection class IP40 Lifespan 40000h Height 12.0mm Diameter 300.0mm Casing colour white Shape round Work environment indoor use Certificates CE, RoHS Warranty 5 years

Modern circular pendant light for home, office, or hotel. Its striking appearance fits into many different atmospheres. A detail to enhance the character of any space! Modern and minimalist appearance that complements any interior. Made of high-quality and durable materials, ensuring long-term use. The luminaire has an IP40 protection class, making it ideal for indoor use. With TRIAC dimming technology, the LED light can be smoothly adjusted to brighter or dimmer levels. 4000K LED lights offer clear and sharp illumination, perfect for lighting shops and other commercial spaces. Come visit our showroom in Tallinn to see the various pendant lights in person!







Pendant light PROLUMEN Round 0,6m TRIAC black round 230V 30W 3000lm 105° IP20 840

Product code 15484 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 30W Luminous flux 3000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 105 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 660.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round 1,2m (TRIAC) black round 230V 60W 6000lm 120° IP20 830

Product code 17696 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 60W Luminous flux 6000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Width 60.0mm Diameter 1260.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply LIFUD Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round 1,5m black round 230V 80W 8000lm 120° IP20 840

Product code 15486

Brand PROLUMEN Supply voltage 230V Output 80W Luminous flux 8000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round 1,5m TRIAC black 230V 80W 8000lm 120° IP20 840

Product code 16338 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 80W Luminous flux 8000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour black Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years










Pendant light PROLUMEN Round 1,5m white round 230V 80W 8000lm 120° IP20 840

Product code 16191

Brand PROLUMEN Supply voltage 230V Output 80W Luminous flux 8000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1560.0mm Casing colour white Casing material aluminum Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years







Pendant light PROLUMEN Round 1m TRIAC black 230V 50W 4800lm 120° IP20 830

Product code 17033 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 50W Luminous flux 4800lumens Luminaire's efficiency Im79 96W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1060.0mm Casing colour black Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round 1m TRIAC black 230V 50W 5000lm 120° IP20 840

Product code 15485 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 50W Luminous flux 5000lumens Luminaire's efficiency Im79 100W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1060.0mm Casing colour black Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round 1m TRIAC white 230V 50W 4800lm 120° IP20 830

Product code 17034 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 50W Luminous flux 4800lumens Luminaire's efficiency Im79 96W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1060.0mm Casing colour white Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 3 years







Pendant light PROLUMEN Round 2,5m TRIAC black 230V 150W 12000lm 90° IP20 830

Product code 17168 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 150W Luminous flux 12000lumens Luminaire's efficiency Im79 80W Correlated colour temperature warm white 3000K Lens angle 90 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years










Pendant light PROLUMEN Round 2,5m TRIAC black 230V 150W 12000lm 90° IP20 840

Product code 16185 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 150W Luminous flux 12000lumens Luminaire's efficiency Im79 80W Correlated colour temperature pure white 4000K Lens angle 90 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round 3m TRIAC black round 230V 180W 18000lm 90° IP20 830

Product code 15077 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 180W Luminous flux 18000lumens Luminaire's efficiency Im79 100W Correlated colour temperature warm white 3000K Lens angle 90 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 3060.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round PD26 1000 black round 230V 84W 8000lm 105° IP20 940


Product code 15953

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 84W Luminous flux 8000lumens Luminaire's efficiency Im79 95W Correlated colour temperature pure white 4000K Lens angle 105 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 75.0mm Diameter 1000.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years











Pendant light PROLUMEN Round PD26 400 black round 230V 35W 3400lm 90° IP20 940

Product code 15951

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 35W Luminous flux 3400lumens Luminaire's efficiency Im79 97W Correlated colour temperature pure white 4000K Lens angle 90 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 75.0mm Diameter 400.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years











Pendant light PROLUMEN Round PD26 600 black round 230V 54W 4900lm 105° IP20 840

Product code 15950

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 54W Luminous flux 4900lumens Luminaire's efficiency Im79 91W Correlated colour temperature pure white 4000K Lens angle 105 Cri 80 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 75.0mm Diameter 600.0mm In box 2pcs Casing colour black Casing material aluminum Polishing matt Shape round Power supply OSRAM Work environment indoor use Certificates CE, RoHS

Warranty 5 years











Pendant light PROLUMEN Round PD26 800 black round 230V 70W 6500lm 105° IP20 940

Product code 15952

Brand PROLUMEN Supply voltage 230V Power factor 0.90 Output 70W Luminous flux 6500lumens Luminaire's efficiency Im79 93W Correlated colour temperature pure white 4000K Lens angle 105 Cri 90 Sdcm - macadam ellipses 6 Protection class IP20 Lifespan 50000h Height 75.0mm Diameter 800.0mm Casing colour black Casing material aluminum Polishing matt Shape round Power supply OSRAM Work environment indoor use Certificates CE, RoHS Warranty 5 years











Pendant light PROLUMEN Round, Up and down light 1,2m black 230V 75W 6750lm 120° IP20 840

Product code 15540

Brand PROLUMEN Supply voltage 230V Output 75W Luminous flux 6750lumens Luminaire's efficiency Im79 90W Correlated colour temperature pure white 4000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Diameter 1200.0mm Casing colour black Casing material aluminum Polishing matt Power supply **LIFUD** Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round, Up and down light 75/25 1,2m TRIAC black 230V 60W 5100lm 120° IP20 830

Product code 17148 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 60W Luminous flux 5100lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 1200.0mm Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round, Up and down light 75/25 2,5m DALI black 230V 200W 17000lm 120° IP20 830

Product code 17137 DALI dimmable

Brand PROLUMEN Supply voltage 230V Dimmable DALI Output 200W Luminous flux 17000lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light PROLUMEN Round, Up and down light 75/25 2,5m TRIAC black 230V 200W 17000lm 120° IP20 830

Product code 17147 TRIAC dimmable

Brand PROLUMEN Supply voltage 230V Dimmable TRIAC Output 200W Luminous flux 17000lumens Luminaire's efficiency Im79 85W Correlated colour temperature warm white 3000K Lens angle 120 Cri 80 Protection class IP20 Lifespan 50000h Height 60.0mm Diameter 2460.0mm Casing colour black Casing material aluminum Polishing matt Work environment indoor use Certificates CE, RoHS Warranty 5 years









Pendant light Retro Camden black E27 IP20

Product code 15279

Socket E27 Protection class IP20 Diameter 460.0mm Casing colour black

Retro-style pendant light for those who appreciate nostalgic charm and unique design in their home or office interior. This pendant light adds personality to any room! The beautiful retro style of this pendant light fits perfectly with various interiors, whether modern, industrial, or bohemian. The unique appearance of the light attracts attention and creates a pleasant atmosphere in the room. This pendant light is suitable for indoor use only, with IP20 protection class. Chain and cable length: 95cm. The light bulb is not included, but you can find a suitable one from the LED house product range! Come visit our showroom in Tallinn and see a wide range of pendant lights for yourself!



Pendant light Spiderlight 5 lamp holders E27

Product code 17154

Socket E27 In package 1pc In box 12pcs Work environment indoor use Certificates CE Warranty 2 years

Stylish and functional 5-lamp spider chandelier, perfect for example as lighting detail for a restaurant or dining room! Modern and eyecatching appearance, which complements any interior. Made of high-quality and durable materials, ensuring a long service life. We recommend choosing LED lamps from the LED House range for this luminaire, suitable for the E27 socket! Also, come and visit our showroom in Tallinn!







Pendant light Spiderlight 7 lamp holders E27

Product code 17155

Socket E27
In package 1pc
In box 12pcs
Work environment indoor use
Certificates CE
Warranty 2 years

Stylish and functional 7-lamp spider chandelier, perfect for example as a lighting detail for a restaurant or dining room! Modern and eyecatching appearance, which complements any interior. Made of high-quality and durable materials, ensuring a long service life. We recommend choosing LED lamps from the LED House range for this luminaire, various efficient Star Trading E27 lamps. Come and take a look at our showroom in Tallinn as well!

