

## LED strip REVAL BULB 120LED 10m 230V 7W 600lm 120° IP65 830

**Product code 17467**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 7W  
Luminous flux 600lumens  
Luminaire's efficiency lm79 86W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 6.5mm  
Width 12.0mm  
Minimum length 1000.0mm  
Length 10000.0mm  
In package 1 reel  
Work environment indoor / outdoor use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 120LED 10m 230V 7W 600lm 120° IP65 840

**Product code 17468**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 7W  
Luminous flux 600lumens  
Luminaire's efficiency lm79 86W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 6.5mm  
Width 12.0mm  
Minimum length 1000.0mm  
Length 10000.0mm  
In package 1 reel  
Work environment indoor / outdoor use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 120LED 10m self illuminating 230V 10W 900lm 120° IP65 830

**Product code 17480**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 10W  
Luminous flux 900lumens  
Luminaire's efficiency lm79 90W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 7.5mm  
Width 16.0mm  
Minimum length 1000.0mm  
Length 10000.0mm  
In package 1pc  
Work environment indoor / outdoor use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which illuminates with a green glowing light for the next 20-30 minutes after a power outage, providing safe exit from the building in case of emergency. This LED strip is suitable for indoor and outdoor use due to its protection class (IP65). We sell this LED strip in quantities of 10 meters. The length of the strip can be cut every 1meters. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

## LED strip REVAL BULB 120LED 50m 230V 7W 600lm 120° IP65 830

**Product code 17469**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 7W  
Luminous flux 600lumens  
Luminaire's efficiency lm79 86W  
Correlated colour temperature warm white 3000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 6.5mm  
Width 12.0mm  
Minimum length 1000.0mm  
Length 50000.0mm  
In package 1 reel  
Work environment indoor / outdoor use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 120LED 50m 230V 7W 600lm 120° IP65 840

**Product code 17470**

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 7W

Luminous flux 600lumens

Luminaire's efficiency lm79 86W

Correlated colour temperature pure white 4000K

Lens angle 120

Source of light [EPISTAR LED](#)

Cri 80

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Height 6.5mm

Width 12.0mm

Minimum length 1000.0mm

Length 50000.0mm

In package 1 reel

Work environment indoor / outdoor use

Operation temperature -25 - +55°C

Certificates CE

Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 180LED 10m 230V 12W 1500lm 120° IP65 830

**Product code 17463**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 12W  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 125W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 7.5mm  
Width 16.0mm  
Minimum length 1500.0mm  
Length 10000.0mm  
In package 1 reel  
Work environment indoor / outdoor  
use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 180LED 10m 230V 12W 1500lm 120° IP65 840

**Product code 17465**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 12W  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 125W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 7.5mm  
Width 16.0mm  
Minimum length 1000.0mm  
Length 10000.0mm  
In package 1 reel  
Work environment indoor / outdoor use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 180LED 50m 230V 12W 1500lm 120° IP65 830

**Product code 17464**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 12W  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 125W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 7.5mm  
Width 16.0mm  
Minimum length 1000.0mm  
Length 50000.0mm  
In package 1 reel  
Work environment indoor / outdoor  
use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!



## LED strip REVAL BULB 180LED 50m 230V 12W 1500lm 120° IP65 840

**Product code 17466**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 12W  
Luminous flux 1500lumens  
Luminaire's efficiency lm79 125W  
Correlated colour temperature pure white 4000K  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 7.5mm  
Width 16.0mm  
Minimum length 1000.0mm  
Length 50000.0mm  
In package 1 reel  
Work environment indoor / outdoor use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 230V 120LED/20m 230V 15W 1500lm 120° IP67 840

**Product code 17281**

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Height 6.0mm

Width 12.0mm

Minimum length 100.0mm

Length 20000.0mm

In package 1 reel

Work environment indoor / outdoor use

Operation temperature -20 ~40°C

Certificates CE

Warranty 3 years



REVAL BULB LED strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). The length of the LED strip can be cut every 10cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

# LED strip REVAL BULB 230V 120LED/20m COB 230V 12W 810lm 180° IP65 830

**Product code 17283**

Brand [REVAL BULB](#)  
 Supply voltage 230V  
 Power factor 0.90  
 Output 12W  
 Luminous flux 810lumens  
 Luminaire's efficiency lm79 68W  
 Correlated colour temperature warm white 3000K  
 Lens angle 180  
 Cri 80  
 Sdcm - macadam ellipses 3  
 Protection class IP65  
 Lifespan 50000h  
 Height 6.0mm  
 Width 12.0mm  
 Minimum length 166.0mm  
 Length 20000.0mm  
 In package 1 reel  
 Work environment indoor / outdoor use  
 Operation temperature -20 ~40°C  
 Certificates CE  
 Warranty 3 years

REVAL BULB COB strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



# LED strip REVAL BULB 230V 120LED/20m COB 230V 12W 900lm 180° IP65 840

**Product code 17282**

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Luminous flux 900lumens

Luminaire's efficiency lm79 75W

Correlated colour temperature pure white 4000K

Lens angle 180

Cri 80

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Height 6.0mm

Width 12.0mm

Minimum length 166.0mm

Length 20000.0mm

In package 1 reel

Work environment indoor / outdoor use

Operation temperature -20 ~40°C

Certificates CE

Warranty 3 years

REVAL BULB COB strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



## LED strip REVAL BULB 230V 60LED 1m 230V 7W 400lm CRI80 120° IP65 RGB

**Product code 14758**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Output 7W  
Luminous flux 400lumens  
Luminaire's efficiency lm79 57W  
Correlated colour temperature RGB  
RGB  
Lens angle 120  
Cri 80  
Protection class IP65  
Lifespan 50000h  
Height 80.0mm  
Width 16.0mm  
Minimum length 1000.0mm  
Length 1000.0mm  
Certificates CE, RoHS  
Warranty 2 years



## LED strip REVAL BULB 230V 60LED 1m 230V 7W 500lm 120° IP65 830

**Product code 13051**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 7W  
Luminous flux 500lumens  
Luminaire's efficiency lm79 71W  
Correlated colour temperature warm  
white 3000K  
Lens angle 120  
Cri 80  
Sdcm - macadam ellipses 6  
Protection class IP65  
Lifespan 25000h  
Height 7.0mm  
Width 14.0mm  
Minimum length 1000.0mm  
Length 1000.0mm  
Work environment outdoor use  
Warranty 2 years



## **LED strip REVAL BULB 230V 60LED 1m 230V 7W 600lm 120° IP65 860**

**Product code 13209**

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 7W

Luminous flux 600lumens

Luminaire's efficiency lm79 86W

Correlated colour temperature cold

white 6000K

Lens angle 120°

Cri 80

Sdcm - macadam ellipses 6

Protection class IP65

Lifespan 25000h


Height 7.0mm

Width 14.0mm

Minimum length 1000.0mm

Length 1000.0mm

Work environment outdoor use



## **LED strip REVAL BULB 230V 96LED/50m 230V 12W 235lm 120° IP67 RGB**

**Product code 17567**

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Luminous flux 235lumens

Luminaire's efficiency lm79 20W

Correlated colour temperature RGB

RGB

Lens angle 120

Protection class IP67

Lifespan 50000h

Height 5.0mm

Width 12.0mm

Minimum length 50.0mm

Length 50000.0mm

In package 1 reel

Work environment indoor / outdoor  
use

Operation temperature -25 - +40°C

Certificates CE, RoHS, UKCA

Warranty 3 years



REVAL BULB LED strip, easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (50m). The length of the LED strip can be cut every 50cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

**LED strip REVAL BULB 230V120LED/20m 230V 15W 1350lm  
120° IP67 830**



---

**Product code 17280**

---

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Luminous flux 1350lumens

Luminaire's efficiency lm79 90W

Correlated colour temperature warm  
white 3000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Height 6.0mm

Width 12.0mm

Minimum length 100.0mm

Length 20000.0mm


In package 1 reel

Work environment indoor / outdoor  
use

Operation temperature -20 ~40°C

Certificates CE

Warranty 3 years



REVAL BULB LED strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). The length of the LED strip can be cut every 10cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!



## LED strip REVAL BULB 60LED 10m 230V 9W 600lm CRI80 120° IP65 RGB

**Product code 17461**

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 9W

Luminous flux 600lumens

Luminaire's efficiency lm79 67W

Correlated colour temperature RGB  
RGB

Lens angle 120

Source of light [EPISTAR LED](#)

Cri 80

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Height 8.0mm

Width 17.0mm

Minimum length 1000.0mm

Length 10000.0mm

In package 1 reel

In box 4 reels

Work environment indoor / outdoor  
use

Operation temperature -25 - +55°C

Certificates CE

Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls (50m). The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

## LED strip REVAL BULB 60LED 50m 230V 9W 600lm CRI80 120° IP65 RGB

**Product code 17462**

Brand [REVAL BULB](#)  
Supply voltage 230V  
Power factor 0.90  
Output 9W  
Luminous flux 600lumens  
Luminaire's efficiency lm79 67W  
Correlated colour temperature RGB  
RGB  
Lens angle 120  
Source of light [EPISTAR LED](#)  
Cri 80  
Sdcm - macadam ellipses 3  
Protection class IP65  
Lifespan 50000h  
Height 8.0mm  
Width 17.0mm  
Minimum length 1000.0mm  
Length 50000.0mm  
In package 1 reel  
Work environment indoor / outdoor  
use  
Operation temperature -25 - +55°C  
Certificates CE  
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!