

LED strip REVAL BULB 120LED 10m 230V 7W 600lm 120° IP65 830

Product code 17467

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 7W
Maximum output 7W/1m
Luminous flux 600lumens
Luminaire's efficiency lm79 86W
Correlated colour temperature warm white 3000K
Lens angle 120
Source of light [EPISTAR LED](#)
Cri 80
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Height 6.5mm
Width 12.0mm
Minimum length 1000.0mm
Length 10000.0mm
In package 1 reel
Work environment indoor / outdoor use
Operation temperature -25 - +55°C
Certificates CE
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 120LED 10m 230V 7W 600lm 120° IP65 840

Product code 17468

Brand [REVAL BULB](#)
 Supply voltage 230V
 Power factor 0.90
 Output 7W
 Maximum output 7W/1m
 Luminous flux 600lumens
 Luminaire's efficiency lm79 86W
 Correlated colour temperature pure white 4000K
 Lens angle 120
 Source of light [EPISTAR LED](#)
 Cri 80
 Sdcm - macadam ellipses 3
 Protection class IP65
 Lifespan 50000h
 Height 6.5mm
 Width 12.0mm
 Minimum length 1000.0mm
 Length 10000.0mm
 In package 1 reel
 Work environment indoor / outdoor use
 Operation temperature -25 - +55°C
 Certificates CE
 Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 120LED/20m 230V 15W 1350lm 120° IP66 830

Product code 17280

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1350lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm
white 3000K
Lens angle 120
Cri 80
Sdcm - macadam ellipses 3
Protection class IP66
Lifespan 50000h
Height 6.0mm
Width 12.0mm
Minimum length 100.0mm
Length 20000.0mm
In package 1 reel
Work environment indoor / outdoor
use
Operation temperature -20 ~40°C
Certificates CE
Warranty 3 years



REVAL BULB LED strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). The length of the LED strip can be cut every 10cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED/20m 230V 15W 1500lm 120° IP66 840

Product code 17281

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 15W

Maximum output 15W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Lens angle 120

Cri 80

Sdcm - macadam ellipses 3

Protection class IP66

Lifespan 50000h

Height 6.0mm

Width 12.0mm

Minimum length 100.0mm

Length 20000.0mm

In package 1 reel

Work environment indoor / outdoor use

Operation temperature -20 ~40°C

Certificates CE

Warranty 3 years




REVAL BULB LED strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). The length of the LED strip can be cut every 10cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED/20m COB 230V 12W 900lm 180° IP65 840

Product code 17282

Brand [REVAL BULB](#)
 Supply voltage 230V
 Power factor 0.90
 Output 12W
 Maximum output 12W/1m
 Luminous flux 900lumens
 Luminaire's efficiency lm79 75W
 Correlated colour temperature pure white 4000K
 Lens angle 180
 Cri 80
 Sdcm - macadam ellipses 3
 Protection class IP65
 Lifespan 50000h
 Height 6.0mm
 Width 12.0mm
 Minimum length 166.0mm
 Length 20000.0mm
 In package 1 reel
 Work environment indoor / outdoor use
 Operation temperature -20 ~40°C
 Certificates CE
 Warranty 3 years



REVAL BULB COB strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 120LED/50m 230V 15W 1350lm 120° IP66 830

Product code 22783

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1350lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm
white 3000K
Lens angle 120
Cri 80
Sdcm - macadam ellipses 3
Protection class IP66
Lifespan 50000h
Height 6.0mm
Width 12.0mm
Minimum length 100.0mm
Length 20000.0mm
In package 1 reel
Work environment indoor / outdoor
use
Operation temperature -20 ~40°C
Certificates CE
Warranty 3 years



REVAL BULB LED strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). The length of the LED strip can be cut every 10cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 180LED 10m 230V 12W 1500lm 120° IP65 830

Product code 17463

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 12W
Maximum output 12W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 125W
Correlated colour temperature warm
white 3000K
Lens angle 120
Source of light [EPISTAR LED](#)
Cri 80
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Height 7.5mm
Width 16.0mm
Minimum length 1500.0mm
Length 10000.0mm
In package 1 reel
Work environment indoor / outdoor
use
Operation temperature -25 - +55°C
Certificates CE
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 180LED 10m 230V 12W 1500lm 120° IP65 840

Product code 17465

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 12W
Maximum output 12W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 125W
Correlated colour temperature pure white 4000K
Lens angle 120
Source of light [EPISTAR LED](#)
Cri 80
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Height 7.5mm
Width 16.0mm
Minimum length 1000.0mm
Length 10000.0mm
In package 1 reel
Work environment indoor / outdoor use
Operation temperature -25 - +55°C
Certificates CE
Warranty 3 years



REVAL BULB LED strip, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). We sell this LED strip in full rolls. The strip length is cuttable every 1m so you can install it as efficiently as possible. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we'll make you an offer!

LED strip REVAL BULB 20m COB 230V 12W 810lm 180° IP65 830

Product code 17283

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Maximum output 12W/1m

Luminous flux 810lumens

Luminaire's efficiency lm79 68W

Correlated colour temperature warm white 3000K

Lens angle 180

Cri 80

Sdcm - macadam ellipses 3

Protection class IP65

Lifespan 50000h

Height 6.0mm

Width 12.0mm

Minimum length 166.0mm

Length 20000.0mm

In package 1 reel

Work environment indoor / outdoor use

Operation temperature -20 ~40°C

Certificates CE

Warranty 3 years




REVAL BULB COB strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP65). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 20m SMD 230V 5W 450lm 180° IP65 830

Product code 23273

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 5W
Maximum output 5W/1m
Luminous flux 450lumens
Luminaire's efficiency lm79 90W
Correlated colour temperature warm white 3000K
Lens angle 180
Cri 80
Sdcm - macadam ellipses 3
Protection class IP65
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 5.0mm
Width 12.0mm
Minimum length 100.0mm
Length 20000.0mm
In package 1 reel
Work environment indoor / outdoor use
Operation temperature -20 ~40°C
Certificates CE
Warranty 3 years



REVAL BULB LED strip powered directly from the mains, which is easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls (20m). The length of the LED strip can be cut every 10cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 96LED 20m 230V 12W 235lm 120° IP67 RGB

Product code 17688

Brand [REVAL BULB](#)

Supply voltage 230V

Power factor 0.90

Output 12W

Maximum output 12W/1m

Luminous flux 235lumens

Luminaire's efficiency lm79 20W

Correlated colour temperature RGB

RGB

Lens angle 120

Sdcm - macadam ellipses 3

Protection class IP67

Lifespan 50000h

Llmf tm21 L80B10 @25°C 50.000h

Height 5.0mm

Width 12.0mm

Minimum length 50.0mm

Length 20000.0mm

In package 1 reel

Work environment indoor / outdoor
use

Operation temperature -25 - +40°C

Certificates CE, RoHS, UKCA

Warranty 3 years



REVAL BULB LED strip, easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls. The length of the LED strip can be cut every 50cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. The LED strip can be connected through a controller. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!

LED strip REVAL BULB 96LED 50m 230V 12W 235lm 120° IP67 RGB

Product code 17567

Brand [REVAL BULB](#)
Supply voltage 230V
Power factor 0.90
Output 12W
Maximum output 12W/1m
Luminous flux 235lumens
Luminaire's efficiency lm79 20W
Correlated colour temperature RGB
RGB
Lens angle 120
Sdcm - macadam ellipses 3
Protection class IP67
Lifespan 50000h
Height 5.0mm
Width 12.0mm
Minimum length 50.0mm
Length 50000.0mm
In package 1 reel
Work environment indoor / outdoor use
Operation temperature -25 - +40°C
Certificates CE, RoHS, UKCA
Warranty 3 years



REVAL BULB LED strip, easy to install even for first-time users! This LED strip is suitable for both indoor and outdoor use due to its protection class (IP67). The strip creates a uniform, bright, clear, and natural light effect. We sell this LED strip in full rolls. The length of the LED strip can be cut every 50cm so that you can install it as efficiently as possible. For detailed instructions, please refer to the user manual. The LED strip can be connected through a controller. You can trust our products because we sell hundreds of meters of LED strips every day! Send us an inquiry, and we will make you an offer!