

Housing HERMES G2 2x120 230V G13 IP65

Product code 19954

Supply voltage 230V
Socket G13
Protection class IP65
Height 56.0mm
Width 96.0mm
Length 1260.0mm
Weight 640 g
In box 10pcs
Casing material plastic
Impact resistance IK08
Work environment indoor / outdoor
use
Operation temperature -20 - +40°C
Certificates CE
Warranty 5 years



Housing HERMETIC 1x120 230V IP65

Product code 18220

Supply voltage 230V
Protection class IP65
Height 58.0mm
Width 68.0mm
Length 1280.0mm
Weight 560 g
In package 1pc
In box 12pcs
Operation temperature -20°C
Certificates LVD
Warranty 3 years



A hermetic LED T8 tube luminaire suitable for humid and dusty environments such as garages, storage rooms, and industrial facilities. Its durable and robust design ensures reliable lighting even in demanding conditions. The luminaire is designed for single-sided powered LED T8 tubes.

Housing HERMETIC 1x150 230V IP65

Product code 18062

Supply voltage 230V
Protection class IP65
Height 58.0mm
Width 68.0mm
Length 1580.0mm
Weight 830 g
Package weight 680 g
In package 1pc
In box 12pcs
Operation temperature -20°C
Certificates LVD
Warranty 3 years



A hermetic LED T8 tube luminaire suitable for humid and dusty environments such as garages, storage rooms, and industrial facilities. Its durable and robust design ensures reliable lighting even in demanding conditions. The luminaire is designed for single-sided powered LED T8 tubes.

Housing T8 1 x 120 for LED tube IP65

Product code 13619

Protection class IP65
Height 88.0mm
Width 85.0mm
Length 1265.0mm
In package 1pc
In box 9pcs



Housing T8 2 x 120 for LED tube 230V IP65

Product code 13616

Supply voltage 230V
Protection class IP65
Height 88.0mm
Width 129.0mm
Length 1265.0mm
In package 1pc
In box 6pcs

