

Mirror light Markslöjd Bourges chrome 3W 180lm IP44 830

Product code 22373

Brand [Markslöjd](#)

Output 3W

Luminous flux 180lumens

Luminaire's efficiency lm79 60W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 25000h

Height 50.0mm

Width 30.0mm

In package 1pc

Casing colour chrome

Casing material metal

Work environment indoor use

Certificates CE

Warranty 5 years



Mirror light Markslöjd Metz chrome 3W 180lm 120° IP44 830

Product code 22375

Brand [Markslöjd](#)

Output 3W

Luminous flux 180lumens

Luminaire's efficiency lm79 60W

Correlated colour temperature warm
white 3000K

Lens angle 120

Cri 80

Protection class IP44

Lifespan 25000h

Height 80.0mm

Width 110.0mm

Length 90.0mm

In package 1pc

Casing colour chrome

Casing material metal

Work environment indoor use

Certificates CE

Warranty 5 years



Ceiling lamp Maytoni Hydra black 10W 870lm 120° IP44 930

Product code 20833

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour black
Casing material aluminium
Warranty 5 years



Ceiling lamp Maytoni Hydra matte gold 10W 870lm 120° IP44 930

Product code 20834

Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour matte gold
Casing material aluminium
Warranty 5 years



Ceiling lamp Maytoni Hydra white 10W 870lm 120° IP44 930

Product code 20832


Brand Maytoni
Output 10W
Luminous flux 870lumens
Luminaire's efficiency lm79 87W
Correlated colour temperature warm white 3000K
Lens angle 120
Cri 90
Protection class IP44
Lifespan 30000h
Height 70.0mm
Diameter 105.0mm
Weight 230 g
Package weight 280 g
Casing colour white
Casing material aluminium
Warranty 5 years



Ceiling lamp Maytoni Pauline black 870lm G53 IP44

Product code 20835

Brand Maytoni
Luminous flux 870lumens
Socket G53
Protection class IP44
Height 70.0mm
Diameter 82.0mm
Weight 180 g
Package weight 210 g
Casing colour black
Casing material aluminium
Warranty 2 years



Ceiling lamp Maytoni Pauline white 870lm G53 IP44

Product code 20836

Brand Maytoni
Luminous flux 870lumens
Socket G53
Protection class IP44
Height 70.0mm
Diameter 82.0mm
Weight 180 g
Package weight 210 g
Casing colour white
Casing material aluminium
Warranty 2 years



Mirror light Prolumen ML01 1140 black 230V 20W 2200lm CRI90 120° IP44 3000K, 4000K, 5700K 3CCT

Product code 16710

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.90

Output 20W

Maximum output 20W/1m

Luminous flux 2200lumens

Luminaire's efficiency lm79 110W

Correlated colour temperature 3CCT

3000K, 4000K, 5700K

Lens angle 120

Cri 90

Sdcm - macadam ellipses 6

Protection class IP44

Lifespan 50000h

Height 41.0mm

Width 111.0mm

Length 1140.0mm

Weight 1.03 kg

Package weight 1.3 kg

In box 12pcs


Casing colour black

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Warranty 5 years




LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. The luminaire is also suitable for the moist environment of the bathroom, with an IP44 protection class. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Mirror light Prolumen ML01 860 black 230V 15W 1500lm CRI90

120° IP44 3000K, 4000K, 5700K 3CCT

Product code 15788

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Output 15W
Maximum output 15W/1m
Luminous flux 1500lumens
Luminaire's efficiency lm79 100W
Correlated colour temperature 3CCT
3000K, 4000K, 5700K
Lens angle 120
Cri 90
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 50000h
Height 41.0mm
Width 111.0mm
Length 860.0mm
Weight 870 g
Package weight 770 g
In box 12pcs
Casing colour black
Polishing matt
Work environment indoor use
Operation temperature -20 ~ 45°C
Warranty 5 years



LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. The luminaire is also suitable for the moist environment of the bathroom, with an IP44 protection class. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Wall light Prolumen ML26 450 white 230V 5W 600lm CRI80 175x110° IP44 TRIAC 3000K, 4000K, 5700K 3CCT

Product code 18206 TRIAC dimmable

Brand [Prolumen](#)

Supply voltage 230V

Power factor 0.85

Dimmable TRIAC

Output 5W

Maximum output 5W/1m

Luminous flux 600lumens

Luminaire's efficiency lm79 120W

Correlated colour temperature 3CCT

3000K, 4000K, 5700K

Lens angle 175x110

Cri 80

Sdcm - macadam ellipses 6

Protection class IP44

Lifespan 50000h

Height 80.0mm

Width 80.0mm

Length 450.0mm

Weight 630 g

Package weight 800 g

In box 6pcs

Casing colour white

Casing material aluminium + plastic

Polishing matt

Work environment indoor use

Operation temperature -20 ~ 45°C

Warranty 5 years



LED wall light for using above the mirror. The mirror light allows you to change the light temperature with a simple press of a button according to your needs. You can choose between warm white (3000K), daylight (4000K), and cool white (5700K) light. The luminaire is also suitable for the moist environment of the bathroom, with an IP44 protection class. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Illuminate your world with LED House professionals - [check out our project portfolio here!](#)

Mirror light Prolumen ML27 600 black 230V 12W 1300lm CRI90 160X110° IP44 3000K, 4000K, 5700K 3CCT

Product code 17241

Brand [Prolumen](#)
 Supply voltage 230V
 Power factor 0.90
 Output 12W
 Maximum output 12W/1m
 Rated current 300mA
 Luminous flux 1300lumens
 Luminaire's efficiency lm79 108W
 Correlated colour temperature 3CCT
 3000K, 4000K, 5700K
 Lens angle 160X110
 Cri 90
 Sdcm - macadam ellipses 6
 Protection class IP44
 Lifespan 50000h
 Height 72.0mm
 Width 46.0mm
 Length 600.0mm
 Weight 1 kg
 Package weight 1.3 kg
 In package 1pc
 In box 6pcs
 Casing colour black
 Polishing matt
 Work environment indoor use
 Operation temperature -20 -45°C
 Certificates CE
 Warranty 5 years



LED lamp for the mirror. The luminaire ensures true colors in three different directions - a very good option to use in the bathroom or near the mirror in the hallway. Minimalist design, without screws and additional details, the luminaire has an aluminum black matte body. An ideal luminaire for the bathroom, hotel room, and above the makeup table. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Can be mounted directly on the surface, but can also be suspended from the ceiling with additional accessories. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Mirror light Prolumen ML27 900 black 230V 20W 2000lm CRI90 160X110° IP44 3000K, 4000K, 5700K 3CCT

Product code 17874

Brand [Prolumen](#)
 Supply voltage 230V
 Power factor 0.90
 Output 20W
 Maximum output 20W/1m
 Rated current 500mA
 Luminous flux 2000lumens
 Luminaire's efficiency lm79 100W
 Correlated colour temperature 3CCT
 3000K, 4000K, 5700K
 Lens angle 160X110
 Cri 90
 Sdcm - macadam ellipses 6
 Protection class IP44
 Lifespan 50000h
 Height 72.0mm
 Width 46.0mm
 Length 900.0mm
 Weight 1.3 kg
 Package weight 1.73 kg
 In package 1pc
 In box 6pcs
 Casing colour black
 Polishing matt
 Work environment indoor use
 Operation temperature -20 -45°C
 Certificates CE
 Warranty 5 years



LED lamp for the mirror. The luminaire ensures true colors in three different directions - a very good option to use in the bathroom or near the mirror in the hallway. Minimalist design, without screws and additional details, the luminaire has an aluminum black matte body. An ideal luminaire for the bathroom, hotel room, and above the makeup table. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Can be mounted directly on the surface, but can also be suspended from the ceiling with additional accessories. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Mirror light Prolumen ML27C 1200 white 230V 32W 4350lm CRI90 160X110° IP44 DALI 3000K, 4000K, 5700K 3CCT

Product code 22334 DALI dimmable

Brand [Prolumen](#)
Supply voltage 230V
Power factor 0.90
Dimmable DALI
Output 32W
Maximum output 32W/1m
Rated current 300mA
Luminous flux 4350lumens
Luminaire's efficiency lm79 136W
Correlated colour temperature 3CCT
3000K, 4000K, 5700K
Lens angle 160X110
Cri 90
Sdcm - macadam ellipses 6
Protection class IP44
Lifespan 50000h
Llmf tm21 L80B10 @25°C 50.000h
Height 72.0mm
Width 46.0mm
Length 1200.0mm
In package 1pc
In box 6pcs
Casing colour white
Polishing matt
Work environment indoor use
Operation temperature -20 -45°C
Certificates CE
Warranty 5 years



LED lamp for the mirror. The luminaire ensures true colors in three different directions - a very good option to use in the bathroom or near the mirror in the hallway. Minimalist design, without screws and additional details, the luminaire has an aluminum black matte body. An ideal luminaire for the bathroom, hotel room, and above the makeup table. We also recommend this LED luminaire above the dressing table. A light temperature of 5700K is ideal for beauty procedures and is also preferred by professional cosmetologists! Can be mounted directly on the surface, but can also be suspended from the ceiling with additional accessories. Improve the quality of light in your everyday life and choose a top-notch lighting solution from [the LED house product range!](#)

Spotlight Trio Lighting Angelo H2O 3 black GU10 IP44

Product code 20802



Brand [Trio Lighting](#)

Socket GU10

Protection class IP44

Height 95.0mm

Diameter 200.0mm

Casing colour black

Casing material metal

Work environment indoor use



Spotlight Trio Lighting Angelo H2O 3 chrome GU10 IP44

Product code 20799

Brand [Trio Lighting](#)

Socket GU10

Protection class IP44

Height 95.0mm

Diameter 200.0mm

Casing colour chrome

Casing material metal

Work environment indoor use



Spotlight Trio Lighting Angelo H2O 4 black GU10 IP44

Product code 20801

Brand [Trio Lighting](#)

Socket GU10

Protection class IP44

Height 95.0mm

Width 520.0mm

Length 195.0mm

Casing colour black

Casing material metal

Work environment indoor use

The classic spotlights in the ANGELO series can be used to skilfully set the scene in living spaces and provide targeted lighting. Thanks to the variably adjustable shades and IP44 splash protection, the wall light is extremely versatile. Whether in the laundry room with a spotlight on the washing machine or in the bathroom with the focus on the mirror - the spotlights in the ANGELO range provide ideal illumination for your living area everywhere. Thanks to the modern design in matt black, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Spotlight Trio Lighting Angelo H2O 4 nickel GU10 IP44

Product code 20798

Brand [Trio Lighting](#)
 Socket GU10
 Protection class IP44
 Height 95.0mm
 Width 520.0mm
 Length 195.0mm
 Casing colour nickel
 Casing material metal

The classic spotlights in the ANGELO series can be used to skilfully set the scene in living spaces and provide targeted lighting. Thanks to the variably adjustable shades and IP44 splash protection, the wall light is extremely versatile. Whether in the laundry room with a spotlight on the washing machine or in the bathroom with the focus on the mirror - the spotlights in the ANGELO range provide ideal illumination for your living area everywhere. Thanks to the timeless chrome-coloured design, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall lamp Trio Lighting Angelo H2O black GU10

Product code 20800

Brand [Trio Lighting](#)

Socket GU10

Height 15.5mm

Width 10.5mm

Casing colour black

The classic spotlights in the ANGELO series can be used to skilfully set the scene in living spaces and provide targeted lighting. Thanks to the variably adjustable shades and IP44 splash protection, the wall light is extremely versatile. Whether in the laundry room with a spotlight on the washing machine or in the bathroom with the focus on the mirror - the spotlights in the ANGELO range provide ideal illumination for your living area everywhere. Thanks to the modern design in matt black, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall lamp Trio Lighting Angelo H2O nickel GU10

Product code 19695

Brand [Trio Lighting](#)

Socket GU10

Height 15.5mm

Width 10.5mm

Casing colour nickel

Spot it! The classic spotlights in the ANGELO series can be used to skilfully set the scene in living spaces and provide targeted lighting. Thanks to the variably adjustable shades and IP44 splash protection, the wall light is extremely versatile. Whether in the laundry room with a spotlight on the washing machine or in the bathroom with the focus on the mirror - the spotlights in the ANGELO range provide ideal illumination for your living area everywhere. Thanks to the timeless chrome-coloured design, the luminaire can be perfectly integrated into many concepts. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall light Trio Lighting Bolsa H2O 2 chrome 3.1W IP44 830

Product code 20636

Brand [Trio Lighting](#)

Output 3.1W

Maximum output 3.1W/1m

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 50000h

Height 300.0mm

Width 70.0mm

Weight 1.1 kg

Package weight 1.3 kg

Casing colour chrome

No. of switches 50000pcs

Warranty 5 years

The BOLSA wall light is an eye-catcher in any bathroom! Thanks to its shape in combination with the bubbles look, this up and down light looks like a special designer piece. Thanks to its IP44 protection rating, it is ideal for damp rooms and also enhances their appearance. The light has a height of 30 cm and a width of 7 cm. The chrome colour gives the luminaire a shiny appearance, which is rounded off by the decorative glass. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Ceiling lamp Trio Lighting Bolsa H2O 5 chrome 3.1W IP44 830

Product code 20637

Brand [Trio Lighting](#)

Output 3.1W

Maximum output 3.1W/1m

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 50000h

Height 16.5mm

Diameter 41.5mm

Weight 2.1 kg

Package weight 2.6 kg

Casing colour chrome

No. of switches 50000pcs

Warranty 5 years



The BOLSA ceiling light attracts attention in every bathroom! Thanks to its shape in combination with the bubbles look, this light looks like a special designer piece. Thanks to its IP44 protection rating, it is ideal for damp rooms and also enhances their appearance. The light has a diameter of 42 cm. The chrome colour gives the luminaire a shiny appearance, which is rounded off by the decorative glass. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Dome light Trio Lighting Camillus black 230V 13W 1500lm IP44 switch dimmer 830

Product code 22353 switch dimmer dimmable

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 13W

Maximum output 13W/1m

Luminous flux 1500lumens

Luminaire's efficiency lm79 115W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 260.0mm

Weight 700 g

Package weight 900 g

Casing colour black

Casing material plastic

Work environment indoor use

Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The light has a diameter of 26 cm and a height of just 3 cm. Thanks to the classic colour design in matt black and the white acrylic, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Camillus black 230V 22W 2700lm IP44 switch dimmer 830

Product code 22354 switch dimmer dimmable

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 22W

Maximum output 22W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 400.0mm

Weight 1.4 kg

Package weight 1.4 kg


Casing colour black

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



CAMILLUS laevalgusti loob teie elutuppa ideaalse stseeni, kuna valgusti avaldab muljet modernsuse ja sirgjoonelisuse seguga. Ajatu välimus ja lame disain avavad arvukalt kasutus- ja disainivõimalusi. Lisaks esikusse või elutuppa paigutamisele sobib CAMILLUS tänu IP44 kaitseklassile ideaalselt ka vannituppa paigaldamiseks. Integreeritud SWITCH dimmerit saab tavalise valguslüliti abil kasutada ka kolme erineva heledustaseme valimiseks. Valgustugevuse astmelise reguleerimisega 100% kuni 50% ja 25% saab valgustit kohandada erinevatele vajadustele. Valgusti läbimõõt on 44 cm ja kõrgus vaid 3 cm. Tänu klassikalisele mattmusta ja valge akrüülvärvi disainile saab valgustit kombineerida paljude sisustusstiilidega. Lisaks on valgustites kaasaegne LED-tehnoloogia, mis tagab kõrge valguse kvaliteedi. LED-valgusallikaid iseloomustab pikk kasutusiga ja madal soojuseraldus.

Dome light Trio Lighting Camillus black 230V 9W 1000lm IP44 switch dimmer 830

Product code 22350 switch dimmer dimmable

Brand [Trio Lighting](#)
 Supply voltage 230V
 Dimmable switch dimmer
 Output 9W
 Maximum output 9W/1m
 Luminous flux 1000lumens
 Luminaire's efficiency lm79 111W
 Correlated colour temperature warm white 3000K
 Cri 80
 Protection class IP44
 Lifespan 30000h
 Height 30.0mm
 Diameter 170.0mm
 Weight 400 g
 Package weight 500 g
 Casing colour black
 Casing material plastic
 Work environment indoor use
 Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the light can be adapted to different requirements. The small light has a diameter of 17 cm and a height of just 3 cm. Thanks to the classic colour design in matt black and the white acrylic, the light can be combined with many furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Camillus white 230V 13W 1500lm IP44 switch dimmer 830

Product code 22351 switch dimmer dimmable

Brand [Trio Lighting](#)
 Supply voltage 230V
 Dimmable switch dimmer
 Output 13W
 Maximum output 13W/1m
 Luminous flux 1500lumens
 Luminaire's efficiency lm79 115W
 Correlated colour temperature warm white 3000K
 Cri 80
 Protection class IP44
 Lifespan 30000h
 Height 30.0mm
 Diameter 260.0mm
 Weight 700 g
 Package weight 900 g
 Casing colour white
 Casing material plastic
 Work environment indoor use
 Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The light has a diameter of 26 cm and a height of just 3 cm. The wall and ceiling light is designed in a simple white and can be stylishly integrated into existing living and colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Camillus white 230V 22W 2700lm IP44 switch dimmer 830

Product code 22352 switch dimmer dimmable

Brand [Trio Lighting](#)

Supply voltage 230V

Dimmable switch dimmer

Output 22W

Maximum output 22W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 30.0mm

Diameter 400.0mm

Weight 1.4 kg

Package weight 1.4 kg

Casing colour white

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The light has a diameter of 40cm and a height of just 3cm. The ceiling light is designed in a simple white and can be stylishly integrated into existing living and colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Camillus white 230V 9W 1000lm IP44 switch dimmer 830

Product code 22349 switch dimmer dimmable

Brand [Trio Lighting](#)
 Supply voltage 230V
 Dimmable switch dimmer
 Output 9W
 Maximum output 9W/1m
 Luminous flux 1000lumens
 Luminaire's efficiency lm79 111W
 Correlated colour temperature warm white 3000K
 Cri 80
 Protection class IP44
 Lifespan 30000h
 Height 30.0mm
 Diameter 170.0mm
 Weight 400 g
 Package weight 500 g
 Casing colour white
 Casing material plastic
 Work environment indoor use
 Warranty 5 years

The CAMILLUS ceiling light can set the perfect scene in your living area, as the luminaire impresses with a mix of modernity and straight lines. The timeless look and flat design open up numerous application and design options. In addition to placement in the hallway or living room, the CAMILLUS is also ideal for installation in the bathroom thanks to its IP44 protection rating. The integrated SWITCH dimmer can also be used to select three different brightness levels using a conventional light switch. By graduating the light intensity from 100% to 50% and 25%, the luminaire can be adapted to different requirements. The small light has a diameter of 17cm and a height of just 3cm. The wall and ceiling light is designed in a simple white and can be stylishly integrated into existing living and colour concepts. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Clarimo H2O black 18W 1850lm IP44 3000K warm white

Product code 20843

Brand [Trio Lighting](#)

Output 18W

Luminous flux 1850lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Protection class IP44

Lifespan 30000h

Height 9.0mm

Diameter 33.0mm

Weight 600 g

Package weight 900 g

Casing colour black

Casing material plastic

No. of switches 15000pcs

As timeless as the design of the light is, it is flexible enough to follow all trends. The highlight of the CLARIMO ceiling light is its simple yet appealing look, which can be easily combined with various furnishing styles. Thanks to the IP44 classification, the light is very suitable for all damp rooms, such as the bathroom or washroom. The black matt finish with the white acrylic cover makes this ceiling light a timeless classic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Clarimo H2O chrome 18W 1850lm IP44 3000K warm white

Product code 20844

Brand [Trio Lighting](#)

Output 18W

Luminous flux 1850lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Protection class IP44

Lifespan 30000h

Height 9.0mm

Diameter 33.0mm


Weight 600 g

Package weight 900 g

Casing colour chrome

Casing material plastic

No. of switches 15000pcs



As timeless as the design of the light is, it is flexible enough to follow all trends. The highlight of the CLARIMO ceiling light is its simple yet appealing look, which can be easily combined with various furnishing styles. Thanks to the IP44 classification, the light is very suitable for all damp rooms, such as the bathroom or washroom. The chrome-coloured design with the white acrylic cover makes this ceiling light a timeless classic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Dome light Trio Lighting Clarimo H2O white 18W 1850lm IP44 3000K warm white

Product code 20842

Brand [Trio Lighting](#)

Output 18W

Luminous flux 1850lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Protection class IP44

Lifespan 30000h

Height 9.0mm

Diameter 33.0mm

Weight 600 g

Package weight 900 g

Casing colour white

Casing material plastic

No. of switches 15000pcs



As timeless as the design of the light is, it is flexible enough to follow all trends. The highlight of the CLARIMO ceiling light is its simple yet attractive appearance, which is suitable for all damp rooms such as bathrooms, washrooms, etc. thanks to its IP44 rating. The light has a diameter of 33 cm. The white plastic design with a white acrylic cover makes this ceiling light a timeless classic. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Mirror light Trio Lighting Enrico H2O LED + 2xGU10 black 230V 6,5W 620lm GU10 IP44 2300K, 3000K, 4000K 3CCT

Product code 20785

Brand [Trio Lighting](#)

Supply voltage 230V

Output 6,5W

Luminous flux 620lumens

Correlated colour temperature 3CCT

2300K, 3000K, 4000K

Socket GU10

Protection class IP44

Height 180.0mm

Width 600.0mm

Length 60.0mm

Weight 1.7 kg

Package weight 2 kg

Casing colour black

Casing material aluminium

Work environment indoor use



The ENRICO wall light is the ideal choice for any modern bathroom. Its elegant, elongated design ensures even and pleasant lighting. In addition, two spotlights are attached to both sides of the main light to provide targeted lighting accents and optimum illumination. With an IP44 protection rating, the luminaire is optimally protected against splashing water and is therefore perfect for damp environments. An integrated switch makes it possible to control the main light source and the side spots separately, allowing you to flexibly adjust the lighting to your needs and preferences. The light colour can also be individually adjusted and the light has a practical memory function. The black matt finish emphasises the purity and precision of the design and adds a touch of luxury and durability to the bathroom. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Mirror light Trio Lighting Enrico H2O LED + 2xGU10 chrome 230V 6,5W 620lm GU10 IP44 2300K, 3000K, 4000K 3CCT

Product code 20782

Brand [Trio Lighting](#)

Supply voltage 230V

Output 6,5W

Luminous flux 620lumens

Correlated colour temperature 3CCT
2300K, 3000K, 4000K

Socket GU10

Protection class IP44

Height 180.0mm

Width 600.0mm

Length 60.0mm

Weight 1.4 kg

Package weight 1.5 kg

Casing colour chrome

Casing material aluminium

Work environment indoor use

The ENRICO wall light is the ideal choice for any modern bathroom. Its elegant, elongated design ensures even and pleasant lighting. In addition, two spotlights are attached to both sides of the main light to provide targeted lighting accents and optimum illumination. With an IP44 protection rating, the luminaire is optimally protected against splashing water and is therefore perfect for damp environments. An integrated switch makes it possible to control the main light source and the side spots separately, allowing you to flexibly adjust the lighting to your needs and preferences. The light colour can also be individually adjusted and the light has a practical memory function. The chrome finish emphasises the purity and precision of the design and adds a touch of luxury and durability to the bathroom. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall light Trio Lighting Fabio H2O chrome 12W 1400lm IP44 3000K warm white

Product code 22319

Brand [Trio Lighting](#)

Output 12W

Maximum output 12W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 117W

Correlated colour temperature warm
white 3000K

Protection class IP44

Lifespan 30000h

Height 38.0mm


Width 800.0mm

Casing colour chrome

Casing material aluminium

Work environment indoor use

Warranty 5 years



Mirror light Trio Lighting Fabrizio chrome 9W CRI80 IP44 2300K, 3000K, 4000K 3CCT

Product code 20638

Brand [Trio Lighting](#)

Output 9W

Maximum output 9W/1m

Correlated colour temperature 3CCT
2300K, 3000K, 4000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 6.0mm

Width 50.0mm

Weight 1 kg

Package weight 1.3 kg

Casing colour chrome

Casing material aluminium + plastic

No. of switches 15000pcs

Warranty 5 years



The simple FABRIZIO wall light adapts effortlessly to any area of application and is ideal for damp rooms such as the bathroom thanks to its IP44 protection rating. Its elongated, swivelling design makes it the perfect choice for placement next to or above the mirror in the wash area, where it creates stylish accents. The light colour can be conveniently adjusted using a switch directly on the luminaire. FABRIZIO is also equipped with a sensor dimmer and a practical memory function. The combination of chrome-coloured aluminium and white plastic blends harmoniously into any bathroom design. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Wall light Trio Lighting Giada black GU10 IP44

Product code 22344

Brand [Trio Lighting](#)

Socket GU10

Protection class IP44

Height 114.0mm

Length 343.0mm

Weight 200 g

Package weight 300 g

Casing colour black

Casing material metal

Polishing shiny

Work environment indoor use

Warranty 3 years



Small but mighty! The filigree GIADA light with its curved design has a classic look and can therefore be integrated into any living area. Thanks to its IP44 protection rating, it is protected against splashing water and is ideal for placement above the bathroom mirror. Due to its size, the light can also be used to illuminate narrow, dark corners. The matt black colour also gives the light a certain timelessness. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall light Trio Lighting Giada chrome GU10 IP44

Product code 22343

Brand [Trio Lighting](#)

Socket GU10

Protection class IP44

Height 114.0mm

Length 343.0mm

Weight 200 g

Package weight 300 g

Casing colour chrome

Casing material metal


Polishing shiny

Work environment indoor use

Warranty 3 years



Small but mighty! The filigree GIADA light with its curved design has a classic look and can therefore be integrated into any living area. Thanks to its IP44 protection rating, it is protected against splashing water and is ideal for placement above the bathroom mirror. Due to its size, the light can also be used to illuminate narrow, dark corners. The chrome colour gives the light a certain timelessness. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall light Trio Lighting Gianni black 17W 1700lm IP44 830

Product code 22348

Brand [Trio Lighting](#)

Output 17W

Maximum output 17W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 75.0mm

Width 400.0mm

Length 150.0mm

Weight 800 g

Package weight 1.1 kg

Casing colour black


Casing material metal

Polishing shiny

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



The elegant interplay of form and material makes the GIANNI luminaire an impressive living element. Added to this is the elongated oval design of the modern luminaire, which makes it easy to integrate into existing furniture. Thanks to its IP44 classification, the luminaire is protected against splashing water on all sides, making it particularly suitable for use in the bathroom above the wash area or above the make-up mirror. It also emits a bright, pleasant light. The chrome design enhances your bathroom with modern colour accents. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Wall light Trio Lighting Gianni black 22W 2700lm IP44 830

Product code 22346

Brand [Trio Lighting](#)

Output 22W

Maximum output 22W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 80.0mm

Width 600.0mm

Length 150.0mm

Weight 800 g

Package weight 1.1 kg

Casing colour black


Casing material metal

Polishing shiny

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



The elegant interplay of form and material makes the GIANNI luminaire an impressive living element. Added to this is the elongated oval design of the modern luminaire, which makes it easy to integrate into existing furniture. Thanks to its IP44 classification, the luminaire is protected against splashing water on all sides, making it particularly suitable for use in the bathroom above the wash area or above the make-up mirror. It also emits a bright, pleasant light. The matt black design enhances your bathroom with modern colour accents. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Wall light Trio Lighting Gianni chrome 17W 1700lm IP44 830

Product code 22345

Brand [Trio Lighting](#)

Output 17W

Maximum output 17W/1m

Luminous flux 1700lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 114.0mm

Width 400.0mm

Length 148.0mm

Weight 700 g

Package weight 900 g

Casing colour chrome

Casing material metal

Polishing shiny

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



The elegant interplay of form and material makes the GIANNI luminaire an impressive living element. Added to this is the elongated oval design of the modern luminaire, which makes it easy to integrate into existing furniture. Thanks to its IP44 classification, the luminaire is protected against splashing water on all sides, making it particularly suitable for use in the bathroom above the wash area or above the make-up mirror. It also emits a bright, pleasant light. The chrome design enhances your bathroom with modern colour accents. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Wall light Trio Lighting Gianni chrome 22W 2700lm IP44 830

Product code 22347

Brand [Trio Lighting](#)

Output 22W

Maximum output 22W/1m

Luminous flux 2700lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 80.0mm

Width 600.0mm

Length 150.0mm

Weight 800 g

Package weight 1.1 kg

Casing colour chrome

Casing material metal

Polishing shiny

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

The elegant interplay of form and material makes the GIANNI luminaire an impressive living element. Added to this is the elongated oval design of the modern luminaire, which makes it easy to integrate into existing furniture. Thanks to its IP44 classification, the luminaire is protected against splashing water on all sides, making it particularly suitable for use in the bathroom above the wash area or above the make-up mirror. It also emits a bright, pleasant light. The chrome design enhances your bathroom with modern colour accents. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Wall light Trio Lighting Kula black E14 IP44

Product code 20635

Brand [Trio Lighting](#)

Socket E14

Protection class IP44

Height 20.0mm

Width 14.0mm

Diameter 14.0mm

Weight 600 g

Package weight 800 g

Casing colour black

Casing material metal + glass

Polishing shiny

Work environment indoor use

Warranty 3 years



With the KULA wall light, the bathroom is more than just a room for showering and brushing your teeth. The classic design of the light with its large, spherical glass creates a feel-good atmosphere where all the signs point to wellness in your own home. Thanks to the IP44 classification, the light is protected against splashing water and can be used in a variety of ways in the bathroom and other damp rooms. Turn your bathroom into an oasis of calm where you can enjoy your bubble bath or beauty programme in a pleasant lighting atmosphere. Thanks to its design in matt black metal and white glass, the KULA luminaire can be perceived as a design element in its own right. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Wall light Trio Lighting Kula chrome E14 IP44

Product code 20633

Brand [Trio Lighting](#)

Socket E14

Protection class IP44

Height 20.0mm

Width 14.0mm

Diameter 14.0mm

Weight 600 g

Package weight 800 g

Casing colour chrome

Casing material metal + glass

Polishing shiny

Work environment indoor use

Warranty 3 years



With the KULA wall light, the bathroom is more than just a room for showering and brushing your teeth. The classic design of the light with its large, spherical glass creates a feel-good atmosphere where all the signs point to wellness in your own home. Thanks to the IP44 classification, the light is protected against splashing water and can be used in a variety of ways in the bathroom and other damp rooms. Turn your bathroom into an oasis of calm where you can enjoy your bubble bath or beauty programme in a pleasant lighting atmosphere. Thanks to its design in chrome-plated metal and white glass, the KULA luminaire can be perceived as a design element in its own right. For modern and reliable lighting, the use of an LED bulb is recommended. It offers a high quality of light, is versatile and convinces with uniform illumination. Its long service life and low heat generation make it the ideal choice for a wide range of applications.



Mirror light Trio Lighting Lino H2O 230V 11W 1350lm IP44 3000K warm white

Product code 20806

Brand [Trio Lighting](#)

Supply voltage 230V

Output 11W

Maximum output 11W/1m

Luminous flux 1350lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm
white 3000K


Protection class IP44

Height 60.0mm

Width 600.0mm

Polishing matt

Work environment indoor use



Mirror light Trio Lighting Lino H2O 230V 7,4W 900lm IP44 3000K warm white

Product code 19580

Brand [Trio Lighting](#)

Supply voltage 230V

Output 7,4W

Maximum output 7.4W/1m

Luminous flux 900lumens


Correlated colour temperature warm white 3000K

Protection class IP44

Polishing matt

Work environment indoor use

Simple design that you can help to shape - that's what makes the LINO bathroom light so impressive! By choosing between three bases, you can help shape the look of the LINO and add your own personal touch. The light has an IP44 protection rating, so it can be used in the bathroom without any concerns. Ideally, the wall light should be installed above the bathroom mirror to ensure optimum lighting conditions. The slimline light is finished in chrome and blends seamlessly into a variety of bathroom interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Lino H20 black 230V 11W 1350lm IP44 830

Product code 20805

Brand [Trio Lighting](#)

Supply voltage 230V

Output 11W

Luminous flux 1350lumens

Luminaire's efficiency lm79 123W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 20000h

Height 60.0mm

Width 600.0mm

Casing colour black

Polishing matt

Work environment indoor use

Warranty 5 years

Simple design that you can help to shape - that's what makes the LINO bathroom light so impressive! By choosing between three bases, you can help shape the look of the LINO and add your own personal touch. The light has an IP44 protection rating, so it can be used in the bathroom without any concerns. Ideally, the wall light should be installed above the bathroom mirror to ensure optimum lighting conditions. The slim light is finished in matt black and blends easily into a variety of bathroom interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Lino H2O black 230V 7,4W 900lm IP44 830

Product code 20803

Brand [Trio Lighting](#)

Supply voltage 230V

Output 7,4W

Maximum output 7.4W/1m

Luminous flux 900lumens

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 20000h

Height 60.0mm

Width 400.0mm

Casing colour black


Polishing matt

Work environment indoor use

Warranty 5 years



Simple design that you can help to shape - that's what makes the LINO bathroom light so impressive! By choosing between three bases, you can help shape the look of the LINO and add your own personal touch. The light has an IP44 protection rating, so it can be used in the bathroom without any concerns. Ideally, the wall light should be installed above the bathroom mirror to ensure optimum lighting conditions. The slim light is finished in matt black and blends easily into a variety of bathroom interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Mattimo H2O black 4,3W 450lm IP44 830

Product code 22414

Brand [Trio Lighting](#)

Output 4,3W

Maximum output 4.3W/1m

Luminous flux 450lumens

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 55.0mm

Width 404.0mm

Weight 400 g

Package weight 500 g

In package 1pc


Casing colour black

Casing material metal

No. of switches 20000pcs

Certificates CE

Warranty 5 years



Create optimum lighting conditions with ideal bathroom lighting in a timeless design using the classic MATTIMO wall light. The simple design language places the focus on the light. A special feature of the MATTIMO is its IP44 protection rating, making the luminaire ideal for use in bathrooms or other damp rooms. The simple colour concept in matt black makes it easy to integrate the light into any type of interior. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Mirror light Trio Lighting Mattimo H2O black 6,5W 680lm IP44 830

Product code 22417

Brand [Trio Lighting](#)

Output 6,5W

Maximum output 6.5W/1m

Luminous flux 680lumens

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 55.0mm

Width 604.0mm

Weight 500 g

Package weight 700 g

Casing colour black

Casing material metal


No. of switches 20000pcs

Work environment indoor use

Certificates CE

Warranty 5 years

Create optimum lighting conditions with ideal bathroom lighting in a timeless design using the classic MATTIMO wall light. The simple design language places the focus on the light. A special feature of the MATTIMO is its IP44 protection rating, making the luminaire ideal for use in bathrooms or other damp rooms. The simple colour concept in matt black makes it easy to integrate the light into any type of interior. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Mattimo H2O chrome 4,3W 450lm IP44 830

Product code 22413

Brand [Trio Lighting](#)

Output 4,3W

Maximum output 4.3W/1m

Luminous flux 450lumens

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 55.0mm

Width 404.0mm

Weight 400 g

Package weight 500 g

In package 1pc

Casing colour chrome


Casing material metal

No. of switches 20000pcs

Certificates CE

Warranty 5 years

The simple MATTIMO wall light blends beautifully into the desired area of application. Thanks to its IP44 protection rating, the light is protected against splashing water and can be used in damp rooms such as the bathroom without any problems. The elongated design is ideal next to or above the mirror in the wash area and provides stylish accents. In addition, the luminaire emits a soft and harmonious light over a width of 40.5 cm, which is evenly distributed in the application area and provides sufficient light. The light can be switched on and off as usual using the wall switch or via an integrated switch on the light. The combination of chrome and white plastic blends harmoniously into the overall picture. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Mattimo H2O chrome 6,5W 680lm IP44 830

Product code 22416

Brand [Trio Lighting](#)

Output 6,5W

Maximum output 6.5W/1m

Luminous flux 680lumens

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 55.0mm

Width 604.0mm

Weight 500 g

Package weight 700 g

Casing colour chrome

Casing material metal

No. of switches 20000pcs

Certificates CE

Warranty 5 years

The simple MATTIMO wall light blends beautifully into the desired area of application. Thanks to its IP44 protection rating, the light is protected against splashing water and can be used in damp rooms such as the bathroom without any problems. The elongated design is ideal next to or above the mirror in the wash area and provides stylish accents. In addition, the luminaire emits a soft and harmonious light over a width of 60.5 cm, which is evenly distributed in the application area and provides sufficient light. The light can be switched on and off as usual using the wall switch or via an integrated switch on the light. The combination of chrome and white plastic blends harmoniously into the overall picture. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Wall light Trio Lighting Mirror with light View H2O nickel 3W 280lm IP44 3000K warm white

Product code 19499

Brand [Trio Lighting](#)

Output 3W

Luminous flux 280lumens

Luminaire's efficiency lm79 93W

Correlated colour temperature warm
white 3000K

Protection class IP44

Diameter 210.0mm

Casing colour nickel



Dome light Trio Lighting Moonika 230V 15W 1500lm IP44 830

Product code 20868

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 50000h

Height 85.0mm

Diameter 370.0mm

Weight 400 g

Package weight 900 g

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



The moon is within reach! The MOONIKA ceiling light fascinates with its unique moon cover and conjures up impressive lighting moods in your bedroom or children's room. An additional highlight of this special light is its IP44 classification, which means that the light is protected against splashing water and can therefore also be used in damp rooms. The cover of the ceiling light is made of white plastic, which looks like the surface of the moon. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Dome light Trio Lighting Paolo H2O white 230V 15W 1500lm IP44 830

Product code 20825

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 85.0mm

Diameter 37.0mm

Weight 500 g

Package weight 900 g

Casing colour white

Casing material plastic

Work environment indoor use

Warranty 5 years

The round PAOLO ceiling light impresses with its simple design, which adapts wonderfully to different living areas. The modern luminaire provides customised lighting effects and pleasant illumination for your living space. The luminaire also impresses with its IP44 classification and is therefore protected against splashing water. For this reason, the PAOLO is ideal for lighting your bathroom. Alternatively, it can also be used in your living room or bedroom. The white acrylic cover blends easily into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Paolo H2O white 230V 15W 1500lm IP44 840

Product code 20831

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 85.0mm

Diameter 37.0mm

Weight 500 g

Package weight 900 g

Casing colour white

Casing material plastic

Work environment indoor use

Warranty 5 years



The round PAOLO ceiling light impresses with its simple design, which adapts wonderfully to different living areas. The modern luminaire provides customised lighting effects and pleasant illumination for your living space. The luminaire also impresses with its IP44 classification and is therefore protected against splashing water. For this reason, the PAOLO is ideal for lighting your bathroom. Alternatively, it can also be used in your living room or bedroom. The white acrylic cover with the starlight effect blends easily into existing colour schemes. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Mirror light Trio Lighting Piera black 16W 1650lm IP44 830

Product code 20817

Brand [Trio Lighting](#)

Output 16W

Luminous flux 1650lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 25000h

Height 55.0mm

Width 790.0mm

Weight 500 g

Package weight 700 g

In package 1pc

Casing colour black

Casing material metal

Certificates CE

Warranty 5 years



The minimalist PIERA wall light combines design and functionality as a practical bathroom light. The simple appearance in combination with the integrated socket fits perfectly in all living areas - whether in the kitchen, above a work surface or next to the bathroom mirror. Thanks to its IP44 classification, the PIERA is particularly suitable for these demanding areas as it is protected against splashing water. Thanks to its simple design and subtle colour concept in matt black, the light harmonises with almost all furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Mirror light Trio Lighting Piera black 8W 850lm IP44 830

Product code 20819

Brand [Trio Lighting](#)

Output 8W

Luminous flux 850lumens

Luminaire's efficiency lm79 106W

Correlated colour temperature warm
white 3000K

Cri 80

Protection class IP44

Lifespan 25000h

Height 55.0mm

Width 790.0mm

Weight 500 g

Package weight 700 g

In package 1pc

Casing colour black

Casing material metal

Certificates CE

Warranty 5 years



The minimalist PIERA wall light combines design and functionality as a practical bathroom light. The simple appearance in combination with the integrated socket fits perfectly in all living areas - whether in the kitchen, above a work surface or next to the bathroom mirror. Thanks to its IP44 classification, the PIERA is particularly suitable for these demanding areas as it is protected against splashing water. Thanks to its simple design and subtle colour concept in matt black, the light harmonises with almost all furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Piera chrome 16W 1650lm IP44 830

Product code 20816

Brand [Trio Lighting](#)

Output 16W

Luminous flux 1650lumens

Luminaire's efficiency lm79 103W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 25000h

Height 55.0mm

Width 790.0mm

Weight 500 g

Package weight 700 g

In package 1pc

Casing colour chrome

Casing material metal

Certificates CE

Warranty 5 years



The minimalist PIERA wall light combines design and functionality as a practical bathroom light. The simple appearance in combination with the integrated socket fits perfectly in all living areas - whether in the kitchen, above a work surface or next to the bathroom mirror. Thanks to its IP44 classification, the PIERA is particularly suitable for these demanding areas as it is protected against splashing water. With its simple design and subtle chrome colour concept, the light harmonises with almost all furnishing styles. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Piera chrome 8W 850lm IP44 830

Product code 20818

Brand [Trio Lighting](#)

Output 8W

Luminous flux 850lumens

Luminaire's efficiency lm79 106W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 25000h

Height 55.0mm

Width 410.0mm

Weight 400 g

Package weight 600 g

In package 1pc

Casing colour chrome

Casing material metal

Certificates CE

Warranty 5 years



Mirror light Trio Lighting Rocco H2O black 13W 1400lm IP44 830

Product code 22411

Brand [Trio Lighting](#)

Output 13W

Maximum output 13W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 36.0mm

Width 900.0mm

Weight 800 g

Package weight 1 kg

Casing colour black

Casing material aluminium + plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

Thanks to its purist design and clear design language, the ROCCO light takes centre stage. The up and down lighting creates a very special lighting mood in your bathroom - especially when you want to relax and switch off in the bath in the evening. The light creates a cosy atmosphere and is protected against splashing water thanks to its IP44 protection rating. The rather discreet and tasteful exterior in matt black sets attractive accents on walls and integrates effortlessly with the rest of the furniture. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Rocco H2O black 8W 800lm IP44 830

Product code 22410

Brand [Trio Lighting](#)

Output 8W

Maximum output 8W/1m

Luminous flux 800lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 36.0mm

Width 600.0mm

Weight 800 g

Package weight 1 kg

Casing colour black


Casing material aluminium + plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

Thanks to its purist design and clear design language, the ROCCO light takes centre stage. The up and down lighting creates a very special lighting mood in your bathroom - especially when you want to relax and switch off in the bath in the evening. The light creates a cosy atmosphere and is protected against splashing water thanks to its IP44 protection rating. The rather discreet and tasteful exterior in matt black sets attractive accents on walls and integrates effortlessly with the rest of the furniture. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Rocco H2O chrome 13W 1400lm IP44 830

Product code 22412

Brand [Trio Lighting](#)

Output 13W

Maximum output 13W/1m

Luminous flux 1400lumens

Luminaire's efficiency lm79 108W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 36.0mm

Width 900.0mm

Weight 800 g

Package weight 1 kg

Casing colour chrome

Casing material aluminium + plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

Thanks to its purist design and clear design language, the ROCCO light takes centre stage. The up and down lighting creates a very special lighting mood in your bathroom - especially when you want to relax and switch off in the bath in the evening. The light creates a cosy atmosphere and is protected against splashing water thanks to its IP44 protection rating. The rather discreet and tasteful exterior in chrome sets attractive accents on walls and integrates effortlessly with the rest of the furniture. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Mirror light Trio Lighting Rocco H2O chrome 8W 800lm IP44 830

Product code 22409

Brand [Trio Lighting](#)

Output 8W

Maximum output 8W/1m

Luminous flux 800lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 36.0mm

Width 600.0mm

Weight 800 g

Package weight 1 kg

Casing colour chrome

Casing material aluminium + plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years

Thanks to its purist design and clear design language, the ROCCO light takes centre stage. The up and down lighting creates a very special lighting mood in your bathroom - especially when you want to relax and switch off in the bath in the evening. The light creates a cosy atmosphere and is protected against splashing water thanks to its IP44 protection rating. The rather discreet and tasteful exterior in chrome sets attractive accents on walls and integrates effortlessly with the rest of the furniture. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.



Dome light Trio Lighting Terra H2O 230V 15W 1500lm IP44 840

Product code 20866

Brand [Trio Lighting](#)

Supply voltage 230V

Output 15W

Luminous flux 1500lumens

Luminaire's efficiency lm79 100W

Correlated colour temperature pure white 4000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 85.0mm

Diameter 37.0mm

Weight 600 g

Package weight 900 g

Casing material plastic

No. of switches 15000pcs

Work environment indoor use

Warranty 5 years



Ceiling lamp Trio Lighting Umberto black 12W 1160lm IP44 830

Product code 22415

Brand [Trio Lighting](#)

Output 12W

Maximum output 12W/1m

Luminous flux 1160lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 80.0mm

Diameter 290.0mm

Weight 400 g

Package weight 600 g

In package 1pc

Casing colour black


Casing material plastic

No. of switches 20000pcs

Work environment indoor use

Certificates CE

Warranty 5 years



A characteristic ceiling light such as the UMBERTO adds dimension to small rooms and also attracts attention. Thanks to its high and central positioning, it also provides uniform ambient lighting. An additional highlight of the luminaire is its IP44 classification, which means that the luminaire is protected against splashing water. It is therefore particularly suitable for bathing the bathroom in the right light. The discreet matt black colouring makes it easy to integrate the light into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

Ceiling lamp Trio Lighting Umberto chrome 12W 1160lm IP44 830

Product code 22418

Brand [Trio Lighting](#)

Output 12W

Maximum output 12W/1m

Luminous flux 1160lumens

Luminaire's efficiency lm79 97W

Correlated colour temperature warm white 3000K

Cri 80

Protection class IP44

Lifespan 30000h

Height 80.0mm

Diameter 290.0mm

Weight 400 g

Package weight 600 g

In package 1pc

Casing colour chrome

Casing material plastic

No. of switches 20000pcs

Work environment indoor use

Certificates CE

Warranty 5 years

A characteristic ceiling light such as the UMBERTO adds dimension to small rooms and also attracts attention. Thanks to its high and central positioning, it also provides uniform ambient lighting. An additional highlight of the luminaire is its IP44 classification, which means that the luminaire is protected against splashing water. It is therefore particularly suitable for bathing the bathroom in the right light. The discreet chrome colouring makes it easy to integrate the light into existing interiors. In addition, the luminaires feature modern LED technology, which stands for a high quality of light. LED light sources are characterized by a long service life and low heat generation.

