

## Switch ON-OFF rocker switch 12A, circular 30mm white IP40

### Product code 14229

Protection class IP40  
Height 43.0mm  
Diameter 30.0mm  
In package 1pc  
Casing colour white  
Casing material plastic  
Polishing matt  
Work environment indoor use  
Certificates CE



## Switch ON-OFF rocker switch 6A, circular 20mm black

### Product code 14888

Diameter 19.8mm  
Casing colour black



## Switch ON-OFF rocker switch 6A, circular 20mm white

### Product code 20029

Diameter 19.8mm  
Casing colour white



## Rocker switch SIEMENS 1-ne Delta Style 5TG7141 white IP20

### Product code 19585

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA style, titanium white Rocker switch, 68x 68 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position



## Rocker switch SIEMENS 1-ne platinametall Delta Style 5TG7141-1 silver IP20

### Product code 19429

Brand SIEMENS  
Protection class IP20  
Casing colour silver

DELTA style, platinum metallic Rocker switch, 68x 68 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position



## Rocker switch SIEMENS 1-ne Profil 5TG7801 white IP20

### Product code 18830

Brand SIEMENS  
Protection class IP20  
Casing colour white  
Casing material plastic

DELTA profil, titanium white Rocker switch, 65x 65 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position



## Rocker switch SIEMENS 2 slot Delta Style 5TG7145 white IP20

**Product code 19586**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA style, titanium white Rocker switch, 68x 68 mm for series/double two-way switch for double pushbutton for pushbutton 2-fold Mid-position



## Rocker switch SIEMENS 2 slot Delta Style 5TG7145-1 silver IP20

**Product code 19571**

Brand SIEMENS  
Protection class IP20  
Casing colour silver


DELTA style, platinum metallic Rocker switch, 68x 68 mm for series/double two-way switch for double pushbutton for pushbutton 2-fold Mid-position



## Device insert SIEMENS 2-pooluseline lüliti IP20

**Product code 18914**

Brand SIEMENS  
Protection class IP20



## Cover plate SIEMENS Antennikeskplaat TV/R/SAT Delta IP20

**Product code 18919**

Brand SIEMENS  
Protection class IP20



## Cover plate SIEMENS Cat 3,Cat 5,Cat 6 pesale kirjaväljaga 5TG2546 white IP20

**Product code 18904**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm with labeling field



## Device insert SIEMENS CAT 6 2-ne plast krome 13410405 IP20

**Product code 18923**

Brand SIEMENS  
Protection class IP20



## Device insert SIEMENS CAT 6 pesa 1-ne plast krone 13410401 IP20

### Product code 18924

Brand SIEMENS  
Protection class IP20

DELTA connection socket Universal  
connection unit 1x 8-pole RJ45 Cat. 6  
A unshielded LSA-plus terminals  
Screw mounting



## Rocker switch SIEMENS Delta i-system kella sümboliga white IP20

### Product code 22110

Brand SIEMENS  
Protection class IP20  
Height 70.0mm  
Width 70.0mm  
Length 40.0mm  
Casing colour white



## Rocker switch SIEMENS Delta i-system kella sümboliga white IP20

### Product code 18882

Brand SIEMENS  
Protection class IP20  
Height 70.0mm  
Width 70.0mm  
Length 40.0mm  
Casing colour white



## Rocker switch SIEMENS Delta I-system kella sümboliga white IP20

### Product code 22109

---

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA style, titanium white Rocker switch, 68x 68 mm for series/double two-way switch for double pushbutton for pushbutton 2-fold Mid-position




## Rocker switch SIEMENS Delta I/O sümbolitega white IP20

### Product code 21901

---

Brand SIEMENS  
Protection class IP20  
Casing colour white




## Rocker switch SIEMENS Delta Miro Soft black IP20

### Product code 20517

---

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour black



## Rocker switch SIEMENS Delta Miro Soft black IP20

### Product code 20518

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour black  
Work environment indoor use



## Cover plate SIEMENS Delta Profil dimmer cover 5TC8904 white IP20

### Product code 19526

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA profil, titanium white Cover plate for dimmer with rotary knob 65x 65 mm



## Cover plate SIEMENS Delta Style Cat 3-6 5TG1394 white IP20

### Product code 19584

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA style, titanium white Cover plate UAE connection socket 68x 68 mm for Rutenbeck Cat. 3+5+6 BTR-DAT C6, E-DAT/UAE design Telegärtner AMJ45, UMJ45



## Device insert SIEMENS Delta Style IP20

**Product code 19581**

Brand SIEMENS  
Protection class IP20  
Height 68.0mm  
Width 68.0mm



## Rocker switch SIEMENS Delta white IP20

**Product code 21900**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA style, titanium white Rocker switch, 68x 68 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position



## Device insert SIEMENS dimmer elekt. 0-10v vedrulüliti IP20

**Product code 18915**

Brand SIEMENS  
Protection class IP20



## Cover plate SIEMENS Dimmerile Soft black IP20

**Product code 22089**

Brand SIEMENS  
Protection class IP20  
Height 70.0mm  
Width 70.0mm  
Length 40.0mm  
Casing colour black



## Device insert SIEMENS Dimmerlüiti elekt. trafole 10-600w IP20

**Product code 18846**

Brand SIEMENS  
Protection class IP20



## Gasket SIEMENS for socket 5TG4318 IP44

**Product code 19074**

Brand SIEMENS  
Protection class IP44

ELTA style, Seal IP44 for SCHUKO  
socket outlets with spring flap




## Device insert SIEMENS Grupilüliti 5TA2155 IP20

**Product code 18814**

Brand SIEMENS  
Protection class IP20

DELTA switch device insert FM, two-  
circuit switch 10 A 250 V




## Device insert SIEMENS Grupivedrulüliti sisu 5TD2111 IP20

**Product code 19099**

Brand SIEMENS  
Protection class IP20


DELTA pushbutton device insert, UP  
double pushbutton, 2 NO 10A 250V



## Device insert SIEMENS Grupiveksellüliti 5TA2118 IP20

**Product code 18813**

Brand SIEMENS  
Protection class IP20



## Lamp insert SIEMENS Huumlamp valge IP20

### Product code 22449

Brand SIEMENS  
Protection class IP20  
Casing material glass



## Rocker switch SIEMENS i-system 1-ne 5TG6201 white IP20

### Product code 18935

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white Rocker switch for universal switch Change/off for intermediate and OFF switch 'for neutral button, 55x 55 mm



## Rocker switch SIEMENS i-system 1-ne 5TG6221 carbon IP20

### Product code 18895

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic Rocker switch for universal switch Change/off for intermediate and OFF switch for neutral pushbutton, 55x 55 mm



## Rocker switch SIEMENS i-system 1-ne märktulega 5TG6200 white IP20

### Product code 18871

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white Rocker switch with window, 55x 55 mm for pilot lamp/off/changeover switch for neutral pushbutton and for push-buttons with separate feedback signal



## Rocker switch SIEMENS i-system 2-ne 5TG6205 white IP20

### Product code 18894

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium-white rocker switch Rocker switch for Series/double two-way switch for double pushbutton, 55x 55 mm



## Rocker switch SIEMENS i-system 2-ne 5TG6225 carbon IP20

### Product code 18896

Brand SIEMENS  
Protection class IP20  
Casing colour carbon



## Rocker switch SIEMENS i-system 2-ne 5TG6275 cream IP20

### Product code 18897

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white  
Rocker switch for series/double two-  
way switch for double pushbutton,  
55x 55 mm



## Rocker switch SIEMENS i-system 2-ne märktulega 5TG6224 carbon IP20

### Product code 18878

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic  
Rocker switch with window for  
Series/double two-way switch 55x 55  
mm



## Rocker switch SIEMENS i-system 2-ne märktulega 5TG6244 aluminum IP20

### Product code 18877

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
Rocker switch with window for  
series/double two-way switch 55x 55  
mm



## Rocker switch SIEMENS i-system 2-ne märktulega 5TG6204 white IP20

**Product code 18875**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white Rocker switch with window for Series/double two-way switch 55x 55 mm




## Rocker switch SIEMENS i-system 2-ne märktulega 5TG6274 cream IP20

**Product code 18876**

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white Rocker switch with window for series/double two-way switch 55x 55 mm



## Cover plate SIEMENS i-system Cat 3-6 pesale 5TG1257 aluminum IP20

**Product code 18827**

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm



## Cover plate SIEMENS i-system Cat 3-6 pesale 5TG1227 carbon IP20

**Product code 18828**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm



## Cover plate SIEMENS i-system dimmerile 5TC8900-1AM aluminum IP20

**Product code 19569**

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic Cover plate for dimmer with rotary knob 55x 55 mm



## Cover plate SIEMENS i-system dimmerile 5TC8902 aluminum IP20

**Product code 18818**

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic Cover plate for dimmer with rotary knob 55x 55 mm



## Cover plate SIEMENS i-system dimmerile 5TC8900-1TW white IP20

**Product code 18820**

---

Brand SIEMENS  
Protection class IP20  
Casing colour white



## Cover plate SIEMENS i-system dimmerile 5TC8901 cream IP20

**Product code 18817**

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream



## Cover plate SIEMENS i-system dimmerile 5TC8901-1 cream IP20

**Product code 19568**

---

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white Cover plate for dimmer with rotary knob 55x 55 mm



## Cover plate SIEMENS i-system dimmerile 5TC8903 carbon IP20

**Product code 18819**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic Cover plate for dimmer with rotary knob 55x55 mm



## Cover plate SIEMENS i-system kaabliväljaviigule carbon IP20

**Product code 18921**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon



## Cover plate SIEMENS i-system kaabliväljaviigule white IP20

**Product code 18869**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour white



## Cover plate SIEMENS i-system kiirusregulaatorile cream IP20

**Product code 18918**


Brand SIEMENS  
Protection class IP20  
Casing colour cream



## Cover plate SIEMENS i-system kõlaripesale Delta aluminum IP20

**Product code 18867**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour aluminum



## Cover plate SIEMENS i-system kõlaripesale Delta cream IP20

**Product code 18866**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour cream



## Cover plate SIEMENS i-system kõlaripesale Delta white IP20

### Product code 18865

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour white



## Cover plate SIEMENS i-system kõlaripesale Soft black IP20

### Product code 22100

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour black



## Rocker switch SIEMENS i-system märktulega 5TG6220 anthracite IP20

### Product code 18874

Brand SIEMENS  
Protection class IP20  
Casing colour anthracite  
Casing material plastic



## Cover plate SIEMENS i-system pime 5TG1250 aluminum IP20

**Product code 18825**

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
blanking plate, 55x 55 mm



## Cover plate SIEMENS i-system põrandatermostaadile white IP20

**Product code 18822**

Brand SIEMENS  
Protection class IP20  
Width 55.0mm  
Diameter 55.0mm  
Casing colour white



## Cover plate SIEMENS i-system termostaadile white IP20

**Product code 18916**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour white



## Cover plate SIEMENS i-system TVR 5TG2561 white IP20

### Product code 18861

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white  
antenna cover plate 55x 55 mm for  
broadband connection socket RF/TV



## Cover plate SIEMENS i-system TVR 5TG2591 cream IP20

### Product code 18862

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white  
antenna cover plate 55x 55 mm for  
broadband connection socket RF/TV



## Cover plate SIEMENS i-system TVR 5TG1253 aluminum IP20

### Product code 18863

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour aluminum



## Cover plate SIEMENS i-system TVR 5TG1223 carbon IP20

### Product code 18864

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic  
antenna cover plate 55x 55 mm for  
broadband connection socket RF/TV



## Cover plate SIEMENS i-system TVR/SAT white IP20

### Product code 18858

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour white



## Cover plate SIEMENS i-system TVRSAT cream IP20

### Product code 18859

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour cream



## Rocker switch SIEMENS i-system 1-ne 5TG6241 aluminum IP20

### Product code 19545

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
Rocker switch for universal switch  
Change/off for intermediate and OFF  
switch for neutral pushbutton, 55x 55  
mm



## Rocker switch SIEMENS i-system 1-ne märktulega 5TG6240 aluminum IP20

### Product code 18873

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum  
Casing material plastic

DELTA i-system aluminum-metallic  
Rocker switch with window, 55x 55  
mm for pilot lamp/off/changeover  
switch for neutral pushbutton and for  
push-buttons with separate feedback  
signal



## Rocker switch SIEMENS i-system 1-ne märktulega 5TG6270 cream IP20

### Product code 18872

Brand SIEMENS  
Protection class IP20  
Casing colour cream  
Casing material plastic

DELTA i-system titanium white Rocker  
switch with window, 55x 55 mm for  
pilot lamp/off/changeover switch for  
neutral pushbutton and for push-  
buttons with separate feedback signal



## Rocker switch SIEMENS i-system 1-ne 5TG6271 cream IP20

### Product code 19428

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white  
Rocker switch for universal switch  
Change/off for intermediate and OFF  
switch for neutral pushbutton, 55x 55  
mm



## Rocker switch SIEMENS i-system 2-ne 5TG6245 aluminum IP20

### Product code 19544

Brand SIEMENS  
Protection class IP20  
Casing colour aluminum

DELTA i-system aluminum-metallic  
Rocker switch for series/double two-  
way switch for double pushbutton,  
55x 55 mm



## Cover plate SIEMENS i-system blanking plate 5TG1220 carbon IP20

### Product code 18826

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

DELTA i-system carbon metallic  
blanking plate, 55x 55 mm



## Cover plate SIEMENS i-system blanking plate 5TG2558 white IP20

**Product code 18823**

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white  
blanking plate, 55x 55 mm



## Cover plate SIEMENS i-system blanking plate 5TG2588 cream IP20

**Product code 18824**

Brand SIEMENS  
Protection class IP20  
Casing colour cream


DELTA i-system electrical white  
blanking plate 55x 55 mm



## Cover plate SIEMENS i-system carbon IP20

**Product code 18868**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon



## Cover plate SIEMENS i-system Cat 3-6 5TG2543 cream IP20

### Product code 19562

Brand SIEMENS  
Protection class IP20  
Casing colour cream

DELTA i-system electrical white Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm



## Cover plate SIEMENS i-system Cat 3-6 pesale 5TG2545 white IP20

### Product code 19311

Brand SIEMENS  
Protection class IP20  
Casing colour white

DELTA i-system titanium white Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm



## Cover plate SIEMENS i-system Cat 3-6 pesale white IP20

### Product code 18857

Brand SIEMENS  
Protection class IP20  
Height 690.0mm  
Width 680.0mm  
Casing colour white



## Cover plate SIEMENS i-system cream IP20

**Product code 18870**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour cream



## Cover plate SIEMENS i-system dimmerile 5TC8900-1CM carbon IP20

**Product code 18821**

Brand SIEMENS  
Protection class IP20  
Casing colour carbon

Delta i-system Rotary Dimmer Cover  
Carbon Metallic



## Rocker switch SIEMENS i-system klahv ülesalla aluminum IP20

**Product code 18898**

Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour aluminum



## Cover plate SIEMENS i-system termostaadile white IP20

**Product code 20579**


Brand SIEMENS  
Protection class IP20  
Height 55.0mm  
Width 55.0mm  
Casing colour white



## Device insert SIEMENS intermediate switch IP20

**Product code 20015**

Brand SIEMENS  
Protection class IP20



## Cover plate SIEMENS katteplaat TV/R/SAT i-system carbon

**Product code 21873**

Brand SIEMENS  
Casing colour carbon



## Device insert SIEMENS Kõlaripesa 1-ne IP20

**Product code 22099**


Brand SIEMENS  
Protection class IP20



## Device insert SIEMENS Kõlaripesa 2-ne IP20

**Product code 22101**

Brand SIEMENS  
Protection class IP20



## Device insert SIEMENS Lihtlüli 5TA2151 IP20

**Product code 18931**

Brand SIEMENS  
Protection class IP20

DELTA switch device insert FM, OFF  
switch 1-pole 10 A 250V



## Lamp insert SIEMENS oranž 230AC 5TG7333 IP20

### Product code 18879

Brand SIEMENS  
Protection class IP20

DELTA switches and pushbutton  
switches LED lamp insert for control  
function 230 V/50 Hz, orange



## Cover plate SIEMENS pime Delta Style 5TG1330-1 silver IP20

### Product code 18929

Brand SIEMENS  
Protection class IP20  
Casing colour silver

DELTA style, platinum metallic  
blanking plate, 68x 68 mm



## Lamp insert SIEMENS punane 230AC 5TG7353 IP20

### Product code 18881

Brand SIEMENS  
Protection class IP20



## Device insert SIEMENS Ristlüliti 5TA2117 IP20

**Product code 18812**

Brand SIEMENS  
Protection class IP20

DELTA switch device insert FM,  
Intermediate switch 10 A 250 V



## Device insert SIEMENS RJ12/RJ45 IP20

**Product code 21992**

Brand SIEMENS  
Protection class IP20



## Lamp insert SIEMENS sinine 230AC 5TG7355 IP20

**Product code 18880**

Brand SIEMENS  
Protection class IP20

DELTA switches and pushbutton  
switches LED lamp insert for control  
function 230 V/50 Hz, blue




## Device insert SIEMENS Vedrulüliti 5TD2120 IP20

**Product code 18815**

Brand SIEMENS  
Protection class IP20

DELTA switch device insert FM,  
Intermediate switch 10 A 250 V



## Device insert SIEMENS Veksellüliti 5TA2156 IP20

**Product code 19081**

Brand SIEMENS  
Protection class IP20

DELTA switch device insert FM,  
OFF/two-way switch 10A 250V



## Switch THPG Duroplast Toggle switch intermediate white IP20

**Product code 22524**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Duroplast. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. A base plate is essential when mounting to easily inflammable or uneven surfaces.



## Switch THPG Duroplast Toggle switch white IP20

**Product code 22523**

Brand THPG  
 Rated current 10mA  
 Protection class IP20  
 Length 53.0mm  
 Diameter 62.0mm  
 Casing colour white  
 Casing material duroplast  
 Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Duroplast. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. A base plate is essential when mounting to easily inflammable or uneven surfaces.



## Switch THPG Duroplast white IP20

**Product code 22458**

Brand THPG  
 Rated current 10mA  
 Protection class IP20  
 Diameter 70.0mm  
 Casing colour white  
 Casing material duroplast  
 Work environment indoor use

Rocker button for the switch system Duroplast with solid screw contacts. The central insert and the rocker are made of Duroplast and the base body is made of steatite, a proven ceramic material. Rocker buttons are particularly suitable for operating bells and door openers, and in conjunction with a relay, they can also be used for stairwell lighting. Rocker buttons with corresponding symbols on the rocker are also available, as are luminescent models.



## Switch THPG Duroplast white IP20

**Product code 22468**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of Duroplast, the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



## Switch THPG Duroplast white IP20

**Product code 22470**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Toggle switch with durable brass switching mechanism and solid screw contacts. The central insert and the toggle lever are made of Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



## Switch THPG Duroplast white IP20

**Product code 22478**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Duroplast. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



## Switch THPG Duroplast white IP20

**Product code 22479**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Double toggle switch (2 gang) with durable brass switch mechanism and solid screw contacts. The central insert and toggle levers are made of Duroplast; the base is made of steatite, a proven ceramic material. This series switch can be used to switch two lights separately.



## Switch THPG Duroplast white IP20

**Product code 22521**

Brand THPG  
Output voltage 250V  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Duroplast. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places.



## Switch THPG Duroplast white IP20

**Product code 22522**

Brand THPG  
Output voltage 250V  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour white  
Casing material duroplast  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Duroplast. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn. Note: A base plate is essential when mounting to easily inflammable or uneven surfaces.



## Switch THPG Porcelain rocker button white IP20

**Product code 22506**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Rocker button for the switch system  
Porcelain white with solid screw  
contacts. The central insert is made of  
transparent glazed porcelain, the  
rocker is made of colour-matched  
Duroplast and the base body is made  
of steatite, a proven ceramic material.  
Rocker buttons are particularly  
suitable for operating bells and door  
openers, and in conjunction with a  
relay, they can also be used for  
stairwell lighting. Rocker buttons with  
corresponding symbols on the rocker  
are also available, as are luminescent  
models. - Porcelain central insert,  
colour-matched Duroplast rocker,  
steatite base - 10 A, AC 250V - Rated  
power of the SBL circuit up to 10A =  
max. 100W



## Switch THPG Porcelain Rocker switch white IP20

**Product code 22504**

Brand THPG  
 Rated current 10mA  
 Protection class IP20  
 Diameter 70.0mm  
 Casing colour white  
 Casing material porcelain  
 Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the rocker is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. - Central insert made of porcelain, rocker made of colour-matched Duroplast; base body made of steatite - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W



## Switch THPG Porcelain rocker switch white IP20

**Product code 22505**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the rocker is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. - Central insert made of porcelain, rocker made of colour-matched Duroplast; base body made of steatite - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W



## Switch THPG Porcelain Rotary switch 2-way white IP20

**Product code 22510**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of transparent glazed porcelain, the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, an intermediate switch is required for each additional location. - Porcelain central insert and handle; steatite base - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W - patented spring-loaded mechanism



## Switch THPG Porcelain Rotary switch white IP20

**Product code 22453**

Brand THPG  
Output voltage 250V  
Rated current 16mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of transparent glazed porcelain, the base body is made of steatite, a proven ceramic material. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn. Rotary switch made of porcelain for series circuits. - Porcelain central insert and handle; steatite base - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W - Patented spring-loaded mechanism - Series switches are used to switch two lamps from one switch. - Ø 7.0 cm



## Switch THPG Porcelain Rotary switch white IP20

**Product code 22503**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Diameter 70.0mm  
Casing colour white  
Casing material porcelain  
Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the rocker is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. - Central insert made of porcelain, rocker made of colour-matched Duroplast; base body made of steatite - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W




## Switch THPG Rotary switch 2-way surface-mounted Bakelite black IP20

**Product code 22530**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Bakelite. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.




## Switch THPG Rotary switch intermediate surface-mounted Bakelite black IP20

**Product code 22528**

Brand THPG  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Bakelite. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. Rated power of the SBL (self-ballasted lamps) circuit up to 10A: max. 200W A base plate is essential when mounting to easily inflammable or uneven surfaces.



## Switch THPG Rotary switch series surface-mounted Bakelite black IP20

### Product code 22531

Brand THPG  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Bakelite. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn. Rated power of the SBL (self-ballasted lamps) circuit up to 10A: max. 200W A base plate is essential when mounting to easily inflammable or uneven surfaces.



## Switch THPG Toggle switch 2-way surface-mounted THPG Bakelite black IP20

**Product code 22526**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Bakelite. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. Note: A base plate is essential when mounting to easily inflammable or uneven surfaces.



## Switch THPG Toggle switch intermediate surface-mounted Bakelite black IP20

**Product code 22527**

Brand THPG  
Rated current 10mA  
Protection class IP20  
Length 53.0mm  
Diameter 62.0mm  
Casing colour black  
Casing material bakelite  
Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Duroplast. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. A base plate is essential when mounting to easily inflammable or uneven surfaces.



