

Switch ON-OFF rocker switch 12A, circular 30mm white IP40

Product code 14229

Protection class IP40
Height 43.0mm
Diameter 30.0mm
In package 1pc
Casing colour white
Casing material plastic
Polishing matt
Work environment indoor use
Certificates CE



Switch ON-OFF rocker switch 6A, circular 20mm black

Product code 14888

Diameter 19.8mm
Casing colour black



Switch ON-OFF rocker switch 6A, circular 20mm white

Product code 20029


Diameter 19.8mm
Casing colour white



Device insert SIEMENS 2-pooluseline lüliti IP20

Product code 18914

Brand SIEMENS
Protection class IP20



Cover plate SIEMENS Antennikeskplaat TV/R/SAT Delta IP20

Product code 18919

Brand SIEMENS
Protection class IP20
Casing material plastic
Work environment indoor use



Device insert SIEMENS Antennipesa sisu TV/R läbiv

Product code 22987

Brand SIEMENS
Work environment indoor use



Device insert SIEMENS Antennipesa sisu TV/R lõpp

Product code 22988

Brand SIEMENS
Work environment indoor use



Lamp insert SIEMENS blue IP20

Product code 18880

Brand SIEMENS
Protection class IP20
Work environment indoor use

DELTA switches and pushbutton
switches LED lamp insert for control
function 230 V/50 Hz, blue



Device insert SIEMENS CAT 6 2-ne plast krone IP20

Product code 18923

Brand SIEMENS
Protection class IP20
Work environment indoor use



Device insert SIEMENS CAT 6 pesa 1-ne plast krone IP20

Product code 18924

Brand SIEMENS
Protection class IP20


DELTA connection socket Universal
connection unit 1x 8-pole RJ45 Cat. 6
A unshielded LSA-plus terminals
Screw mounting



Cover plate SIEMENS Delta i-system carbon IP20

Product code 18868


Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use



Device insert SIEMENS Delta HDMI gray IP20

Product code 18900


Brand SIEMENS
Protection class IP20
Casing colour gray



Device insert SIEMENS Delta HDMI white

Product code 22991

Brand SIEMENS
Width 70.0mm
Casing colour white
Work environment indoor use



Cover plate SIEMENS Delta i-system RF/TV aluminum IP20

Product code 18863

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system aluminum IP20

Product code 19544

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
Rocker switch for series/double two-
way switch for double pushbutton,
55x 55 mm



Cover plate SIEMENS Delta i-system aluminum IP20

Product code 18827

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
Cover plate UAE connection socket
suitable for Rutenbeck Cat. 3+5/ BTR
Cat. 6, 55x 55 mm



Cover plate SIEMENS Delta i-system aluminum IP20

Product code 18867

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system aluminum IP20

Product code 18873

Brand SIEMENS
Protection class IP20
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
Rocker switch with window, 55x 55
mm for pilot lamp/off/changeover
switch for neutral pushbutton and for
push-buttons with separate feedback
signal



Rocker switch SIEMENS Delta i-system aluminum IP20

Product code 18877

Brand SIEMENS
Protection class IP20
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
Rocker switch with window for
series/double two-way switch 55x 55
mm



Rocker switch SIEMENS Delta i-system aluminum IP20

Product code 18898

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system aluminum IP20

Product code 18922

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system anthracite IP20

Product code 18874

Brand SIEMENS
Protection class IP20
Casing colour anthracite
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system carbon IP20

Product code 18828

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm



Cover plate SIEMENS Delta i-system carbon IP20

Product code 18864

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic antenna cover plate 55x 55 mm for broadband connection socket RF/TV



Rocker switch SIEMENS Delta i-system carbon IP20

Product code 18878

Brand SIEMENS
Protection class IP20
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic
Rocker switch with window for
Series/double two-way switch 55x 55
mm



Rocker switch SIEMENS Delta i-system carbon IP20

Product code 18895

Brand SIEMENS
Protection class IP20
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic
Rocker switch for universal switch
Change/off for intermediate and OFF
switch for neutral pushbutton, 55x 55
mm



Rocker switch SIEMENS Delta i-system carbon IP20

Product code 18896

Brand SIEMENS
Protection class IP20
Casing colour carbon
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system carbon IP20

Product code 18921

Brand SIEMENS
Protection class IP20
Casing colour carbon
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system Cat 3-6 cream IP20

Product code 19562

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



DELTA i-system electrical white Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm

Cover plate SIEMENS Delta i-system Cat 3-6 white IP20

Product code 19311

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA i-system titanium white Cover plate UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6, 55x 55 mm

Cover plate SIEMENS Delta i-system cream IP20

Product code 18862

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system electrical white
antenna cover plate 55x 55 mm for
broadband connection socket RF/TV



Cover plate SIEMENS Delta i-system cream IP20

Product code 18866

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system cream IP20

Product code 18870

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system cream IP20

Product code 18872

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system titanium white Rocker switch with window, 55x 55 mm for pilot lamp/off/changeover switch for neutral pushbutton and for push-buttons with separate feedback signal



Rocker switch SIEMENS Delta i-system cream IP20

Product code 18876

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system electrical white Rocker switch with window for series/double two-way switch 55x 55 mm



Rocker switch SIEMENS Delta i-system cream IP20

Product code 18897

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system electrical white Rocker switch for series/double two-way switch for double pushbutton, 55x 55 mm



Rocker switch SIEMENS Delta i-system cream IP20

Product code 19428

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



DELTA i-system electrical white
Rocker switch for universal switch
Change/off for intermediate and OFF
switch for neutral pushbutton, 55x 55
mm

Cover plate SIEMENS Delta i-system cream IP20

Product code 18918

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system Soft black IP20

Product code 20517

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system Soft black IP20

Product code 20518


Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Cover plate SIEMENS Delta i-system Soft black IP20

Product code 22100

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Cover plate SIEMENS Delta i-system Soft black IP20

Product code 22975

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Cover plate SIEMENS Delta i-system Soft black IP20

Product code 22976

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour black
Casing material thermoplastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system white IP20

Product code 21900

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system white IP20

Product code 18861

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white
antenna cover plate 55x 55 mm for
broadband connection socket RF/TV



Cover plate SIEMENS Delta i-system white IP20

Product code 18865

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system white IP20

Product code 18869

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system white IP20

Product code 18871

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white Rocker switch with window, 55x 55 mm for pilot lamp/off/changeover switch for neutral pushbutton and for push-buttons with separate feedback signal



Rocker switch SIEMENS Delta i-system white IP20

Product code 18875

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white Rocker switch with window for Series/double two-way switch 55x 55 mm



Rocker switch SIEMENS Delta i-system white IP20

Product code 18882

Brand SIEMENS
Protection class IP20
Height 70.0mm
Width 70.0mm
Length 40.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system white IP20

Product code 22983

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta i-system white IP20

Product code 18894

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium-white rocker switch
Rocker switch for Series/double two-way switch for double pushbutton, 55x 55 mm



Cover plate SIEMENS Delta i-system white IP20

Product code 18899

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta i-system white IP20

Product code 18904

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white Cover plate
UAE connection socket suitable for Rutenbeck Cat. 3+5/ BTR Cat. 6,
55x 55 mm with labeling field



Rocker switch SIEMENS Delta i-system white IP20

Product code 18935

Brand SIEMENS
Protection class IP20
Casing colour white
Work environment indoor use


DELTA i-system titanium white Rocker switch for universal switch Change/off for intermediate and OFF switch 'for neutral button, 55x 55 mm



Rocker switch SIEMENS Delta I/O sümbolitega white IP20

Product code 21901

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use



Device insert SIEMENS Delta IP20

Product code 22099

Brand SIEMENS
Protection class IP20
Work environment indoor use



Switch SIEMENS Delta Line Style white

Product code 22691

Brand SIEMENS
Height 85.0mm
Width 45.0mm
Length 85.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta Profil aluminum IP20

Product code 22998

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour aluminum
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Profil white IP20

Product code 18830

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use

DELTA profil, titanium white Rocker switch, 65x 65 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position



Rocker switch SIEMENS Delta Profil white IP20

Product code 22973

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Profil white IP20

Product code 22996

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Profil white IP20

Product code 22997

Brand SIEMENS
Protection class IP20
Height 65.0mm
Width 65.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta Style Cat 3-6 platinum IP20

Product code 22995

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



Cover plate SIEMENS Delta Style Cat 3-6 white IP20

Product code 19584

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA style, titanium white Cover plate UAE connection socket 68x 68 mm for Rutenbeck Cat. 3+5+6 BTR-DAT C6, E-DAT/UAE design Telegärtner AMJ45, UMJ45

Rocker switch SIEMENS Delta Style platinum IP20

Product code 19571

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



DELTA style, platinum metallic Rocker switch, 68x 68 mm for series/double two-way switch for double pushbutton for pushbutton 2-fold Mid-position

Rocker switch SIEMENS Delta Style platinum IP20

Product code 22992

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Style platinum IP20

Product code 22993

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



Cover SIEMENS Delta Style platinum IP20

Product code 23007

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Style platinum IP20

Product code 19429

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



DELTA style, platinum metallic Rocker switch, 68x 68 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position

Cover plate SIEMENS Delta Style platinum IP20

Product code 18929

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour platinum
Casing material plastic
Work environment indoor use



DELTA style, platinum metallic blanking plate, 68x 68 mm

Cover SIEMENS Delta Style white IP20

Product code 19581

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Style white IP20

Product code 19585

Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA style, titanium white Rocker switch, 68x 68 mm for universal switch Change/off for intermediate and OFF switch for neutral pushbutton for pushbutton 1-fold Mid-position

Rocker switch SIEMENS Delta Style white IP20

Product code 19586

Brand SIEMENS
Protection class IP20
Height 68.0mm
Minimum length 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



DELTA style, titanium white Rocker switch, 68x 68 mm for series/double two-way switch for double pushbutton for pushbutton 2-fold Mid-position

Rocker switch SIEMENS Delta Style white IP20

Product code 22977

Brand SIEMENS
Protection class IP20
Height 68.0mm
Minimum length 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS Delta Style white IP20

Product code 22999


Brand SIEMENS
Protection class IP20
Height 68.0mm
Width 68.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Device insert SIEMENS Delta USB white IP20

Product code 21898

Brand SIEMENS
Protection class IP20
Casing colour white
Work environment indoor use



Gasket SIEMENS for socket 5TG4318 IP44

Product code 19074

Brand SIEMENS
Protection class IP44

ELTA style, Seal IP44 for SCHUKO
socket outlets with spring flap




Device insert SIEMENS Grupilüliti 5TA2155 IP20

Product code 18814

Brand SIEMENS
Protection class IP20

DELTA switch device insert FM, two-
circuit switch 10 A 250 V




Device insert SIEMENS Grupivedrulüliti sisu 5TD2111 IP20

Product code 19099

Brand SIEMENS
Protection class IP20


DELTA pushbutton device insert, UP
double pushbutton, 2 NO 10A 250V



Device insert SIEMENS Grupiveksellüliti 5TA2118 IP20

Product code 18813

Brand SIEMENS
Protection class IP20



Cover plate SIEMENS i-system pime 5TG1250 aluminum IP20

Product code 18825

Brand SIEMENS
Protection class IP20
Casing colour aluminum
Casing material plastic
Work environment indoor use

DELTA i-system aluminum-metallic
blanking plate, 55x 55 mm



Cover plate SIEMENS i-system põrandatermostaadile white IP20

Product code 18822

Brand SIEMENS
Protection class IP20
Width 55.0mm
Diameter 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS i-system termostaadile white IP20

Product code 18916

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS i-system TVR/SAT white IP20

Product code 18858

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS i-system TVRSAT cream IP20

Product code 18859

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour cream
Casing material plastic
Work environment indoor use



Rocker switch SIEMENS i-system 1-ne 5TG6241 aluminum IP20

Product code 19545

Brand SIEMENS
Protection class IP20
Casing colour aluminum

DELTA i-system aluminum-metallic
Rocker switch for universal switch
Change/off for intermediate and OFF
switch for neutral pushbutton, 55x 55
mm



Cover plate SIEMENS i-system blanking plate 5TG1220 carbon IP20

Product code 18826

Brand SIEMENS
Protection class IP20
Casing colour carbon
Casing material plastic
Work environment indoor use

DELTA i-system carbon metallic
blanking plate, 55x 55 mm



Cover plate SIEMENS i-system blanking plate 5TG2558 white IP20

Product code 18823

Brand SIEMENS
Protection class IP20
Casing colour white
Casing material plastic
Work environment indoor use

DELTA i-system titanium white
blanking plate, 55x 55 mm



Cover plate SIEMENS i-system blanking plate 5TG2588 cream IP20

Product code 18824

Brand SIEMENS
Protection class IP20
Casing colour cream
Casing material plastic
Work environment indoor use

DELTA i-system electrical white
blanking plate 55x 55 mm



Cover plate SIEMENS i-system Cat 3-6 pesale white IP20

Product code 18857

Brand SIEMENS
Protection class IP20
Height 690.0mm
Width 680.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Cover plate SIEMENS i-system termostaadile white IP20

Product code 20579

Brand SIEMENS
Protection class IP20
Height 55.0mm
Width 55.0mm
Casing colour white
Casing material plastic
Work environment indoor use



Device insert SIEMENS intermediate switch IP20

Product code 20015


Brand SIEMENS
Protection class IP20
Work environment indoor use



Device insert SIEMENS intermediate switch IP20

Product code 22981


Brand SIEMENS
Protection class IP20
Work environment indoor use



Device insert SIEMENS intermediate switch IP20

Product code 22982


Brand SIEMENS
Protection class IP20
Work environment indoor use



Device insert SIEMENS intermediate switch IP20

Product code 22985

Brand SIEMENS
Protection class IP20
Work environment indoor use



Cover plate SIEMENS katteplaat TV/R/SAT i-system carbon

Product code 21873


Brand SIEMENS
Casing colour carbon
Casing material plastic
Work environment indoor use



Device insert SIEMENS Kõlaripesa 2-ne IP20

Product code 22101

Brand SIEMENS
Protection class IP20



Device insert SIEMENS Lihtlüli 5TA2151 IP20

Product code 18931

Brand SIEMENS
Protection class IP20

DELTA switch device insert FM, OFF
switch 1-pole 10 A 250V



Lamp insert SIEMENS red IP20

Product code 18881


Brand SIEMENS
Protection class IP20
Work environment indoor use



Device insert SIEMENS Ristlüliti 5TA2117 IP20

Product code 18812

Brand SIEMENS
Protection class IP20
DELTA switch device insert FM,
Intermediate switch 10 A 250 V



Device insert SIEMENS RJ12/RJ45 IP20

Product code 21992


Brand SIEMENS
Protection class IP20



Device insert SIEMENS surunupplüiti eraldi N klemmiga IP20

Product code 18920


Brand SIEMENS
Protection class IP20



Device insert SIEMENS USB pistik gray IP20

Product code 23005

Brand SIEMENS
Protection class IP20
Casing colour gray
Work environment indoor use



Device insert SIEMENS Vedrulüiti 5TD2120 IP20

Product code 18815

Brand SIEMENS
Protection class IP20

DELTA switch device insert FM,
Intermediate switch 10 A 250 V



Device insert SIEMENS Veksellüliti 5TA2156 IP20

Product code 19081

Brand SIEMENS
Protection class IP20

DELTA switch device insert FM,
OFF/two-way switch 10A 250V



Lamp insert SIEMENS white IP20

Product code 22449

Brand SIEMENS
Protection class IP20
Casing material plastic
Work environment indoor use



Lamp insert SIEMENS yellow IP20

Product code 18879

Brand SIEMENS
Protection class IP20
Work environment indoor use

DELTA switches and pushbutton
switches LED lamp insert for control
function 230 V/50 Hz, orange



Switch THPG Cable clamps for surface-mounted textile cable black IP20

Product code 22646

Brand THPG
Protection class IP20
Casing colour black
Casing material bakelite
Work environment indoor / outdoor
use

We offer high-quality textile cables in different colours and in any length for all standard household applications. They all come from VOKA (Vogtländisches Kabelwerk), probably the last German manufacturer of textile cables, and are recommended by us for connecting our lights, surface-mounted switches and multiple sockets. You will also find high-quality earthing contact plugs, connectors and junction boxes made of Duroplast or Bakelite as well as suitable cable clamps for guiding our surface-mounted cables on the wall.



Switch THPG Duroplast Toggle switch intermediate white IP20

Product code 22524

Brand THPG
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Duroplast. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. A base plate is essential when mounting to easily inflammable or uneven surfaces.



Switch THPG Duroplast Toggle switch white IP20

Product code 22523

Brand THPG
 Rated current 10mA
 Protection class IP20
 Length 53.0mm
 Diameter 62.0mm
 Casing colour white
 Casing material duroplast
 Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Duroplast. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. A base plate is essential when mounting to easily inflammable or uneven surfaces.



Switch THPG Duroplast white IP20

Product code 22458

Brand THPG
 Rated current 10mA
 Protection class IP20
 Diameter 70.0mm
 Casing colour white
 Casing material duroplast
 Work environment indoor use

Rocker button for the switch system Duroplast with solid screw contacts. The central insert and the rocker are made of Duroplast and the base body is made of steatite, a proven ceramic material. Rocker buttons are particularly suitable for operating bells and door openers, and in conjunction with a relay, they can also be used for stairwell lighting. Rocker buttons with corresponding symbols on the rocker are also available, as are luminescent models.



Switch THPG Duroplast white IP20

Product code 22468

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of Duroplast, the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



Switch THPG Duroplast white IP20

Product code 22470

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Toggle switch with durable brass switching mechanism and solid screw contacts. The central insert and the toggle lever are made of Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



Switch THPG Duroplast white IP20

Product code 22478

Brand THPG
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Duroplast. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



Switch THPG Duroplast white IP20

Product code 22479

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Double toggle switch (2 gang) with durable brass switch mechanism and solid screw contacts. The central insert and toggle levers are made of Duroplast; the base body is made of steatite, a proven ceramic material. This series switch can be used to switch two lights separately.



Switch THPG Duroplast white IP20

Product code 22521

Brand THPG
Output voltage 250V
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Duroplast. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places.



Switch THPG Duroplast white IP20

Product code 22522

Brand THPG
Output voltage 250V
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Duroplast. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn. Note: A base plate is essential when mounting to easily inflammable or uneven surfaces.



Switch THPG Porcelain rocker button white IP20

Product code 22506

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Rocker button for the switch system
Porcelain white with solid screw
contacts. The central insert is made of
transparent glazed porcelain, the
rocker is made of colour-matched
Duroplast and the base body is made
of steatite, a proven ceramic material.
Rocker buttons are particularly
suitable for operating bells and door
openers, and in conjunction with a
relay, they can also be used for
stairwell lighting. Rocker buttons with
corresponding symbols on the rocker
are also available, as are luminescent
models. - Porcelain central insert,
colour-matched Duroplast rocker,
steatite base - 10 A, AC 250V - Rated
power of the SBL circuit up to 10A =
max. 100W



Switch THPG Porcelain Rocker switch white IP20

Product code 22658

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Toggle switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the toggle lever is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, an intermediate switch is required for each additional location.



Switch THPG Porcelain Rocker switch white IP20

Product code 22504

Brand THPG
 Rated current 10mA
 Protection class IP20
 Diameter 70.0mm
 Casing colour white
 Casing material porcelain
 Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the rocker is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. - Central insert made of porcelain, rocker made of colour-matched Duroplast; base body made of steatite - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W



Switch THPG Porcelain rocker switch white IP20

Product code 22505

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the rocker is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. - Central insert made of porcelain, rocker made of colour-matched Duroplast; base body made of steatite - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W



Switch THPG Porcelain Rotary switch 2-way white IP20

Product code 22510

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of transparent glazed porcelain, the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, an intermediate switch is required for each additional location. - Porcelain central insert and handle; steatite base - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W - patented spring-loaded mechanism



Switch THPG Porcelain Rotary switch white IP20

Product code 22453

Brand THPG
Output voltage 250V
Rated current 16mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of transparent glazed porcelain, the base body is made of steatite, a proven ceramic material. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn. Rotary switch made of porcelain for series circuits. - Porcelain central insert and handle; steatite base - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W - Patented spring-loaded mechanism - Series switches are used to switch two lamps from one switch. - Ø 7.0 cm



Switch THPG Porcelain Rotary switch white IP20

Product code 22503

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the rocker is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. - Central insert made of porcelain, rocker made of colour-matched Duroplast; base body made of steatite - 10 A, 10 AX, AC 250V - Rated power of the SBL circuit up to 10A = max. 100W



Switch THPG Porcelain toggle switch white IP20

Product code 22660

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material porcelain
Work environment indoor use

Toggle switch with durable brass switching mechanism and solid screw contacts. The central insert is made of transparent glazed porcelain, the toggle lever is made of colour-matched Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places.



Switch THPG Rocker switch 2-way Duroplast white IP20

Product code 22654

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rocker switch with durable brass switching mechanism and solid screw contacts. The central insert and the rocker are made of Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, an intermediate switch is required for each additional location.



Switch THPG Rocker switch intermediate Duroplast white IP20

Product code 22655

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

From a historical perspective, toggle and rocker switches are the direct 'successors' to the tried and tested rotary switches. They have a simpler design and are particularly easy to operate - even with your elbow if necessary when your hands are full. Our models stand out from today's conventional 'surface switches' with their oversized rockers thanks to their attractive proportions, classic materials and durable switching mechanism. Our switches are also characterised by tried-and-tested screw contacts and a steatite base body.



Switch THPG Rotary switch 2-way moisture-proof Bakeliit black IP20

Product code 22645

Brand THPG
Protection class IP20
Casing colour black
Casing material bakelite
Work environment indoor / outdoor
use

Textile cable for standardized installation on plaster. Black. Textile-sheathed, halogen-free NHXMH cable (5 x 1.5 mm²). Suitable for both indoor and wet areas. Textile and plastic sheaths are made of flame-retardant materials.



Switch THPG Rotary switch 2-way moisture-proof Bakeliit black IP44

Product code 22640

Brand THPG
Protection class IP44
Height 116.0mm
Width 96.0mm
Length 65.0mm
Weight 220 g
Casing colour black
Casing material bakelite
Work environment indoor / outdoor
use

For vertical layouts with outlet and rotary switch. Two-part case and locking bolt made of Bakelite with a single lateral input; two lateral screw attachments facilitate wall mounting. For mounting: The housing of the damp-proof series consists of two parts. The base assembly is mounted on the wall and the cables are routed through the cable entries and sealed tightly. The inner parts are mounted and wired into the base group and then the upper parts of the housing are put on and screwed. The switches and sockets are completely enclosed by the two housing parts and protected from moisture. With spring clips. Cable mounted on wall surface.



Switch THPG Rotary switch 2-way surface-mounted Bakelite black IP20

Product code 22530

Brand THPG
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Bakelite. Here in the version as a 2-way switch. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location.



Switch THPG Rotary switch Duroplast white IP20

Product code 22653

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of Duroplast, the base body is made of steatite, a proven ceramic material. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn.



Switch THPG Rotary switch intermediate Duroplast white IP20

Product code 22652

Brand THPG
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts. The central insert and handle are made of Duroplast, the base body is made of steatite, a proven ceramic material. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places.



Switch THPG Rotary switch intermediate moisture-proof Bakelite black IP44

Product code 22642

Brand THPG
Output voltage 250V
Rated current 10mA
Protection class IP44
Height 85.0mm
Width 97.0mm
Length 65.0mm
Weight 190 g
Casing colour black
Casing material bakelite
Work environment indoor / outdoor
use

Rotary switch made of Bakelite with two-part housing with single input for surface mounting - both parts of the housing can be rotated 180 degrees. Housing and handle made of Bakelite. The housing is surface-mounted using two screw holes on the side. With spring mechanism. Cable entry on plaster. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places.



Switch THPG Rotary switch intermediate surface-mounted Bakelite black IP20

Product code 22528

Brand THPG
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Bakelite. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. Rated power of the SBL (self-ballasted lamps) circuit up to 10A: max. 200W A base plate is essential when mounting to easily inflammable or uneven surfaces.




Switch THPG Rotary switch series surface-mounted Bakelite black IP20

Product code 22531

Brand THPG
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Rotary switch with durable spring-loaded mechanism and solid screw contacts for surface mounting. The housing and handle are made of Bakelite. Here in the version as a series switch. With a series switch, two lights can be switched on and off separately and together. There are four switch positions: Off, A on, A and B on, B on. These are each switched by a quarter turn.



Switch THPG Surface-mounted textile cable 5 x 2,5 five-core black IP20

Product code 22647

Brand THPG
Protection class IP20
Casing colour black
Casing material bakelite
Work environment indoor / outdoor
use



Switch THPG switch 2-way surface-mounted Bakelite black IP44

Product code 22641

Brand THPG
Output voltage 250V
Rated current 10mA
Protection class IP44
Height 85.0mm
Width 97.0mm
Length 65.0mm
Weight 190 g
Casing colour black
Casing material bakelite
Work environment indoor / outdoor
use



or vertical layouts with outlet and rotary switch. Two-part case and locking bolt made of Bakelite with a single lateral input; two lateral screw attachments facilitate wall mounting. For mounting: The housing of the damp-proof series consists of two parts. The base assembly is mounted on the wall and the cables are routed through the cable entries and sealed tightly. The inner parts are mounted and wired into the base group and then the upper parts of the housing are put on and screwed. The switches and sockets are completely enclosed by the two housing parts and protected from moisture. With spring clips. Cable mounted on wall surface.



Switch THPG Toggle switch 2-way surface-mounted THPG Bakelite black IP20

Product code 22526

Brand THPG
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Bakelite. A 2-way switch can either be used individually as an on/off switch or in conjunction with a second 2-way switch to switch a light. If you want to switch from more than two locations, a intermediate switch is required for each additional location. Note: A base plate is essential when mounting to easily inflammable or uneven surfaces.



Switch THPG Toggle switch intermediate Duroplast white IP20

Product code 22651

Brand THPG
Output voltage 250V
Rated current 10mA
Protection class IP20
Diameter 70.0mm
Casing colour white
Casing material duroplast
Work environment indoor use

Toggle switch with durable brass switching mechanism and solid screw contacts. The central insert and the toggle lever are made of Duroplast and the base body is made of steatite, a proven ceramic material. Here in the version as an intermediate switch. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places.



Switch THPG Toggle switch intermediate surface-mounted Bakelite black IP20

Product code 22527

Brand THPG
Rated current 10mA
Protection class IP20
Length 53.0mm
Diameter 62.0mm
Casing colour black
Casing material bakelite
Work environment indoor use

Toggle switch for 2-way circuits for surface mounting. The housing and the toggle are made of Duroplast. An intermediate switch is necessary if a lamp is to be switched from more than two places. 2-way switches are used to switch a lamp from up to two places. A base plate is essential when mounting to easily inflammable or uneven surfaces.

