

Пульт управления освещения DMX Split 4 Splitter 20W (LH3709)

код изделия : LH3709
питание: 230V
мощность: 20W
высота: 80mmmm
ширина: 190mmmm
длина: 325mmmm
вес: 3g
гарантия: 2 лет



3-pin or 5-pin XLR connector

Пульт управления освещением EUROLITE DMX LED Operator 2 controller (LH3497)

код изделия : LH3497
питание: 230V
вес: 1g
гарантия: 2 лет



Пульт управления освещением EUROLITE DMX LED Operator 4 controller (LH3250)

код изделия : LH3250
питание: 230V
гарантия: 2 лет

50 control channels only suitable for matching LED effects 4 LED par cans can be controlled individually Select color mode for choosing single colors Internal programs Auto mode for running all programs Sound-control via built-in microphone or RCA input Pause function Blackout function LCD and control LEDs display current operating mode Program select fader for selecting the internal programs Speed fader for adjusting the program speed Strobe-effect with adjustable speed Additional fogger button for direct control of a DMX smoke machine (CH-49/50) Designed for standing operation, optional installation is customer's choice Power supply via enclosed power unit



Пульт управления освещением EUROLITE DMX LED Operator IR2DMX + IR RC IP20 (LH3820)

код изделия : LH3820
питание: 230V
степень защиты: IP20
высота: 35mmmm
ширина: 100mmmm
длина: 110mmmm
вес: 300g
гарантия: 2 лет

DMX controller for LED devices with infrared receiver Including matching EUROLITE IR remote Inexpensive solution for controlling LED effects with 5-channel standard DMX protocol or KLS spotlight sets via an infrared 4 LED parcans, one KLS light set and one LED BAR can be controlled at the same time Functions: static colors, automatic color change, internal programs, strobe effect, Master/Slave 47 control channels 3-pin XLR DMX output Control in stand-alone mode and DMX programming Sound-control via built-in microphone Adjustable microphone sensitivity via remote control



Пульт управления освещения FD-12 DMX (LH3252)

код изделия : LH3252
питание: 230V
гарантия: 2 лет

12 channel faders with LED Fade time fader with LED for adjusting the step time Master fader with LED for adjusting the total output level Speed fader for adjusting the program-speed Flash button per channel and master-flash LED display of all modes 4 freely programmable programs with up to 84 steps each Controller comes with 4 pre-programmed chasers The programs and chasers can be called up individually or combined (CH1-2-3-4-PR-1-2-3-4) Dimmer: manual control of the channels via sliders Full On: all channels can be switched on together Blackout function Program speed adjustable via speed fader or tap sync button Sound-control via external signal or integrated microphone Only for professional use Sound to light via 6.3 mm jack Power supply via included power unit



Пульт управления освещения FD-8 DMX (LH3251)

код изделия : LH3251
питание: 230V
гарантия: 2 лет

8 channel faders with LED Fade time fader with LED for adjusting the step time Master fader with LED for adjusting the total output level Speed fader for adjusting the program-speed Flash button per channel and master-flash LED display of all modes 4 freely programmable programs with up to 84 steps each Controller comes with 4 pre-programmed chasers The programs and chasers can be called up individually or combined (CH1-2-3-4-PR-1-2-3-4) Dimmer: manual control of the channels via sliders Full On: all channels can be switched on together Blackout function Program speed adjustable via speed fader or tap sync button Sound-control via external signal or integrated microphone Sound to light via 6.3 mm jack Power supply via included power unit or 9 V battery included in the delivery Only for professional use



Пульт управления освещением Martin Lightjockey Universal USB/DMX Interface (LH2892)

код изделия : LH2892
срок службы СИД: 50000h
гарантия: 2 лет



Пульт управления освещением QuickDMX Wireless transmitter/receiver IP20 (LH3760)

код изделия : LH3760
питание: 230V
степень защиты: IP20
высота: 75mmmm
ширина: 100mmmm
длина: 212mmmm
гарантия: 2 лет

